

RECEIVED  
JUL 15 1964

Permit No. 29687

STATE ENGINEER  
SALEM, OREGON

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, John T. Truett  
(Name of applicant)  
of 827 W. Princeton Ave. Roseburg  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Umpqua River  
(Name of stream)  
Umpqua River  
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.15  
cubic feet per second for irrigation and 0.01 c.f.s. for stock use.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation and stock.  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 420 ft. S and 1330 ft. W from the SE  
(N. or S.) (E. or W.)  
corner of Section 16 T 26S, R 3W, M.  
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N<sup>1/2</sup> NW<sup>1/4</sup> of Sec. 16, Tp. 26S,  
(Give smallest legal subdivision) (N. or S.)  
R. 3W, W. M., in the county of Douglas  
(E. or W.)

5. The portable sprinkler system to be  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the          of Sec.         , Tp.         ,  
(Smallest legal subdivision) (N. or S.)  
R.         , W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top          feet, length at bottom          feet; material to be used and character of construction           
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate None  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 1/2" x 1 1/2" centrifugal type pump  
(Size and type of pump)  
9 HP gasoline motor  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
+ 100 ft. maximum head

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....

County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before June 1, 1964

13. Construction work will be completed on or before June 1, 1965

14. The water will be completely applied to the proposed use on or before June 1, 1965

*John J. Truett*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

PERMIT

STATE OF OREGON, }

County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.16 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Fork Umpqua River

The use to which this water is to be applied is irrigation and stock, being 0.15 c.f.s. for irrigation and 0.01 c.f.s. for stock

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 13, 1964

Actual construction work shall begin on or before August 28, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 28th day of August, 1964

Chris L. Wheeler

STATE ENGINEER

Application No. 39854

Permit No. 29687

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of May 1964, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 28, 1964

Recorded in book No. 29687 of

Permits on page

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. 16 page 266

Fees