

RECEIVED JUN 2 1964 STATE ENGINEER SALEM, OREGON

Permit No. 29705

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Glenn and Dorree Baughman of Tenmile State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Tenmile Creek, a tributary of Olalla Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.20 cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located see below - Portable pumping corner of Any place along Tenmile Creek between the following two points:

0 feet N and 1850 feet W and 925 feet N and 1900 feet W from the NE corner McCullough DIC 56.

being within the NW 1/4 SW 1/4 and SW 1/4 SW 1/4 (lots 3 and 4) of Sec. 31, Tp. 28S R. 7W, W. M., in the county of Douglas

5. The in length, terminating in the of Sec. 31, Tp. 28S R. 7W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 1 1/2 x 1 1/2 centrifugal 1 1/2 HP electric

Plan to operate + 13 Rainbird sprinklers - 5/32 x 3/32

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
28S	7W	31	NE $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 2)	12.1
			NW $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 3)	1.0
			SE $\frac{1}{4}$ SW $\frac{1}{4}$ (Lot 5)	2.7

(If more space required, attach separate sheet)

(a) Character of soil ..... Clay

(b) Kind of crops raised ..... Grain - grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. ...., R. ...., W. M. ....  
(No N or S.) (No E or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

..... Sec. .... Tp. .... R. ...., W. M. ....  
(No N or S.) (No E or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of \_\_\_\_\_  
County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ \_\_\_\_\_
- 12. Construction work will begin on or before June 1, 1964
- 13. Construction work will be completed on or before Oct. 1, 1965
- 14. The water will be completely applied to the proposed use on or before Oct. 1, 1966

*Glen Baughman*  
*Dore Baughman*

Remarks: \_\_\_\_\_  
This filing is in addition to, previous <sup>Permit</sup> No. 11404, Certificate No. 14603 in the name of Grace Coats Godfrey. This filing covers land not covered under the above mentioned water right.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.20 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Termile Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 2, 1964

Actual construction work shall begin on or before August 28, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 28th day of August, 1964

Chris L. Wheeler STATE ENGINEER

Application No. 39908
Permit No. 29705

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of June 1964, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 28, 1964

Recorded in book No. 29705 of Permits on page

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 16 page 37E

Fees