

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harry Asbahr, of Route 1, Box 440-A, Corvallis, Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation no

1. The source of the proposed appropriation is Willamette River, a tributary of Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is 1.91 cubic feet per second.

3. The use to which the water is to be applied is irrigation

4. The point of diversion is located 29 ch. N. and 43 ch. E. from the SE corner of Kendall D.L. C. No. 48

being within the SW 1/4 NE 1/4 of Sec. 20, Tp. 11 S., R. 4 W., W. M., in the county of Benton

5. The ... to be 4000 ft. 6 in.; 2880 ft. 3 in. in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 3-in centrifugal John Deere

R. Tractor

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom

..... feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet;

grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, 6 in.; size at ft. from intake in.; size at place of use 6 in.; difference in elevation between

intake and place of use, same ft. Is grade uniform? YES Estimated capacity,

700 G.P.M. ~~same~~

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Principal Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
11 S.	4W.	20	NE $\frac{1}{4}$ NE $\frac{1}{4}$	10.0
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	30.0
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	32.0
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	13.0
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	16.0
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	16.0
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	35.0
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	1.0
				153.0

(If more space required, attach separate sheet)

(a) Character of soil Chelais, Willamette

(b) Kind of crops raised row crops (Sweet corn, table beets, clover seed)

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? NO

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.91 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 5, 1964

Actual construction work shall begin on or before August 28, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 28th day of August, 1964

Chris L. Wheeler
STATE ENGINEER

Application No. 35934
Permit No. 29123

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 5th day of June, 1964, at 4:30 o'clock P. M.

Returned to applicant:

Approved: August 28, 1964

Recorded in book No. 29723 of

Permits on page

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 2 page 64K
Fees 28.15