

RECEIVED
JUL 15 1964

Permit No. 29750

STATE ENGINEER
SALEM, OREGON

APPLICATION FOR PERMIT

RECEIVED
AUG 1 1964

To appropriate the Public Waters of the State of Oregon

I, James Gordon & Sons (Name of applicant)
of 6017 Airport Way South, Seattle (Mailing address)
State of Washington, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fishhawk Creek (Name of stream)
a tributary of Nehalem River

2. The amount of water which the applicant intends to apply to beneficial use is 0.166 cubic feet per second.

3. The use to which the water is to be applied is for recreation to maintain a reservoir by replacing evaporation (0.164 cfs) and seepage (0.002 cfs) losses (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of Reservoir 16 located in the NW 1/4 of the SE 1/4 and the NE 1/4 of Section 1, T 6N, R 6 W, W. M., Clatsop County and in the S 1/2 of the NW 1/4 of Section 6, T 6 N, R 5 W, W.M., Columbia County Dam across stream S 72° 43' 20" W 2380.1 ft of E 1/4 cor Sec 1 T 6 N R 6 W W M

being within the NW 1/4 SE 1/4 of Sec. 1, Tp. 6 N, R. 6 W, W. M., in the county of Clatsop

5. The to be in length, terminating in the of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works— See reservoir application R-39963

6. (a) Height of dam 28 feet, length on top 350 feet, length at bottom 300 feet; material to be used and character of construction Earth fill with spillway around dam.

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line— None

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number/Date To Be Irrigated
6 N	6 W	1	NE 1/4	Res area
			NW 1/4 SE 1/4	- ✓
	5 W	6	S 1/2 NW 1/4	✓ -

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes— None

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the lines to be served

10. (a) To supply the city of _____

_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 150,000.00

12. Construction work will begin on or before July 20, 1964

13. Construction work will be completed on or before July 20, 1965

14. The water will be completely applied to the proposed use on or before September 15, 1964

James Gordon & Sons
(Signature of Applicant)
by Bill R. Jensen

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 23, 1964.

WITNESS my hand this 23rd day of July, 1964.

RECEIVED
AUG 12 1964
STATE ENGINEER
ALEX. J. JENSEN

CHRIS L. WHEELER
STATE ENGINEER
By *Walter Berg*
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.166 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fishhawk Creek and reservoir to be constructed under application No. R-39963, permit No. R-3982.

The use to which this water is to be applied is maintenance of reservoir for recreation by replacing evaporation and seepage losses.

If for irrigation, this appropriation shall be limited to - - - of one cubic foot per second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 15, 1964

Actual construction work shall begin on or before August 21, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

Complete application of the water to the proposed use shall be made on or before October 1, 1967.

WITNESS my hand this 21st day of August, 1964

Handwritten signature
Deputy STATE ENGINEER

Application No. 40075
Permit No. 29750

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of July 1964, at 8:00 o'clock A. M.

Returned to applicant:

Approved: August 21, 1964

Recorded in book No. 29750 of

Permits on page

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 1 page 12D
Fees