

RECEIVED RECEIVED
JUL 21 1964 AUG 10 1964

STATE ENGINEER STATE ENGINEER
SALEM, OREGON SALEM, OREGON

To appropriate the Public Waters of the State of Oregon

I, Lowell School District # 71 (Name of applicant)
of Lowell, Oregon (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Lookout Point Res through Dexter Reservoir, Willamette River
(Name of stream)
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 24.1 Acre Feet
cubic feet per second. _____
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation of Play grounds
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 650 ft. S and 650 ft. E from the W 1/4
(N. or S.) (E. or W.)
corner of S9C-14, T19 S R. 1 W W M
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 14, Tp. 19 S
(Give smallest legal subdivision) (N. or S.)
R. 1 W, W. M., in the county of Lane
(E. or W.)

5. The Pipe line to be 640 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 SW 1/4 of Sec. 14, Tp. 19 S
(Smallest legal subdivision) (N. or S.)
R. 1 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2 1/2" Centrifugal
(Size and type of pump)
3 Phase Electric 180 feet total head
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

20. (a) To supply the city of _____
_____ County, having a present population of _____
(Name of)
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2000
- 12. Construction work will begin on or before As soon as legal requirements are met
- 13. Construction work will be completed on or before As soon as possible
- 14. The water will be completely applied to the proposed use on or before As soon as possible

(We are prepared to make immediate use of water as we have an emergency situation)

Robert E. Butler, Esq.
(Attorney at Law)
Lawell Richard District # 71

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use 24.1 acre feet stored water only and shall not exceed ~~subject to permit~~ measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lookout Point Reservoir constructed under permit No. R-1625 through Dexter Reservoir.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to a diversion of 2 1/2 acre feet ~~of one cubic foot per second~~ for each acre irrigated during the irrigation season of each year and is issued subject to the terms of contract No. 14-06-100-4246, dated July 28, 1964, between the United States of America through the Bureau of Reclamation and the applicant, a copy of which is on file in the office of the State Engineer,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 10, 1964

Actual construction work shall begin on or before August 12, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

Complete application of the water to the proposed use shall be made on or before October 1, 1967.

WITNESS my hand this 12th day of August, 1964

Chris L. Wheeler
STATE ENGINEER

Application No. 40155
Permit No. 29753

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of August, 1964, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 12, 1964

Recorded in book No. _____ of _____

Permits on page 29753

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 84E

Fees _____