APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1, Paul Star	deli
1 2610 105 R Ave n & Sa	lem. Ore.
Nate of, do hereby m	ake application for a permit to appropriate the
ollowing described public waters of the State of Oregon,	SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place	of incorporation
The source of the proposed appropriation is	Benner Creek
and reservoir , a tributary o	1 Building here
2. The amount of water which the applicant intends	to apply to beneficial use is
rubic feet per second	nore than one source, give quantity from each)
**3. The use to which the water is to be applied is	
3. The use to which the water is to be applied is	(Brigations power, mining, menufacturing, domestic supplies, etc.)
4. The point of diversion is located ft.	and ft. from the SE
4. The point of diversion is located ft.	9LC No 49
Due West 345 Chain	ubdivision)
(If preferable, give distance and bear	ing to section corner)
(If there is more than one point of diversion, each must be debug within the SE (Give smallest legal subdivision)	oscribed. Vee separate sheet if necessary) of Sec / 7, Tp , Class.)
R. 100 , W. M., in the country of Mane	1
5. The(Main ditch, consi or pipe line)	•
in length, terminating in the	
R, W. M., the proposed location being sh	•
DESCRIPTION OF	
Diversion Works—	
6. (a) Height of dam feet, length	on top feet, length at bottom
feet; material to be used and character of	construction(Losse rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dom)	
(b) Description of headgate(Timbe	r, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description	on 18 Panin and type of pump)
Elet meter 20 HP	tal head water is to be lifted, etc.)

A different form of application is provided where storage works are contemplated.
••Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the ydroclectric Commission. Either of the above forms may be secured, without cost, tegether with instructions by addressing the State Engineer, Salem, reason.

igate. At head	lgate: width on to	p (at water	line)	feet; width on botton
isand feet.				feet fall per or
(b) At	n	niles from he	adgate: width on top (at wa	ter line)
	feet; width on bo	ttom	feet; depth of	water fee
ie	feet fall	per one thous	sand feet.	•
(c) Lengtl	ı of pipe,	ft.;	size at intake,	in.; size at
n intake	in.; s	nize at place o	of use in.;	difference in elevation betwe
				Estimated capacit
8. Locatio	sec. jt. n of area to be ir	rigated, or pl	ace of use	
Township	Renge 2. or V. of	Section.	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Willemotte Meridian	17		93
/)	1 1 11		NE S.W	
	<u> </u>			
	-	-		
			ļ	
A				
· · · · · · · · · · · · · · · · · · ·				·
and the second s		·		
	·			
,		(If more mer	e required, ettach separate sheet)	
(a) C	haracter of soil	e/ay	leam	
(b) K	and of crops raise	a Beni	a grass hay	gram
	ng Purposes—			
9. (a) T	otal amount of po	wer to be de	veloped	theoretical horsepo
(b) (Quantity of water	to be used for	r power	sec. ft.
(c) T	otal fall to be uti	lized	(Head)	
				be developed
,				
(e) S	Such morks to be			of Sec
(0.0.0.0	, R(No.			
			stream?(Yes or No)	
		, Sec	, Тр	, R, V, V



STATE OF OREGON. County of Marion

This is to certify that I have examined the foregoing application and do hereby grant the same,

		GHTS and the followi	•			hanafisial was
		ed is limited to the am				
		L2 cubic feet per				
		ase of rotation with of ucted under Applic				
		ucted under Applic				
		water is to be applied i				
If for	· irrigation, this a	opropriation shall be li				e cubic foot per
econd or i	ts equivalent for e	ach acre irrigatedfro	m direct	flow and sh	all be furt	her limited
to a div	ersion of not	to exceed 2 acre	feet per	acre for ea	ch acre im	igated during
the irri	gation season	of each year from	direct fl	ow and stor	age from re	eservoir to
be const	ructed under !	Permit No. R-4361,	· ···			

•••••						
•						
•••••						
		reasonable rotation sy				
	The priority date of this permit is June 23, 1964 Actual construction work shall begin on or before November 30, 1965 and					
		th reasonable diligence				
		of the water to the pro		ember	on or bejore 0 1964	стооет 1, 19
WI	INESS my hand t	hisday	of		19	•
			ري	and of	Kerker	STATE ENGINEER
		the lon,			.	5 2
	DI .	d in Ores				38
2 7	PUBI	seive ilem,		75	33	STATE ENGINEER page 382
30,00	HE 1	at So at So Arr		November 30, 1964	29842	CHRIS L. WHEELER STA
200	MI THE THE EGO	s firmeer neer		30,	ું 😯	展 4
No.	PERMIT DPRIATE THI RS OF THE S OF OREGON	t wa Engi y of	ant:	mber	ok N	S L
ation : No.	P ROP ERS OF	men tate	pplic	iove	n bo age	CHRI
Application No. 4.0 Oct.C. Permit No. 29873	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 Clay of Clur C	Returned to applicant:		Recorded in book No. Permits on page	CHRIS L. WHEELER FACTS BROWNER Drainage Basin No. Z. page 38 Z.7
A Y	Q.	his i	irred	Approved:	lecor nits	inage
		offic	Retu	App	Per	Drainag Fees