

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, FLOYD F. VOSBERG (Name of applicant)

of BLODGETT (Mailing address)

State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is MARYS RIVER (Name of stream)

a tributary of 0.31

2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Irrigation, power, mining, manufacturing, domestic supplies, etc. Use in cold streams, Lacker

4. The point of diversion is located 138 ch N ft. and 10 ch W from the S.E. corner of Section 22, South east quarter corner stone of Vosberg property with corner 300 ft S by West 40 ft

Survey 4.50 ft. to first house north 150 ft west to stone, then 80 ft north of it and house no 2 is 150 feet due east. (If preferable, give distance and bearing to section corner)

Diversion point No. 2 on Baker Property 175 N. 7 ch E from S.E. corner Sec. 22. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.W. 1/4 of S.W. 1/4 of Sec. 23, Tp. 11S

R. 7W, W. M., in the county of Benton

5. The pipe line to be extended 600

in length, terminating in the same property of Sec. 23, Tp. 11S

R. 7W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Gas driven centrifugal pump

(Site and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....

..... County, having a present population of .....  
(State of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... 4

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

✓ 12. Construction work will begin on or before ..... STARTED

✓ 13. Construction work will be completed on or before ..... OCT 1 1966

✓ 14. The water will be completely applied to the proposed use on or before ..... OCT 1 1967

*Floyd Vosberg*  
(Signature of applicant)  
*Joann J. Vosberg*

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.28 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mary's River

The use to which this water is to be applied is irrigation, domestic use of four families stock and use in cold storage locker; being 0.25 c.f.s. for irrigation, 0.01 c.f.s. for domestic use, 0.01 c.f.s. for stock, and 0.01 c.f.s. for use in cold storage locker.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 2, 1964

Actual construction work shall begin on or before November 30, 1965 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

Complete application of the water to the proposed use shall be made on or before October 1, 1967.

WITNESS my hand this 30th day of November, 1964

*Chris L. Wheeler*  
STATE ENGINEER

Application No. 40038  
Permit No. 29846

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of July, 1964, at 5:00 o'clock P. M.

Returned to applicant:

Approved:

November 30, 1964

Recorded in book No. 29846 of Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 19B  
Fees 25.00