

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Jerry and Betty Watkins (Name of applicant) of Star Route 2, Foster, (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is unnamed (Name of stream), a tributary of S. Santiam River.
2. The amount of water which the applicant intends to apply to beneficial use is 1/80th cubic feet per second for irrigation of each acre and .005 cubic foot per second for domestic use.
**3. The use to which the water is to be applied is irrigation and domestic (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 928.62 ft. S. and 1360.86 ft. E. from the NW corner of SE 1/4, Sec. 26, T.13.S., R.1.E., W.M., (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 26, Tp. 13 S., R. 1 E., W. M., in the county of Linn (Give smallest legal subdivision)

5. The pipe line to be in length, terminating in the NE 1/4 SE 1/4 of Sec. 26, Tp. 13 S., R. 1 E., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 6 feet, length at bottom 6 feet; material to be used and character of construction concrete

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate concrete (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 H.P. electric; 2100 gallons per hour at 5' lift. (Size and type of pump)

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
13 S.	1 E.	26	NE $\frac{1}{4}$ SE $\frac{1}{4}$	1.9 <i>± Domestic</i>

(If more space required, attach separate sheet)

(a) Character of soil fill loam and top soil
 (b) Kind of crops raised lawn, flowers, shrubs, and garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)
 Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? no
(Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is
 (i) The nature of the mines to be served

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$300,00

12. Construction work will begin on or before January 1, 1965

13. Construction work will be completed on or before May 1, 1965

14. The water will be completely applied to the proposed use on or before May 1, 1965

Betty Watkins
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before September 2 , 1964

WITNESS my hand this 2nd day of July , 1964

RECEIVED
AUG 11 1964
STATE ENGINEER
ALEX. C. COPE

CHRIS L. WHEELER
STATE ENGINEER

Walter H. King
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed stream, tributary of the South Santiam River

The use to which this water is to be applied is irrigation and domestic use of one family, being 0.02 c.f.s. for irrigation and 0.005 c.f.s. for domestic use.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 17, 1964

Actual construction work shall begin on or before January 8, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 8th day of January, 1965

Cliff Wheeler
STATE ENGINEER

Application No. 39970
Permit No. 29596

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of June, 1964, at 11:30 o'clock A. M.

Returned to applicant:

Approved: January 8, 1965

Recorded in book No. 29896 of

CARIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 421
Fees