APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

RT. 1, BOX 667 - SALEM	nt)						
ste of $OREGON$, do hereby make	ce application for	a permit to appropriate	the				
Nowing described public waters of the State of Oregon, SI	UBJECT TO EXIS	STING RIGHTS:					
If the applicant is a corporation, give date and place of incorporation							
The source of the proposed appropriation is							
2. The amount of water which the applicant intends to							
sbic feet per second	then one course give o	uentity from each)					
**3. The use to which the water is to be applied is	Dal	IFSTIC & LIVE					
4. The point of diversion is located I. 2.11.14ft. Normer of Section of min	and 709.50	t. E. from the M	2 450				
		······································	····•				
(If preferable, give distance and bearing	to section corner)						
(If there is more than one point of diversion, each must be dee	cribed. Use separate shee	t if necessary)					
eing within the SW SF 4 (Give smallest legal subdivision) (B. or W), W. M., in the county of POLA	of Sec	Tp. (N. or S.)	,				
(E. or W.) 5. The							
(Main ditch, canal or pipe line) n length, terminating in the							
(Smallest legal subdivision) 1, W. M., the proposed location being show (S. er W.)			,				
DESCRIPTION OF	WORKS						
Diversion Works—		fact length at ho	ttom				
6. (a) Height of dam feet, length of dam feet; material to be used and character of c							
	******************************		·····				
net and brush timber crib. sic., wasteway over or ground dam)							
ock and brush, timber crib, etc., wastevery over or around dom) (b) Description of headgate	concrete, etc., number an	d sine of openings)					
(b) Description of headgate		toe and type of pump)					
(b) Description of headgate		toe and type of pump)	Sprin				

"A different form of application is provided where storage works are contemplated.

"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Eydroelectric Commission. Either of the above forms may be sourced, without cost, together with instructions by addressing the State Engineer, Salem, Crease.

ate. At nead	lgate: width on	top (at water	line)	feet; width on bottom
and feet.			eadgate: width on top (at wate	
**********	feet; width on b	ottom	feet; depth of u	vater feet; .
	feet fal	l per one thou	ısand feet.	
intake	in.;	size at place	; size at intake, of usein.; dij Is grade uniform?	fference in elevation between
8. Locatio		irrigated, or p	place of use	
Township North or South	Range E. or W. of Will-motto Moridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
65	4W	22	NEL NEL	DEMEST CALIF
6 S	4 W	15	SWY SELY	Liz. 57004 (20
			·	
-				
		-		
		(If more spe	ce required, attach separate sheet)	
(a) C	haracter of soil			
		ed		
•	g Purposes— otal amount of r	nower to he di	eneloned	theoretical horsepower.
			τ poweτs	•
	- •	_	feet.	•
				e developed
(e) S		-		of Sec.
	, R			
			stream?(Yes or No.)	
(), 4			• • • • • • • • • • • • • • • • • • • •	
(a) T				

unicipal or Domestic Supply—	29908
10. (a) To supply the city of	
County, ha	iving a present population of
nd an estimated population of	in 19
(b) If for domestic use state	e number of families to be supplied
<u> </u>	NE FAMILY never questions II. 12, 13, and 16 in all cases)
11. Estimated cost of proposed w	orks, \$500 ca
12. Construction work will begin	n on or before ONE YEAR FROM DATE OF PEAN!
13. Construction work will be co	ompleted on or before Two YEARS LEED PRACTIF
	y applied to the proposed use on or before THREE JEARS for a
	(Signature of applicant)
	(Signature of applicant)
Remarks:	
THIS SPAING	13 DESCRIBED IN CLASSED OF
and Supplies BETH	IEL SCHOOL. THIS SPRING 13 ON
	sea tion of Mis fearing to 1800 miles
	855 RECOURSE IN STATE COLOR CE SE
	3 64 126 1 2474
	S. F. 4. 4 the Sugar of 12. 50 / 50 / 50 / 50
	the W.M. contrioned 120 Acres 11 11
SAVE & EICEPT HAY DENTIL	Niker Lying within the second les
Pubace Roads	
	E Carnes o 50 22 10 TP 6 3 3 4 46 3 50
	MICH CORTINGS TO DESCRIBE OFFICE
	SC ACRES)
,	
STATE OF OREGON, Ss. County of Marion,	
• • • •	examined the foregoing application, together with the accompanyin
	•
maps and dava, and recarn the same	forCompletion
In order to retain its priority	this application what he satural death Court Burney
	this application must be returned to the State Engineer, with correct
tions on or beforeNovember 2n	
WITH THE CO.	
witness my hand this2nd	day of September , 19 64.
HEGE	CHRIS L. WHEELER
OCT 28	1964

STATE ENGINEER
SALEM OFFICEN

This is to certify that I have examined the foregoing application and do hereby grant the same,

		limited to the amou			
d shall not exceed	0.01	cubic feet per s	econd measured at	the point of divers	ion from the
ream, or its equival	ent in case o	f rotation with othe	r water users, from	a spring	
	······································				
					and the second second second
				one family and	
				stock.	
					
	•••••	•••••••••••••••••••••••••••••••••••••••			
			•	of one o	
cond or its equivale	nt for each a	cre irrigated			
		hall begin on or be	fore Janua	28, 1964 ry 8, 1966 or before October 1	and shau
ereafter be prosect	ited with rec				
ereafter be prosect Complete appl	ited with red	water to the propo	sed use shall be ma	de on or before Octo	
ereafter be prosect Complete appl	ited with red		sed use shall be ma	de on or before Octo	
ereafter be prosect Complete appl	ited with red	water to the propo	sed use shall be ma	de on or before Octo	
hereafter be prosect Complete appl	ited with red	water to the propo	sed use shall be ma	de on or before Octo	ober 1, 19 ⁶⁷ .
hereafter be prosect Complete appl	ited with red	e water to the propo 8th day of	sed use shall be ma	de on or before Octo	ober 1, 19 ⁶⁷
cereafter be prosect Complete appl WITNESS my	ited with red	e water to the propo 8th day of	sed use shall be ma	de on or before Octo	ober 1, 19 ⁶⁷
ereafter be prosect Complete appl WITNESS my	ited with red	e water to the propo 8th day of	sed use shall be ma	de on or before Octo	ober 1, 19 ⁶⁷
cereafter be prosect Complete appl WITNESS my	ited with red	e water to the propo 8th day of	sed use shall be ma	de on or before Octo	ober 1, 19 ⁶⁷
nereafter be prosect Complete appl WITNESS my	ited with red	e water to the propo 8th day of	sed use shall be ma	de on or before Octo	ober 1, 19 ⁶⁷
hereafter be prosect Complete appl WITNESS my	ited with red	e water to the propo 8th day of	sed use shall be ma January	de on or before Octo	PATE ENGINEER Z V J Bodd Z V J B
nereafter be prosect Complete appl WITNESS my	ited with red	e water to the propo 8th day of	sed use shall be ma January	de on or before Octo	PATE ENGINEER Z V J Bodd Z V J B
nereafter be prosect Complete appl WITNESS my	ited with red	e water to the propo 8th day of	January	de on or before Octo	Poper 1, 1967 Z bode 2017 Z bode 2017
Complete appl WITNESS my	ication of the	water to the propo 8th day of	sed use shall be ma	de on or before Octo	poper 1, 1967

State Printing 98137