

RECEIVED
AUG 10 1904
STATE ENGINEER
SALEM

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Carl O. Peterson, (Name of applicant)
of RFD/3 Box 211, Hillsboro, Oregon (Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is McKay Creek (Name of stream)
a tributary of Dairy Creek and Tualatin

2. The amount of water which the applicant intends to apply to beneficial use is 400 gallons per minute
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2962.3 ft. N 20 31' 40" W and SE corner of the William Jelley Donation Claim No. 74 in Washington County (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of the NE 1/4 of Sec. 24, Tp. 1N (N. or S.)

R. 3W, W. M., in the county of Washington (E. or W.)

5. The pipe line to be 1400 feet in length, terminating in the NE 1/4 of Sec. 24, Tp. 1N (N. or S.)

R. 3W, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam No dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

20 horse electric motor with rotary pump supplying 50 sprinklers of 8 gallons per minute each (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2300.00
- 12. Construction work will begin on or before Sept. 1, 1964
- 13. Construction work will be completed on or before June 1, 1965
- 14. The water will be completely applied to the proposed use on or before July 1, 1967

Cal O. P...
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before October 21 19 64

WITNESS my hand this 21st day of August, 19 64

RECEIVED
AUG 25 1964
STATE ENGINEER
SALEM, OREGON

Chris L. Wheeler
STATE ENGINEER
Walter N. Perry
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.73 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from McKay Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/20th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 6, 1964

Actual construction work shall begin on or before January 8, 1966 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

Complete application of the water to the proposed use shall be made on or before October 1, 1967

WITNESS my hand this 8th day of January, 1965

Chris L. Hepler
STATE ENGINEER

Application No. 40146
Permit No. 29925

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of August 1964, at 8:00 a'clock A. M.

Returned to applicant:

Approved:

January 8, 1965

Recorded in book No. 29925 of

Permits on page

CHRIS L. HEPLER
STATE ENGINEER

Drainage Basin No. 2 page 62 A22

Fees