*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

of	Route		· · · · · · · · · · · · · · · · · · ·	7.00 A.0 A.0 . T		J				
State	of Oregon	(Mailing address	B)	, do here	_		on ton -			
										rate t
follow	ring described	d public water	rs of the S	State of Ore	gon, SUE	BJECT TO	O EXIST	ING RIG	HTS:	
,	If the applica	ant is a corpor	ration, giv	e date and	place of	incorpora	ition			
•••••	**************			***************************************			71	<i>#</i>		
	1. The source	e of the propo	sed appro	وس+ . priation is	unneme.	d e bream! Bel e tives	- surin	******		6 and a q /
into	proposed	i reservoj	ird Res	a tribut	aru of I	anthe	(Name of i r Cree)	Breinth) * ° ° C	14 10 5.	
***************************************	9 <i>(</i> 771)		1.1.1.41		y 0,					D •
		int of water w	nich the d	ipplicant int	ends to a	pply to b	eneficial	use is 📥	0.4	Z ;
	feet per secon		(u =	rater is to be used	acre from more t	fe t .:	ce, give quant	ty from each)	372
**	3. The use t	o which the w	ater is to	be applied i	g Living	Milon, power.	mining, manu	facturing, dos	nestic suppl	los. etc.
	"1) n : 3 '	Liza 45tocl	k .	< 1° ##						
ring	4. The point	t of diversion	is located	25+3 4	t. V	and ?	35) ft.	fo	rom the	3.3
ring	3ac. 6	both w		2535	Qf. or 8.	2	350	(E, or W.)		3.
corner	Sec.6) 9977 W		(Bect	ion or subdiv	ision)	************			
25	40 F4 N @	2785f+W	1 from	SE con Sec	26 .	44.4	netzm	"		
510.	2460	ft. North						sectio	n 6,T4	5, R
str.	2460	ft. North a						sectio	n 6,T4	5, RI
str.	2460	ft. North						section william	n 6,T4	S, RA
shr. •	(1	f there is more than	and 2220	of t. West	from ti	ne SE Co	orner of	wielk (c.	n 6,T4	Υ
Str.	(1	f there is more than	and 2220	of t. West	from ti	ne SE Co	orner of	wielk (c.	n 6,T4i	Υ
str.	within theNS " "NW	f there is more than	and 2220	of t. West	from ti	ne SE Co	orner of	wielk (c.	n 6,T4	Υ
	within theNE " "NW " , W	f there is more than - INZE of S - of N#+ of S . M., ip the con	(If preferable one point of e	e. give distance as diversion, each manager pal subdivision) Yamhill Yamhill	from ti	section corne ed. Use separation of Sec. of Sec.	rate sheet if r	••••••• , Tp	45 0.745	Y or S.)
	within theNE " "NW " , W	f there is more than - INZE of S - of N#+ of S . M., ip the con	(If preferable one point of e	e. give distance as diversion, each manager pal subdivision) Yamhill Yamhill	from ti	section corne ed. Use separation of Sec. of Sec.	rate sheet if r	••••••• , Tp	45 0.745	Y or S.)
in len	within the NE "NW "NW "See W.) 5. The Sp.: gth, terminal	f there is more than - INZE of S - of N#+ of S . M., ip the con	(If preferable one point of e	e. give distance as diversion, each manager pal subdivision) Yamhill Yamhill	from ti	section corne ed. Use separation of Sec. of Sec.	rate sheet if r	••••••• , Tp	45 0.745	Y or S.)
	within the NE "NW "NW "See W.) 5. The Sp.: gth, terminal	f there is more than 	(If preferable one point of divinity of	o. give distance as diversion, each managed subdivision) Yamhill Yamhill i or pipe lime) Notiof Seet legal subdivision	from tl	section corne ed. Use sepa of Sec. of Se to be of Sec.	rate sheet if r	Tp	45 (N. 45	or S.)
in len	within the NE "NW "NW "See W.) 5. The Sp.: gth, terminal	of there is more than Lofn Nil of S M., ip the con Case Liver Case Ling in the Nil	one point of distribution of the constant of t	of t. West of give distance as diversion, each many pal subdivision) Yamhill Yamhill ic place line) Note of S ost legal subdivisi location being	from the describe the described	section corne	rate sheet if r	Tp	45 (N. 45	or S.)
in len	within the NE "NW "NW E. W.) The Spr gth, terminal W. (E. W.)	f there is more than Lofn Lofs Lofn Viols M., ip the con Chaz Liver Chag Ling in the N. I	one point of distribution of the proposed DI	e. give distance as given distance as give distance as given distance as	from the describe the described the describ	section corne ed. Use sepa of Sec. of Sec. to be of Sec. throughe	rate sheet if z	Tp Long (Miles e , Tp	to 6,T4;	or S.)
in len	within the NE "NW "NW E. W.) The Spr gth, terminal W. (E. W.)	f there is more than a fixed for the continuation of the continuation of the continuation of the first time in the first	one point of distribution of the proposed DI	e. give distance as given distance as give distance as given distance as	from the describe the described the describ	section corne ed. Use sepa of Sec. of Sec. to be of Sec. throughe	rate sheet if z	Tp Long (Miles e , Tp	to 6,T4;	or S.)
in len	within theNS " "NW " "NW " " " " " " " " " " " " " " " " " " "	f there is more than in a fine of the continuous	one point of development of the property of the proposed DE	of t. West a. give distance as liversion, each many pal subdivision) Yamhill Yamhill for pipe line) Note of S est legal subdivision Location being ESCRIPTION feet, Legal subdivision feet, Legal subdivision	from the describe to the describence to the describence to the describence to	of Sec. to be of Sec. througher	rate sheet if r .5	(Million o	4S 14S 14S 14S 14S 15 (N) 15 (N) 15 (N)	ors.)
in len. R. 4 Diver	within the NE "NW "NW "S. The Spr gth, terminal W (E. er W.) sion Works 6. (a) Heigh	f there is more than in a SNIL of S. Got No. 1 of S. M., ip the conting in the N. M., W. M., the part of dam.	one point of of the control of the c	of the West a give distance as a subdivision of the pipe lines of the second subdivision of the pipe lines of the second subdivision being the subdivision of the second subd	from the described bearing to the described bearing to the described bearing to the described bearing to the described bearing to the describe	of Sec. to be of Sec. througher	rate sheet if r .5	(Million o	4S 14S 14S 14S 14S 15 (N) 15 (N) 15 (N)	ors.) ors.) t bott
in len	within the NE "NW 5. The spr gth, terminal W (2. er W.) sion Works 6. (a) Heigh	there is more than a fall of No. 1 of S. M., ip the conting in the No. 1 of S. M., w. M., the part of dam.	one point of constant legislation of the constant legislat	of the West a give distance as liversion, each many pal subdivision) Yamhill Yamhill Lor pipe line) Note of S set legal subdivisi location bein ESCRIPTION feet, legal and charact and charact be with a	from the describe the described the describ	of Sec. to be of Sec. througher ORKS top App	orner of F) For the sheet if F Co. 5 For the sheet if F Co. 5 For the sheet if F Co. 5 Earth Earth	Tp Tp Tp Tp Tp Tp Accompa	4S Freety Name of the state o	ors.) ors.) t bott
in len. R. 4 Diver	within the NE "NW 5. The spr gth, terminal W (2. er W.) sion Works 6. (a) Heigh	there is more than a fall of No. 1 of S. M., ip the conting in the No. 1 of S. M., w. M., the part of dam.	one point of constant legislation of the constant legislat	of the West a give distance as liversion, each many pal subdivision) Yamhill Yamhill Lor pipe line) Note of S set legal subdivisi location bein ESCRIPTION feet, legal and charact and charact be with a	from the describe the described the describ	of Sec. to be of Sec. througher ORKS top App	orner of F) For the sheet if F Co. 5 For the sheet if F Co. 5 For the sheet if F Co. 5 Earth Earth	Tp Tp Tp Tp Tp Tp Accompa	4S Freety Name of the state o	ors.) ors.) t bott
in len	within the NE "NW 5. The spr gth, terminal W (2. er W.) sion Works 6. (a) Heigh	f there is more than in a SNIL of S. Got No. 1 of S. M., ip the conting in the N. M., W. M., the part of dam.	one point of constant legislation of the constant legislat	of the West a give distance as liversion, each many pal subdivision) Yamhill Yamhill Lor pipe line) Note of S set legal subdivisi location bein ESCRIPTION feet, legal and charact and charact be with a	from the describe the described the describ	of Sec. to be of Sec. througher ORKS top App	orner of F) For the sheet if F Co. 5 For the sheet if F Co. 5 For the sheet if F Co. 5 Earth Earth	Tp Tp Tp Tp Tp Tp Accompa	4S Freety Name of the state o	ors.) ors.) t bott
in len. R. 4 Diver	within the NE " "NW " "NW " "NW " " " " " " " " " " " " " " " " " " "	there is more than a series of the series is more than a series of the s	one point of e	of t. West section of the subdivision of the subdi	from the described bearing to the described bearing to the described by th	of Sec. to be of Sec. througher ORKS top App	rate sheet if r56	(Loose	4S (N.	or S.) or S.) ap.
in len	within the NE "" "NW "" "NW 5. The Spr gth, terminal W (2. er W.) sion Works 6. (a) Heigi 1.17=2.5 20 d brush, timber crit (b) Descrip (c) If water	there is more than a fall of No. 1 of S. M., ip the conting in the No. 1 of S. M., w. M., the part of dam.	one point of electric construction of the cons	of t. West a. give distance as liversion, each many pal subdivision) Yamhill Yamhill Yor pipe line) Note of S set legal subdivision ESCRIPTION feet, legal and charact and charact yeneral description	from the describe to describe the describe to describe the described the described the description of the described the desc	of Sec. to be of Sec. througher ORKS top App struction	prox. 90 Earth	(Miles of openings)	4S (N.	or S.) or S.) ap.

anal System or l		_		the state of the s
				nged in size, stating miles from
eadgate. At head	dgate: width on t	op (at water	line)	feet; width on bottom
housand feet.			eadgate: width on top (at wo	feet fall per one
	feet; width on bo	ittom	feet; depth o	f water feet;
•	feet fall			•
(c) Lengt	h of pipe. 600) ft.	; size at intake, 4"	in.; size at Pump -ft.
				difference in elevation between
			Is grade uniform? yes	•
150 gallon	persemienute		place of use	
Township	Range 2. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Will-nette Meridian	6	NWiof SEL	24 acres
45	4,1,1			7.5 acres & Forest
. 48	4W	6	NET of Ship	Stock. Flomest
4 S	44.	6	SET of NW4	
4S	4W	6	SWt of NEL	0.75 acres
				•
	•			The state of the s
	,			
				And the second s
<u> </u>		•		
			ace required, attach separate sheet)	AND THE RESERVE OF THE PERSON
(a) C	haracter of soil	Silt Loa	m	
(b) k	Kind of crops raise	d kastur	e,Fay,Crair.	
Power or Minis	•			
				theoretical horsepower.
			or power	*
(c) T	otal fall to be ut	ilized	(Head)	
(d) 1	The nature of th e	works by m	e ans of which the power is to	o be developed

(e) S	Such works to be	located in	(Loral auditrision)	of Sec
	, R. (No			
		- · · ·	stream?	
			, , , , , , , , , , , , , , , , , , , ,	
	•			
				, R, W. M.
(i)	The nature of the	mines to be	served	***************************************

STATE OF OREGON. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same. SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from two unnamed streams, two springs and a reservoir to be constructed under application No. R-40353, permit No. R-4482, and 0.61 acre foot from the reservoir; being 0.41 c.f.s. from two unnamed streams and reservoir for irrigation; 0.005 c.f.s. from one unn. stream for stock; 0.005 c.f.s. from two springs for domestic use and 0.61 acre foot from the reservoir for fire protection.

The use to which this water is to be applied is irrigation, stock, domestic use of one family and fire protection. 1/80th If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2% acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R-4482, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

October 12, 1964 from one unn. stream, reservoir & springs The priority date of this permit is December 3, 1964 from one unn. stream for stock December 7, 1965 and shall Actual construction work shall begin on or before thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966 Complete application of the water to the proposed use shall be made on or before October 1, 19 67 , 19 64 WITNESS my hand this 75 day of STATE ENGINEER

Application No. 40355 Permit No. 2256

APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT 5 P

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12 th day of October

11:55 o'clock 1964, at

Returned to applicant:

Jenuary 8, 1965 Recorded in book No.

Approved

7

L. WHEELER Permits on page

STATE ENGINEER

N Basin No. 12 Drainage

Printing