STATE EXIGINEER PAPERATION FOR PERMIT

GALEM DREGON

To Appropriate the Public Waters of the State of Oregon

Route 1, Box 721, Bandon late of Oxegon do hereby make application for a permit to appropriate the of Oxegon do hereby make application for a permit to appropriate the silouting described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is unmaned stream	I, Manford A. Martin Change of continued)	•						
The source of the proposed appropriation is Unimaked Stream Channel devices Channel Lake	Route 1, Box 721, Bandon	····· ,						
If the applicant is a corporation, give date and place of incorporation	Oxegon determ, do hereby make application for a permit to appropria	ite the						
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is unnamed stream. (a tribulary of Davison Lake (Laurel Lake). 2. The amount of water which the applicant intends to apply to beneficial use is								
a tributary of Davison Lake (Laurel Lake). 2. The amount of water which the applicant intends to apply to beneficial use is 1.4.77 whice feet per second. ***3. The use to which the water is to be applied is Irrigation O CCS. ***3. The use to which the water is to be applied is Irrigation O CCS. ***5. The point of diversion is located 256.0 ft. M. and 29.3 ft. W. from the SE ***6. The point of diversion is located 256.0 ft. M. and 29.3 ft. W. from the SE ***6. This point is a legal subdivision monument. ***This point is a legal subdivision monum								
a tributary of Davison Lake (Laurel Lake). 2. The amount of water which the applicant intends to apply to beneficial use is 1.4.77 which feet per second. ***3. The use to which the water is to be applied is Irrigation O CES. Pinh cultures of the content is to be applied in Irrigation O CES. 1. The point of diversion is located 256.9 ft. M. and 29.3 ft. W. from the SE (a. w. from the SE) 2. The point of diversion is located 256.9 ft. M. and 29.3 ft. W. from the SE (a. w. from the SE) 3. This point is a legal subdivision monument. 2. This point is a legal subdivision monument. 3. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 3. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 3. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 3. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 3. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 4. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 3. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 4. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 4. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 4. The main pipe (allows mainless legal mandatures) (allows mainless legal mandatures) 4. The mainless legal subdivision (allows mainless legal mandatures) (allows mainl								
2. The amount of water which the applicant intends to apply to beneficial use is 1.4.77 while feet per second. Of water to be used from more than any second property from sects) **3. The use to which the water is to be applied is Irrigation. Of CES. Back continues and for Second property of the NR of CES. 1. The point of diversion is located 256.0 ft. N. and 29.3 ft. W. from the SE of Ce of the NR of NW of Section 36. T. 29 South, R. 15 W. W.M. This point is a legal subdivision monument. (If probable, for Canada and backs to water and the second property of the NR of Sec. 36. T. T. 29.5. The main pipe of the Sec. 36. The Canada and backs to water and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Canada and the second property of the Sec. 36. The Sec.	1. The source of the proposed appropriation isunnamed_stream							
while feet per second. CH water is to be applied is Irrigation Of CES. Bisch cultures (Not for drinking or human consumption) and fire protection for 5 families O CFS. 4. The point of diversion is located 256.6 ft. N. and 29.3 ft. W. from the SE (M. www.) This point is a legal subdivision monument. CH was a more than an point of diversion, set and vision monument. CH was a more than an point of diversion, set and bushing to median consum? CH was a more than an point of diversion, set and bushing to median consum? CH was a more than an point of diversion, set and bushing to median consum? CH was a more than an point of diversion, set and to described. Use supersta short if accountry? CH was a more than an point of diversion, set and to described. Use supersta short if accountry? CH was a more than an point of diversion, set and to described. Use supersta short if accountry? CH was a more than an point of diversion, set and to described. Use supersta short if accountry? CH was a more than an applied of described. The supersta short if accountry? CH was a more than an applied of described to the state of the state is to be like that the state is to be like that the state is to be like the state. CH was a state of the state of the stat	, a tributary of Davison Lake (Laurel Lak	:e.)						
The use to which the water is to be applied is Irrigation Of CES. Such cutifues. Correlation, prove. which, manufacturing, demants applied to Irrigation, prove. which, manufacturing, demants applied, str. Correlation, prove. which, manufacturing, demants applied, str. A. The point of diversion is located 256.6 ft. N. and 29.3 ft. W. from the SE (a. w. W.) Office of Sec. 4. The point of diversion is located 256.6 ft. N. and 29.3 ft. W. from the SE (a. w. W.) Office of Sec. 4. The point of diversion is located 256.6 ft. N. and 29.3 ft. W. w. M. (a. w. W.) This point is a legal subdivision monument. Office of Sec. 4. The point of diversion is located 256.6 ft. N. and 29.3 ft. W. w. M. M. This point is a legal subdivision monument. Office of Sec. 36.	2. The amount of water which the applicant intends to apply to beneficial use is 1.4.17	? 						
Demestic use (Not for drinking or human consumption) and fire protection for 5 families 0 CCPS. 1 4. The point of diversion is located 250.6 ft. N. and 29.3 ft. W. from the SE (Rev W) Owner of the NEt of NWt of Section 36, T. 29 South, R. 15 W. W.M. Checken or individuals This point is a legal subdivision monument. (If there is more than any point of diversion, such most be described. The separate that if secondary) Or there is more than any point of diversion, such most be described. The separate that if secondary) Or Sec. 36, Tp. 29 S. (Rev W) S. The Main pipe S. The Mai	ubic feet per second. (If water is to be used from more than one source, give quantity from each)							
Domestic use (Not for drinking or human consumption) and fire protection for 5 families 0 CTPs. 1 4. The point of diversion is located 250.6 ft. N. and 29.3 ft. W. from the SE (Rew W) Orner of the NEt of NWt of Section 36, T. 29 South, R. 15 W. W.M. Checken or individuals This point is a legal subdivision monument. (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If prederable, give distance and bearing to section corner) (If you are in many them and bearing to section corner) (If you are in many them and bearing to section corners and section to be and bearing to section to the section to the accompanying map. (If you are in the prederable to be used and character of construction (Research, conserved, section and to the section of the section and to the section and th	**3. The use to which the water is to be applied is Irrigation Of CFS. Fish cut	see 1						
for 5 families 0.4 CFS. 1 4. The point of diversion is located 256.6 ft. N	Domestic use (Not for drinking or human consumption) and fire pro	otection						
This point is a legal subdivision monument. This point is a legal subdivision monument. (If there is more than one point of diversion, each most be described. Use separate shout if secondary) being within theNL_2Df _NN_2	for 5 foriline O JCRS							
(if there is more than one point of diversion, each most be described. Use separate sheet if necessary) Deing within the NE pof NM (Other smallest legal subdivision) R. 15 W W. M., in the county of COOS (N. or 8.) C C W W. M., in the county of COOS (N. or 8.) S. The main pipe to be 1250 feet (Other smallest legal subdivision) In length, terminating in the NE COI Of NE pof NE pof / of Sec 36 , Tp 29 S (N. or 8.) R. 15 W W. M. the proposed location being shown throughout on the accompanying map. (R. or 8.) DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Leone rock. concrete, manoury. Note: Water to be taken from describing reservoir permit No. R=901. This brue, concrete, one, number and dies of openings) (c) If water is to be pumped give general description One stationary 6-inch 200 g.p.m (Sine and type of sure) (C) If water is to be pumped give general description One stationary 6-inch 200 g.p.m (Sine and type of sure) (C) If water is to be pumped give general description One stationary 6-inch 200 g.p.m (Sine and type of sure) (C) If water is to be pumped give general description One stationary 6-inch 200 g.p.m (Sine and type of sure)								
(If predictable, give dictance and bearing to meetine corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) seting within theNE_pof _NN_2 (Over smallest legal subdivision)	This point is a legal subdivision monument.							
(if there is more than one point of diversion, each must be described. Use separate sheet if necessary) seting within the		• • • • • • • • • • • • • • • • • • • •						
(if there is more than one point of diversion, each must be described. The separate sheet if necessary) seing within the NE of NE of NE of								
peing within the NE to INN (Give smallest legal subdivision) of Sec. 36 , Tp. 29 S. (R. or 2) R. 15 W. , W. M., in the county of Coos. (Chee W.) 5. The main pipe to be 1250 feet (Milles or feet) (In length, terminating in the NE COX Of NE to NE to NE 36 NE 36 , Tp. 29 S. (N. or 2) (In length, terminating in the NE COX Of NE to NE to NE to NE 36 NE	(M professible, give distance and bearing to section corner)							
being within the NE to INN (Green mailbant legal subdivision) R. 15 W, W. M., in the county of Coos. C	the country of the same to the same to the same that if necessary							
R. 15 W. W. M., in the country of COOS. (RewW) 5. The main pipe Chain sith, canal or pipe line) NW 1 Chain sith, terminating in the NE COT. Of NE Of NE Of NE Of Sec. 36 (Bucklish legal subdivision) R. 15 W. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction feet; material to be used and character of construction (Leon rock. concrete, masonry, Nobel Water to be taken from drainting reservoir permit No. R=901. rock and brush, timber crib, etc., wasterney over or remand dam) (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description One, stationary 6-inch 200 g.p.m centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power concrete and not type of pump) centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power concrete and not type of success and type of succ		S.,,						
In length, terminating in the .NE. COT. Of .NETOfNETOf/ of Sec. 36, Tp. 29 S. (Booklest legal subdivision.) R. 15 W, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam								
In length, terminating in the .NE. COT. Of .NETOfNETOf/ of Sec. 36, Tp. 29 S. (Bondlest legal subdivision.) R. 15 W, W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam	5. The main pipe to be 1250 feet							
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam	length terminating in the NE COR. of NETOINETOI / of Sec. 36 , Tp. 29	s. ,						
DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Leose rock. concrete, masonry, Note: Water to be taken from drieting reservoir parmit No R=901. (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description One, stationary 6-inch 200 g.p.m (size and type of pump) centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power (the and type of engine or moter to be used, total head water is to be litted, etc.) 3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprinklers	(Section legal subdivision) (Section 15 W W M she recovered location being shown throughout on the accompanying mi	or 5.) AD.						
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Leone rock, concrete, manoury, Nobe: Water to be taken from drieting reservoir permit No. Ragoli. rock and brush, timber cith, ots., wasterway ever or around dam) (b) Description of headgate (Timber, concrete, etc., number and stee of openings) (c) If water is to be pumped give general description One, stationary 6-inch 200 g.p.m (Sine and type of pumpe) centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power (Sine and type of engine or mater to be used, total head water in to be litted, etc.) 3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprinklers	(S. er W.)							
6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Leone rock, concrete, manonry, Nobe: Water to be taken from dwisting reservoir permit No. R=901. rock and brush, timber crib, otc., wasterway ever or around dam) (b) Description of headgate (Timber, concrete, etc., number and stee of openings) (c) If water is to be pumped give general description One, stationary 6-inch 200 g.p.m (Sine and type of pumpe) centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power (Sine and type of engine or mater to be used, total head water in to be litted, etc.) 3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprinklers								
feet; material to be used and character of construction (Loos rock, concrete, masonry, Note: Water to be taken from deliciting reservoir parall. No. R=901. (b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description One, stationary 6-inch 200 g.p.m (Size and type of pump) centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power (Size and type of engine or moter to be used, total head water is to be litted, etc.) 3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprinklers		t bottom						
Nobe: Water to be taken from desisting reservoir permit No. R=901. (b) Description of headgate								
(b) Description of headgate (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description One, stationary 6-inch 200 g.p.m (c) If water is to be pumped give general description One, stationary 6-inch 200 g.p.m (size and type of pump) centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power (thin and type of ongine or moter to be used, total head water is to be lifted, etc.) 3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprinklers	(Leose rock, concret							
(c) If water is to be pumped give general description One stationary 6-inch 200 g.p.m centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power the state of the suction 1 3/4" discharge with 5 horse power the state of the suction of th								
centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power Compared type of segme or mater to be used, onel head water is to be lived, etc.) 3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprinklers	(b) Description of headgate	······································						
centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse power (Since and type of captus or mater to be used, one) head water is to be lived, etc.) 3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprinklers								
3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprinklers	(c) If water is to be pumped give general description One stationary 6-inch 200 (Sine and type of pump)	0 g.p.m						
3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprinklers	centrifugal pump, 2 inch suction 1 3/4" discharge with 5 horse pow	wer						
	3-phase electric motor. Head 5 to 20 feet. 15 - 8 g.p.m. sprint	klers						
"A different forms of application is provided where storage works are contemplated.	an authors from all profession is promised where started works are contemplated.	made to the						
"Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Sydroelectric Commission. Either of the above forms may be secured, without cost, tegether with instructions by addressing the State Engineer, Salom, Oragon.	"Appearance for permits to appropriate was may be secured, without cost, together with instructions by addressing the State Engl Bydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engl Oregon.	meer, Selem,						

ie. At nead	pate: width on t	op (at water li	ne)	Jeet; wath on bottom
1	eet; depth of w	ater	feet; grade	feet fall per one
			dgate: width on top (at water	
			feet; depth of wo	
e	feet fall	per one thouse	and feet.	•
(c) Length	of pipe, 12	50 ft.; s	rize at intake,4	in.; size at 1250 ft.
n intake4.1	in.;	size at place of	f use 4 1 & 2 in.; diff	ference in elevation between
ke and place	of use,6 to 2	0 ft. Is	grade uniform? Yes	Estimated capacity,
•	4			
8. Location			ace of use	Number Acres To Be Irrigated
Township North or South	Range B. or W. of Willemette Mertelen	. Section	Forty-acre Tract	Number Acres to be Brigated
29 S	15 W	36 24	of NE of NW	11 acres
		36	NEH Y NWH	Domestic include
			/	Fire protection (5
t				Hydronts for 1/2" for
			(in stulled.
	Dom	astic us	se for operation of	Sanitory faciliti
<i>f</i> ine	mormal	house h	lot use include	Fire Spotection
	water w	ill not b	e used for dring	King & cooking)
			,	
	10		•	
		(If more spec	to required, attach separate sheet)	
(a) C	haracter of soil	Yery	sandy.	ne '
		ised Pastu	re, Ifult and galde.	ns.
Power or Mini	ng Purposes—	nomer to be de	veloped	theoretical horsepowe
			т poweт	
				•
			(Eccd) feet.	be developed
			mans of which the power is to	
	and the second s			of Sec.
	or S.)			
			stream?(Yes er No)	•
			maket of vature	
	•			
		, Sec	, Тр(не. и. ег	, R, W.

10. (a) To supply the city of	
	s present population of
(Name of) d an estimated population of	
	uber of families to be supplied
** jt.	
	notions (1, ct, tt, and 14 in all cases)
11. Estimated cost of proposed works,	ter .
	r before March 1, 1962
13. Construction work will be comple	ted on or before Dec. 31, 1963
14. The water will be completely appli	ied to the proposed use on or before Dec. 31, 1963
	May La Mato
Remarks: The place of u	se of the water extends from the point
	the north side of the section line;
	from 4 inch line for flood irrigation
	sprinklers.

The existing s	eservoir will be used for fish culture
•	
in addition to uses unde	r pemit R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture.
in addition to uses unde	r penit R-901 and the additional 1.0 needed to keep pond full and for
in addition to uses unde	r penit R-901 and the additional 1.0 needed to keep pond full and for
in addition to uses unde	r penit R-901 and the additional 1.0 needed to keep pond full and for
in addition to uses unde	r penit R-901 and the additional 1.0 needed to keep pond full and for
in addition to uses unde c.f.s. of water will be circulation and cooling STATE OF OREGON,	r penit R-901 and the additional 1.0
in addition to uses unde c.f.s. of water will be circulation and cooling STATE OF OREGON, County of Marion,	r pemit R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture.
in addition to uses unde c.f.s. of water will be circulation and cooling STATE OF OREGON, County of Marion, This is to certify that I have exam	repeat R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture.
in addition to uses unde c.f.s. of water will be circulation and cooling STATE OF OREGON, County of Marion,	r penit R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture. ined the foregoing application, together with the accomp
in addition to uses under c.f.s. of water will be circulation and cooling circulation and cooling state of OREGON, County of Marion, This is to certify that I have exammaps and data, and return the same for	r penit R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture. ined the foregoing application, together with the accomp completion completion completion completion completion correction
in addition to uses under c.f.s. of water will be circulation and cooling circulation and cooling state of OREGON, County of Marion, This is to certify that I have exammaps and data, and return the same for the cooling state of the cooling	repeate R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture. ined the foregoing application, together with the accomp completion completion completion application with the state Engineer, with
in addition to uses under c.f.s. of water will be circulation and cooling circulation and cooling state of OREGON, County of Marion, This is to certify that I have exam maps and data, and return the same for maps and data, and return the same for state of the constant	r penit R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture. ined the foregoing application, together with the accomp completion completion completion completion completion correction
in addition to uses under c.f.s. of water will be circulation and cooling circulation and cooling state of OREGON, County of Marion, This is to certify that I have exammaps and data, and return the same for the cooling state of the cooling	repeate R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture. ined the foregoing application, together with the accomp completion completion completion application with the state Engineer, with
in addition to uses under c.f.s. of water will be circulation and cooling circulation and cooling state of OREGON, ass. County of Marion, This is to certify that I have examo maps and data, and return the same for maps and data, and return the same for considerable state of the constant of the const	repenit R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture. ined the foregoing application, together with the accomp completion completion application must be returned to the State Engineer, with pecember 7, 1964
in addition to uses under c.f.s. of water will be circulation and cooling STATE OF OREGON, County of Marion, This is to certify that I have exam maps and data, and return the same for maps and data, and return the same for circulation and return the same for March 22. College R September 29.	repenit R-901 and the additional 1.0 needed to keep pond full and for of the pond water for fish culture. ined the foregoing application, together with the accomp completion completion application must be returned to the State Engineer, with pecember 7, 1964
in addition to uses under c.f.s. of water will be cisculation and cooling STATE OF OREGON, County of Marion, This is to certify that I have exam maps and data, and return the same for maps and data, and return the same for C. C. C. C. C. Sant Sant Sant Sant Sant Sant Sant Sant	ined the foregoing application, together with the accomp completion completion completion application must be returned to the State Engineer, with personal completion application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application must be returned to the State Engineer, with the accomp application application application application for the accomp application
in addition to uses under c.f.s. of water will be cisculation and cooling STATE OF OREGON, County of Marion, This is to certify that I have exam maps and data, and return the same for maps and data, and return the same for C. C. C. C. C. Sant Sant Sant Sant Sant Sant Sant Sant	ined the foregoing application, together with the accomp completion completion completion application must be returned to the State Engineer, with pecember 7, 1964, 196

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

	right herein grant						
	ot exceed 0.1						
ream, or	•						
:				••••••••••••••••••••••••••••••••••••••			
	use to which this						
	(washing, sen				protection); t	eing 0.14	c.f.s. for
	on and 0.03 c.		•		11		
If for	r irrigation, this a	ppropriation	shall be lit	nited to	1 /80≡	of on	e cubic foot per
	ts equivalent for e						
	meed 2½ acre						
ea.son o	f each year,					*******	
	à .						
				*			•
••••	(1.7 (C.2 2)			<u>.</u>	· · · · · · · · · · · · · · · · · · ·		
			12.0				
	be subject to such priority date of th						
The	priority date of the ual construction w	nis permit is			Februar	y 5, 1966	and shall
-	be prosecuted wi						
	nplete application						1
	TNESS my hand t						
***	INESS my nanc t	7660		., <i>C</i>	Loto	Lale	<u> </u>
			•				STATE ENGINEER
	,	مستون			; ;	'\$:	: t :
	ڻ ن	in th regor		•		9	Page 4 F
מ כ	7BL1	ived m, O	× 15			99	3e 3e
29965	STA	rece t Sala	en 6		\$	29965	MARKINE ENGIN
7 8	MIT E THE THE SCON	first seer a	reb cr		5. 1		EE N
Application No. Permit No.	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	This instrument was first received in the office of the State Engineer at Salem, Oregon,	on the A7th day of FEBCUSCY. 1962, at B.OO. o'clock. A. M.	ant:	Approved:	Recorded in book No.	
ation : No.	ROPI TERS OF	tate 1	å 00	Returned to applicant:	Liq	in bo age	CHRIS. L. Drainage Basin No.
Application No. 47.74.	APP; WAT	instra the S	12/2	5 5 6	ż	rded on p	e Ba
₹ A	ဥ	This ce of	15 S. S.	ume	Approved:	Reco mits	Drainag
) if	7.61	Ret	AP	Pe	l a