To Appropriate the Public Waters of the State of Oregon

I, Paulson Tracts District Improvement Company
Tidewater, Oregon (c/e Clarence M. Baerveldt, Box 356, Waldport)
State ofDragon, do hereby make application for a permit to appropriate t
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
Corporation pending, as above.
1. The source of the proposed appropriation is
(Rame of stream) , a tributary ofAlsos river
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
(if were is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is
4. The point of diversion is located 90.0 ft. S and 884.0 ft. E from the SW
corner ofSection 34, T 13 S, R 10 W (Section or subdivision)
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) heliag smithin the H.S. Lot. Is of Sec. 3 To 14 S
being within the U.S. Lot. 1. of Sec. 3 , Tp. 11. S. (Give smallest legal subdivision) R. 10. M., W. M., in the county of Lincoln
(R. or W.) 5. The Pipe (Main ditch, canal or pipe line) (Miles or feet)
5. The Chian ditch, conel or pipe line) 10 DE ANNA APPR. (Miles or feet)
in length, terminating in the Unauryayad area of Sec. 34. , Tp. 13 S. (M. or S.)
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works— 6. (a) Height of dam
6 feet; material to be used and character of construction Timber grib
(Loose rock, concrete, mas
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate Timber with 6 inch pipe opening for drain
(Timber, concrete, etc., number and size of openings)
and he opening for supply pipe
(c) If water is to be pumped give general description (Size and type of pump)
(Sine and type of engine or motor to be used, total head water is to be lifted, etc.)

Canal System or I		ach point of	canal where materially changed	in size, stating miles from					
•									
feet; width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one housand feet. (b) At miles from headgate: width on top (at water line)									
grade	feet fall	per one thou							
		4	size at intake, i						
			of use in.; diffe						
0.90	sec. ft.		's grade uniform?						
Township North or South	Range 2. or W. of Willermette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated					
13 S	10 W	34	Unsurveyed All of Suff	Group Domestic					
13 S	10 W	. 33	Projected of Unsurveyed SEN SEN						
		·							

			attack massis sheet)						
(a) C	haracter of soil	(If more space	ce required, attach separate sneet)						
Power or Minir	ng Purposes—		weloped	•					
(b) G	uantity of water	to be used for	r powersec	:. ft.					
(c) T	otal fall to be uti	lized	feet.						
(d) 1			ans of which the power is to be						
(e) S			(Legal subdivision)						
	, R(No.								
(-1			stream?(Yes or No)						
			point of return						
		, Sec	, Tp(Me. N. or S.)	, R, W. M.					
(h)	The use to which	power is to b	e applied is						
(i) :	The nature of the	mines to be	served						

lunicipal or Domestic Supply—	30094
10. (a) To supply the city of	
County, having a present	t population of
d an estimated population of	in 19
(b) If for domestic use state number of j	families to be supplied 40
(Answer questions 11, 15	, 12, and 14 in all cases)
11. Estimated cost of proposed works, \$1,50	0.00
12. Construction work will begin on or before	January 1, 1965
13. Construction work will be completed on or	r beforeDecember 30, 1965
	e proposed use on or before1970
	Paulson Tracte District Imprivement Comp
	Paulain Trecte District Improvement Composition of Spice of Balancelett, Sicing
Remarks: The water applied for t	o be used for domestic use for
· · · · · · · · · · · · · · · · · · ·	urveyed and an additional 8 tracts
	to be made as sales warrent to a
	of supply.
	v
<u> </u>	
	:
	<u>-</u>
STATE OF OREGON, }	,
County of Marion,	•
This is to certify that I have examined the	foregoing application, together with the accompany
maps and data, and return the same for	
In order to retain its priority, this application	on must be returned to the State Engineer, with corr
tions on or before	19
WITNESS my hand thisday of	, 19
•	STATE ENGINE
	D.
	By

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The ri	ight h erein	granted is li	mited to the an	count of wo	iter which can	be applied to be	eneficial use
and shall no	t exceed	0.10	cubic feet pe	r second m	easured at the	point of diversi	on from the
			rotation with o		•		
			s to be applied				
***************************************	***************************************		······································				
			iation shall be li				
			re irrigated				
•						•••••	·····
			·····				
*							
•							
***************************************				•••			
			able rotation sy				
			mit is				
			all begin on or conable diligence				
			water to the pro				_
			18th day			_	
					chit	The	ATE ENGINEER
	7)	in the	regon,			₽	2 C
2	UBLIC	rived	em, 0 2e.c. M.		65	30094	page 12.C
Application No. 40363 Permit No. 30094	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE	OF OREGON This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the IA the day of October	. •	February 16, 1965		
3 %	PERMIT OPRIATE THE RS OF THE	OF OREGON	gineer of O	i:	1		n No. 18
Application No. Permit No.	PEI OPRIA	OF OF	ste En day o	Returned to applicant:	Pebru	Recorded in book No. Permits on page	n No.
pplicat rmit	APPR Wate	netru	1th 2th 8c	to ap		ded in on pag	Basii
Ā Ā	ĝ.	This i	ice of the fe	urned	Approved:	Recor	Drainage B
ļ			on 19	ğ	App	Per	1 5 2