## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I,	OREGON STATE	GAME COMMISSION	<b>S</b>	
f	1634 S. W. A	otens of appl lder. Portland.	Oragon 97208	,
State of	Oregon	do hereby m	aka amplication for a	permit to appropriate the
			•	
	ed public waters of the			
If the applic	cant is a corporation, g	rive date and place	of incorporationS	tate Agency
1. The sour	ce of the proposed app	ropriation is the	municipal sanita	ry sewer system of
the City of Le	Grande which drai	ins, a tributary	f	Catherine Creek
2. The amo	rent of water which the	applicant intends	to apply to beneficial	use is 7.6
cubic feet per seco	md more or la	P.S.5	***************************************	
				Waterfowl habitata ufacturing, domestic supplies, etc.)
4. The poin	nt of diversion is locate	ed 682.5 ft.	E and 10 ft.	N from the southwe
corner of Secti	on 23, Township 3	South, Range 3	9 East, Willamett	e Meridian.
			4	
-	(M profess	ble, give distance and beari	ng to section corner)	
	(If there is more than one point o	f diversion, each must be de	sarribed. Use separate sheet if	necessary)
b <del>ei</del> ng within the	SW#SW#	legal subdivision)	of Sec23	, Tp. 3 S
R. 38 E , V	V. M., in the county of.	Union	······································	
,			to be	
	(Main ditch, co	nal er pipe line)		(Miles or feet)
	iting in the			
R(2. or W.)	, W. M., the proposed	d location being sho	own throughout on the	e accompanying map.
		DESCRIPTION OF	WORKS	
Diversion Works-				
6. (a) Heig	ght of dam	feet, length	on top	feet, length at bottom
	feet; material to be use			(Loose rock, concrete, masonry,
	ib, etc., wasteway over er around	l dem)		
(b) Desc <del>ri</del> j	ption of headgate	(Timber	, concrete, etc., number and size	e of openings)
(c) If wate	er is to be pumped give	general descriptio	gravity flo	of type of pump)
<b></b>	Affice and town of			
			il head water is to be lifted, etc	.1
- Alde	me of qualitation in provided with			

## 

adgate. At headgate: width on top (at water line)			feet; width on bottom			
feet; depth of water feet; grade			feet; grade	feet fall per one		
usuna jeet.			lgate: width on top (at wo			
			feet; depth of			
				j water	fe	et;
	feet fall					
(c) Length	of pipe,	ft.; si	te at intake,	in.; size at		ft.
m intake	in.;	size at place of t	use in.; (	difference in el	evation betwe	en
ake and place	of use,	ft. Is g	rade uniform?	Est	imated capaci	ty,
		,				
8. Location	of area to be ir	rigated, or place	e of use	•••••••••••••••••••••••••••••••••••••••	•••••••••••••••••••••••••••••••••••••••	
Township North or South	Range 2. or W. of Will-mottle Meridian	Coction	Forty-acre Tract	Number Acr	s To Be Irrigated	
3 S	3 <b>7</b> B	31	SW <mark>inw</mark> i	South a	nd west of	 Hwy.
			SE <mark>łn</mark> wł	"	ii 11 tt	
			ne <del>1</del> sw1			
		·	SE <del>1</del> SW1			-
			nw <del>i</del> sei	South a	nd west of	 Нwу.
			Sw <mark>ł</mark> seł			
			Se <del>l</del> se <del>l</del>	* "	" "	11
4 S	.39 B	6	ne <del>l</del> ne <del>l</del>			
			NW 1 NE			
			NE <sup>1</sup> NW <sup>1</sup>			
-						
(a) Cha	racter of soil	Clay 10	sired, attach separate sheet)			
ver or Mining	Purposes—			······································	•••••••••••••••••••••••••••••••••••••••	
	=	ver to be develo	ped	theoreti	cal horsenous	
			per		cat norse pow	E1.
				sec. jt.		
			(Mend) feet.			
			f which the power is to b			
(e) Suci	h works to be loc	ated in	(Legal subdivision)	of Sec		,
(No. N. or S.)	, R(No. B. (	, W. M.	,		٠	
(f) Is w	eater to be return	red to any stream	m? (Yes er No)			
			of return		•••••	·····
(9/1) 80						

unicipal or Domestic Supply—  10. (a) To supply the city of	30208
dame of the stimeted population ofin 19	n of
	•
(b) If for domestic use state number of families to	be supplied
(Answer questions II, 68, 18, and 56 to 2	
11. Estimated cost of proposed works, \$ 1,500	
12. Construction work will begin on or beforeOcto	
13. Construction work will be completed on or before	October 1, 1966
14. The water will be completely applied to the proposed	use on or before October 1, 1967
	Nat I I
· · · · · · · · · · · · · · · · · · ·	W. Schuider
· · · ·	(manuse or apparent)
Remarks: This application is supplemental to	existing rights and is intended to
commence on or about October 1 each	
rights cease. The overflow of the C	
be diverted from Gekler Slough by in	
control with removable stops at a po	
south and west right of way line of	
existing canal will carry the water	***************************************
diversion dam #3 of permit No. 27849	
will carry the water to the places o	
canal is shown on the attached drawi-	ng No. 1257.
TATE OF OREGON, ) ss.	
County of Marion,	
	pplication, together with the accompanying
This is to certify that I have examined the foregoing a	
naps and data, and return the same forcompletion	· · · · · · · · · · · · · · · · · · ·
	•
naps and data, and return the same forcompletion	•
In order to retain its priority, this application must be	•
In order to retain its priority, this application must be	returned to the State Engineer, with correc-
In order to retain its priority, this application must be ions on or before	returned to the State Engineer, with correc-
In order to retain its priority, this application must be ions on or before	returned to the State Engineer, with correc-
In order to retain its priority, this application must be ions on or before	returned to the State Engineer, with correc-

ined the foregoing application and do hereby grant the same, to certify that I have exa-

The right herein granted is limited to the am	sount of water which can be applied	l to beneficial use
and shall not exceed	r second measured at the point of d	liversion from the
stream, or its equivalent in case of rotation with ot	ther water users, from outflow fr	om City of
La Grande sanitary sever system		
The use to which this water is to be applied i		
This appropriation shall be limited to t		'
following year.		
If for irrigation, this appropriation shall be li-	mited to of	one cubic foot per
second or its equivalent for each acre irrigated		
4		
	7-11	
		•
and shall be subject to such reasonable rotation sys		
The priority date of this permit is	November 9, 1964	
Actual construction work shall begin on or	beforeApril 22, 1966	and shall
thereafter be prosecuted with reasonable diligence	e and be completed on or before Octo	ber 1, 1966
Complete application of the water to the pro-	posed use shall be made on or before	October 1, 1967
WITNESS my hand this 22nd day o		/ /
	ek Lath	J.

office of the State Engineer at Salem, Oregon, This instrument was first received in the

on the 9th day of November

1964, at 8. Qe. o'clock A M.

Returned to applicant:

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Application No. 4042/

30208

Permit No.

Sub Printing Sill

30208

Recorded in book No...

Permits on page ....

April 22, 1965

Approved:

CHRIS L. WHEELER

Drainage Basin No. 8

36

Fees ....