

RECEIVED  
FEB 3 1965

Permit No. 30225

STATE ENGINEER APPLICATION FOR PERMIT  
SALEM OREGON

To appropriate the Public Waters of the State of Oregon

I, Ed Jones (Name of applicant)  
of Rt. 1 Box 76, Drain (Mailing address),  
State of Oregon, do hereby make application for a permit to appropriate the  
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is #1 Elk Creek (Name of stream)  
a tributary of Umpqua River

#2 An Unnamed Spring a tributary of Elk Creek  
2. The amount of water which the applicant intends to apply to beneficial use is 0.31  
cubic feet per second. Being 0.30 for irrigation and 0.01 for Domestic, lawn and garden.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation and domestic, lawn and garden  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located #1 900 ft. S. and 370 ft. E. from the N $\frac{1}{2}$   
(N. or S.) (E. or W.)  
corner of Section 14. Diversion point #2 1620 ft South and 960 ft East of the  
(Section or subdivision)  
N $\frac{1}{2}$  corner of Section 14.  
+  
0.30 cfs from diversion point #1 and 0.01 cfs  
from diversion point #2  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the #1 NW $\frac{1}{4}$  NE $\frac{1}{4}$  #2 SW $\frac{1}{4}$  NE $\frac{1}{4}$  of Sec. 14, Tp. 22S,  
(Give smallest legal subdivision) (N. or S.)  
R. 6W, W. M., in the county of Douglas  
(E. or W.)

5. The pipe from diversion #2 to house to be Approx. 450 ft.  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NW $\frac{1}{4}$  NE $\frac{1}{4}$  of Sec. 14, Tp. 22S,  
(Smallest legal subdivision) (N. or S.)  
R. 6W, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam \_\_\_\_\_ feet, length on top \_\_\_\_\_ feet, length at bottom \_\_\_\_\_  
feet; material to be used and character of construction \_\_\_\_\_  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate \_\_\_\_\_  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 hp type unknown electric  
(Size and type of pump)  
Approx 100ft head max  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

(Name of)

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1,000.00

12. Construction work will begin on or before October 1, 1965

13. Construction work will be completed on or before October 1, 1966

14. The water will be completely applied to the proposed use on or before October 1, 1967

*Ed. Jones*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.31 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Elk Creek and unnamed spring; being 0.30 c.f.s., from Elk Creek and 0.01 c.f.s., from the unnamed spring.

The use to which this water is to be applied is irrigation and domestic use of one family including the irrigation of not to exceed one-half acre lawn and garden; being 0.30 c.f.s., from Elk Creek for irrigation and 0.01 c.f.s., from the unnamed spring for domestic use.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 3, 1965

Actual construction work shall begin on or before April 22, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1966.

Complete application of the water to the proposed use shall be made on or before October 1, 1967.

WITNESS my hand this 22nd day of April, 19 65.  
*Chris L. Wheeler*  
STATE ENGINEER

Application No. 40524  
Permit No. 30225

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of February, 1965, at 8:00 o'clock A. M.

Returned to applicant:  
Approved: April 22, 1965

Recorded in book No. 30225 of

Permits on page

CHRIS L. WHEELER  
STATE ENGINEER  
Drainage Basin No. 16 page 18, 20C  
Fees