

Permit No. 30300

RECEIVEDMAR 12 1965
STATE ENGINEER
SALEM OREGON

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of OregonI, Conrad T. Balbach
(Name or signature)of Pt 1 Sec 1, Tillam
(Address)State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is an unnamed spring
(Name of stream), a tributary of South Umpqua River.2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic, lawn & garden, not to exceed 1/2 acre
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)4. The point of diversion is located 8.70 ft. S. and 6.60 ft. E. from the N 1/4 corner of S.E.C. 23
(Section or subdivision)

(If possible, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N.W. 1/4 N.E. 1/4 of Sec. 3.3, Tp. 3.0.5
(Give smallest legal subdivision)R. 2 W., W. M., in the county of Douglas
(N. or S.)5. The pipeline to be 200'
(Size, date, name or pipe line)
in length, terminating in the N.W. 1/4 N.E. 1/4 of Sec. 3.3, Tp. 3.0.5
(Smallest legal subdivision)R. 2 W., W. M., the proposed location being shown throughout on the accompanying map.
(N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Lime rock, concrete, masonry, rock and brush, timber crib, etc., watershed over or around dam)(b) Description of headgate None
(Timber, concrete, etc., number and size of openings)(c) If water is to be pumped give general description pressure pump & storage tank to be used at house to maintain pressure feet 113.0
(Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be used, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

30300

Canal System or Pipe Line

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom
..... feet; depth of water feet; grade feet fall per one thousand feet.

- (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet;
grade feet fall per one thousand feet.

- (c) Length of pipe, 200 ft.; size at intake, 3/4" in.; size at 10' ft. from intake 1/2" in.; size at place of use 1 1/2" in.; difference in elevation between intake and place of use, 10' ft. Is grade uniform? yes Estimated capacity,

0.0! sec. ft.

8. Location of area to be irrigated, or place of use _____

(If more space required, attach separate sheet)

- (a) Character of soil _____

- (b) Kind of crops raised.....

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

- (b) Quantity of water to be used for power sec. ft.

- (c) Total fall to be utilized feet.

- (d) The nature of the works by means of which the power is to

- Digitized by srujanika@gmail.com

- (b) Each Board of Education in the State
(Local subdivisions)

Tip. R. W.
(Ms. N. or S.) (Ms. E. or W.)

- (f) Is water to be returned to any stream?
(Yes or No)

- (g) If so, name stream and locate point of return.

, Sec. , Typ. , R. , W. M.
_____, (See N. or S.) _____, (See N. or W.) _____

- (h) The use to which power is to be applied is

- (i) The nature of the wines to be served .

Municipal or Domestic Supply—

30300

20. (a) To supply the city of _____

County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____ 27.2

(Answer columns 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3,950

12. Construction work will begin on or before Oct 1, 1965

13. Construction work will be completed on or before Oct 1, 1966

14. The water will be completely applied to the proposed use on or before Oct 1, 1967

Emmett J. Toliver

(Signature of applicant)

Remarks: _____

STATE OF OREGON, {
County of Marion, { ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from unnamed spring.

The use to which this water is to be applied is domestic use of one family including
the irrigation of not to exceed one-half acre lawn and garden.

If for irrigation, this appropriation shall be limited to - - - - - of one cubic foot per
second or its equivalent for each acre irrigated.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 12, 1965

Actual construction work shall begin on or before May 20, 1966 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 20th day of May, 1965.

John L. Miller
STATE ENGINEER

Application No. 30300
Permit No.

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 20th day of March,

1965 at 1:00 o'clock P.M.

Returned to applicant:

Approved:

May 20, 1965

Recorded in book No. 30300
Permits on page 5

CHRIS L. MILLER
State Engineer

Dripping Basin No. 16 page 37E

Fees 20