

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, R. Norman Fleming and Vera W. Fleming and Norman B. Fleming
of Rt. 2, Box 64, Newberg

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Two (2) springs, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.51 cubic feet per second. West Springs 0.50 and east spring 0.01 for domestic

3. The use to which the water is to be applied is Irrigation and domestic including irrigation of lawn and garden

4. The point of diversion is located West Spring ft. and 200 ft. E from the S.W corner of A. C. Smith D. L. C. The east spring is 300' N and 15' E from the S. W. Corner of Edward E. Geary D. L. C.

being within the NE 1/4 NW 1/4 of Sec. 3, Tp. 4 S, R. 3 W, W. M., in the county of Yamhill

5. The in length, terminating in the of Sec. 3, Tp. 4 S, R. 3 W, the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Approximately 200' Head w/ 20 HP Centrifugal pump electric or gas engine driven w/ discharge rate of approximately 250 GPM

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, on place of use .....

Township North or South	Range E. or W. of Williamsburg Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	3 W 1/2	3	NE 1/4 of NW 1/4 tax lot 343-1	25.13 ac. as per plat and domestic (1)
4 S	3 W 1/2	3	SE 1/4 of NW 1/4 tax lots 343-1-2 343-5-2	20 ac. as per plat
4 S	3 W 1/2	3	SW 1/4 of NE 1/4 tax lots 343-2	17 ac. as per plat and domestic (1)
				62.13

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....

(Legal subdivision)

Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream? .....

(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

\_\_\_\_\_  
(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500 \_\_\_\_\_

12. Construction work will begin on or before one year from date of permit \_\_\_\_\_

13. Construction work will be completed on or before one year from date of permit \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before two years from  
date of permit \_\_\_\_\_

*Donald B. Fleming*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 19\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_\_

STATE ENGINEER

By \_\_\_\_\_ ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.51 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from two springs

The use to which this water is to be applied is domestic use of two families, and irrigation; being 0.01 c.f.s., from East spring for domestic and 0.5 c.f.s., from West spring for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 30, 1965

Actual construction work shall begin on or before May 24, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 24th day of May 1965

Chris M. Winkler

STATE ENGINEER

Application No. 40712

Permit No. 30326

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 30th day of March 1965, at 2:30 o'clock P. M.

Returned to applicant:

Approved:

May 24, 1965

Recorded in book No. 30326

Permits on page

CHRIS M. WINKLER STATE ENGINEER

Drainage Basin No. 2 page 71A31

Fees \$4.55