

RECEIVED
APR 8 1965

Permit No. 30341

STATE ENGINEER APPLICATION FOR PERMIT
SALEM, OREGON

To appropriate the Public Waters of the State of Oregon

I, Charley Solesan

(Name of applicant)

of Box 55 A

Elkton

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring
(Name of stream)
Unpoua River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

3. The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 2050.0 ft. N. and 840.0 ft. W. from the S. E.
corner of Sec. 32 T. 22 S. R 7 W.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 32, Tp. 22 S.
(Give smallest legal subdivision) (N. or S.)
R. 7 W., W. M., in the county of Douglas

5. The Pipe to be 3280
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 SW 1/4 of Sec. 32, Tp. 22 S.
(Smallest legal subdivision) (N. or S.)
R. 7 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Leave rock, concrete, masonry,

rock and brush, timber crib, etc., washway over or around dam)

(b) Description of headgate None
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description None
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of _____

County, having a present population of _____

and an estimated population of _____ in 19____

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 880.00

12. Construction work will begin on or before Oct. 1, 1965

13. Construction work will be completed on or before Oct. 1, 1965

14. The water will be completely applied to the proposed use on or before Oct. 1, 1965

Charles M. Solomon
(Signature of applicant)

Remarks: Have been using directly from the spring but it fills so slowly that we are now installing a storage tank.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, . }

This is to certify that I have examined the foregoing application and do hereby grant the same; SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use of one family

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 8, 1965

Actual construction work shall begin on or before May 24, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 24th day of May, 1965

Chris L. Wheeler
STATE ENGINEER

Application No. 40238
Permit No. 30341

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of April, 1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

May 24, 1965

Recorded in book No. 30341
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 24C

Fees