

permit amended
v 53 p 6 26

Permit No. **30364**

DVA Notification P56025-02
P57885-02

cut 80576

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

Permit modified

I, ROGUE RIVER VALLEY IRRIGATION DISTRICT
(Name of applicant)

of 3139 Merriman Road, Medford
(Mailing address)

V50 P 3268
328

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation _____

1. The source of the proposed appropriation is Dry Creek, Antelope Creek, North and South Forks Little Butte Creek and Agate Dam, a tributary of Rogue River
(Name of stream)

2. The amount of water which the applicant intends to apply to beneficial use is _____ cubic feet per second. see remarks
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

Reservoir

4. The point of diversion is located 1000 ft. S. and 1250 ft. E. from the NW corner of Sec. 25 (see Attachment "A") T. 36 S., R. 1 W.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 25, Tp. 36 S.
(Give smallest legal subdivision) (N. or S.)

R. 1 W., W. M., in the county of Jackson
(E. or W.)

5. The see remarks to be _____
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the _____ of Sec. _____, Tp. _____
(Smallest legal subdivision) (N. or S.)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, see specifications 100C-739 and DC 6200
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)
see specifications 100C-739 and DC 6200

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

T-8086T-7461

permit amended
v 53 P 1148, v 53 P 1150

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2,200,000.00 (includes Agate Dam and all betterment work)

12. Construction work will begin on or before April 1, 1965

13. Construction work will be completed on or before October 1, 1967

14. The water will be completely applied to the proposed use on or before October 1, 1969

Herald M. Sinton
(Signature of applicant)

Secretary-Manager
Rogue River Valley Irrigation District

Remarks: 2. 60 cfs from Dry Creek (over and above conservation releases) 60 cfs from Antelope Creek (over and above conservation releases) and 60 cfs in aggregate from the North and South Forks of Little Butte Creek, and 4850 AF of stored water from Reservoir.

5. Approximately 19 miles of canal system exist between North and South Forks of Little Butte Creek and Bradshaw Drop. The Hopkins Canal is approximately 27 miles long, beginning at Bradshaw Drop and ending in the NW¹/₄ of the NW¹/₄ of Section 33, Township 36 South, Range 2 West. See accompanying map and specification 100C-739 for additional details and location of feeder canal to Agate reservoir.

7. No major changes or enlargements to the present canal system contemplated except for additions as shown in specification 100C-739, which are part of this application.

This application is made in connection with an "Application for Permit to Construct a Reservoir and to Store, for Beneficial Use, the Unappropriated Waters of the State of Oregon." The applicant desires permission to divert and impound non-irrigation season flows, irrigation season flows, and surplus irrigation season flows.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

ATTACHMENT "A"

Page 1 of 1

4. The points of diversion are:

- a. Dry Creek, Agate Dam, the axis of the dam crossing Dry Creek at a point 135 feet east and 1090 feet south of the Northwest Corner of Section 25, Township 36 South, Range 1 West of Willamette Meridian, Jackson County, Oregon.
- * b. Antelope Creek, 30 feet north and 1400 feet west of the East Quartercorner of Section 30, Township 36 South, Range 1 East of Willamette Meridian, Jackson County, Oregon. See specifications 100C-739.
- c. South Fork of Little Butte Creek, 1900 feet north and 540 feet west of the Southeast Corner of Section 29, Township 36 South, Range 2 East ($NE\frac{1}{4}$ of $SE\frac{1}{4}$ of Section 29) of Willamette Meridian, Jackson County, Oregon and at the existing diversion structure.
- d. North Fork of Little Butte Creek, 30 feet north and 630 feet west of the East Quartercorner of Section 20, Township 36 South, Range 2 East ($SE\frac{1}{4}$ of $NE\frac{1}{4}$ of Section 20) of Willamette Meridian, Jackson County, Oregon and at the existing diversion structure.

RECEIVED
MAY 13 1965
STATE ENGINEER
DIVISION

Top	Range	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
		36S West 8										9				20	8		9
		9										8	12	36	6	9	1	7	27
		15					7	26								4			29
		18		14															
		19																1	4
		21													1				27
		22									12	2	3	22					
		23			4					2	16	6				15	27	4	11

Revised Copy
3-30-65

DESCRIPTION OF LAND TO BE IRRIGATED OR PLACE OF USE

Top	Range	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
		36S West 24										1	5						
		27					11	2	10			9							
		28				7							27	27				15	20
		29			6	2	19	11	20	1	19	19	25	40	1	4	38	19	
		30	24	34	11						9	32	39	39		13	34	12	
		31	5	7			2	1	1	21	32		39	39					
		32	40	20	40	20	30	21	34	34			20	32	40	16	31	38	
		33	18	38	40	5	2	8	20	40	39	28	39	39		29	2		

Revised Copy
3-30-65

DESCRIPTION OF LAND TO BE IRRIGATED OR PLACE OF USE

Primary Rights

Top	Range	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
		36S West 20				7										25			8
		20														2			
		21	1	25	12	1	3		13	22	35	20	2	8		2	4		
		25	10			34	9									20	1	6	2
		26									9		1				1	9	1
		27							12	2	27	12	3	40		2	23	2	
		28				4										1			
		28											6						
		32	1		3	17					15			9	24	18			
		32																36	4

Revised Copy
3-30-65

DESCRIPTION OF LAND TO BE IRRIGATED OR PLACE OF USE

Primary Rights

Primary Rights

Top	Range	Sec	NE 1/4				NW 1/4				SW 1/4				SE 1/4				
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
		36S West 33		24			36	17	17				10	23					
		33	27		20	30				40	38	14			21	22	29	19	
		34	38	39	40	40	35	7	10	14	12	5	19	10	40	20	1	8	
		34													2				
		35	15		2		2	28	39	18	26	37	1	6		29	6	40	
		36			25	2	9	2	6	10			26		21	26	6	2	

Revised Copy
3-30-65

DESCRIPTION OF LAND TO BE IRRIGATED OR PLACE OF USE

Twp.	Range	Sec.	NE ¼				NW ¼				SW ¼				SE ¼			
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼
3751	West	4					30	23										
		5	38	16	1	10	37	2	30	33	7	33	6					
		6	8	40			1	1	34	39					36			15
		7				8									36	13	3	7
		8							7	19	25					1		
		18					10	14		19	9		17	22				9
		19					7	5										
3752	West	1					5	7	12	4	28	21	17	38	15	5	12	
		2	14	5	4	9									19	8		3

Revised Copy
3-30-65

DESCRIPTION OF LAND TO BE IRRIGATED OR PLACE OF USE

Twp.	Range	Sec.	NE ¼				NW ¼				SW ¼				SE ¼			
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼
3752	West	3	9	2			14	36	10		36	36	10	13		1	12	
		4	30	39	32	10	6	19	2	23	32	16	28	16	8	36	24	29
		5				21									20	4		
		5	30	37			2								10			8
		9	22	35	24	20	38	11	18						19	5		34
		10			9	1	8	25	11	5	17	25	33	20	9	34	9	11
		11										7	26	4	1			9
		12	1	19	28	9	36	14		6		11	25	6	10	10	4	28
		12									6							
		13			8	11	12	27	32	19	38	17		6		35	3	6

~~Primary Rights~~

Primary Rights

Revised Copy
3-30-65

DESCRIPTION OF LAND TO BE IRRIGATED OR PLACE OF USE

Twp.	Range	Sec.	NE ¼				NW ¼				SW ¼				SE ¼			
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼
3752	West	14	1	1	1		24	40	40	25	12	26						
		15	31			12	27	32	4	8					7	3		
		16	12															
											Total		6331					
													5854		Suppl			
													487		Primary			
													6341		Acres			

~~Primary Rights~~

Primary Rights

Twp.	Range	Sec.	NE ¼				NW ¼				SW ¼				SE ¼			
			NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼	NE ¼	NW ¼	SW ¼	SE ¼
3682	West	33			24		36	17	17				10	23				
		33	27			20	30				40	38	14		21	22	29	19
		34	38	39	40	40	35	7	10	14	12	5	19	10	40	20	1	8
		34														2		
		35	15			2	2	28	39	18	26	37	1	6	29	6	4	6
		36			25	2	9	2	6	10			26		21	26	6	2

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4850 acre feet stored water only ~~cubic feet per second~~ measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Agate Dam to be constructed under application No. R-29700, permit No. R-4563

The use to which this water is to be applied is irrigation of lands not covered under prior permits and supplemental irrigation of lands for which prior rights exist.

If for irrigation, this appropriation shall be limited to a diversion of 4 1/2 acre feet ~~of one cubic foot per second or its equivalent~~ for each acre irrigated during the irrigation season of each year; provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is ~~January 20, 1955~~ ^{September 6, 1915} S.P. OR. V. 26 p. 86

Actual construction work shall begin on or before June 10, 1966 and shall

thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1969
Extended to Oct. 1 1981 Extended to Oct. 1, 1986 Extended to October 1, 1991 Extended to Oct. 1 1971 Extended to Oct. 1 1980 Extended to Oct. 1 1975

Complete application of the water to the proposed use shall be made on or before October 1, 1969
Extended to Oct. 1 1979 Extended to Oct. 1, 1986 Extended to October 1, 1991 Extended to Oct. 1 1974 Extended to Oct. 1 1975

WITNESS my hand this 10th day of June, 1965

Chris L. Wheeler
STATE ENGINEER

Application No. 29701
Permit No. 30364

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of January, 1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

June 10, 1965
Recorded in book No. 30364
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 15 page 30132B
Fees \$ 171.79