

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Paul W. Brown + John M. White
of RT2 Box 187A Monmouth,
State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Mc Timmonds Creek, a tributary of Luckiamute

2. The amount of water which the applicant intends to apply to beneficial use is 0.44 cfs, cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located #1 700 S. & 800' E / #2 340' S & 100' E / within NW 1/4 Sec 27

being within the NW 1/4 SW 1/4 of Sec. 22, Tp. 9 S, R. 6 W, W. M., in the county of Polk

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works--

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 4x3" centrifugal pump powered by 5 H.P. electric + 45 H.P gas AUXILIARY 85-40' lengths of 3-4 inch pipe - 18 = 9 gallon sprinklers

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Williamsite Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
9 S	R 6 W	22	NW 1/4 of SW 1/4	3 acres
9 S	R 6 W	22	SW 1/4 of SW 1/4	16 "
9 S	R 6 W	27	NW 1/4 of NW 1/4	14 "
9 S	R 6 W	27	SW 1/4 of NW 1/4	2 "
				55

(If more space required, attach separate sheet)

(a) Character of soil Chehalis clay

(b) Kind of crops raised Alfalfa + clover

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2400 ⁰⁰
- 12. Construction work will begin on or before Completed May 1956
- 13. Construction work will be completed on or before Completed May 1956
- 14. The water will be completely applied to the proposed use on or before Now in use

Randy W. Brown
 (Signature of Applicant)
John M. White

Remarks:

Since property was acquired in Jan²⁴ 1956 by lease and purchased Nov 16, 1956. If the irrigation has been used for the amount of water on permit # 19071 applied for by R. J. Jones to this date we thought this was a valid water right which had been passed on with the purchase of the property.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.144 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from McTimmonds Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 23, 1965

Actual construction work shall begin on or before June 25, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 25th day of June, 1965

Chris J. Wheeler
STATE ENGINEER

Application No. 40793
Permit No. 30396

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of April, 1965, at 11:10 o'clock A. M.

Returned to applicant:

Approved:

June 25, 1965

Recorded in book No. 30396 of

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 181

Fees 15.75