*APPLICATION FOR PERMIT

CERTIFICATE NO. 3564 9

To Appropriate the Public Waters of the State of Oregon

of Village Loop. Interstate Highway 5, Cottage Grove, Oragon (Mailling address) State of Gragon , do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Coast. Fork of Willamette River (Name of stream) and Currin Creek , a tributary of Willamette River 2. The amount of water which the applicant intends to apply to beneficial use is 1/80cu.ft. cubic feet per second. PAR ACRA for irrigation & 0.02 from creek to maintain reserve (It water is to be used from more than one source, give quantity from sech) **3. The use to which the water is to be applied is Irrigation and maintaining (Graston power, mining, baseducturity, domestic applied, etc.) reservoir for bird. sanctuary. 4. The point of aversion is located **3. Township. 21 South Range 3. West, W.M. (If preferable, give distance and bearing to section corner) Corner of Section T. 21. S. M., W.M. (If preferable, give distance and bearing to section corner) (It there is more than one point of diversion, seak must be described. Use separate sheet I necessary) being within the **SEL Of NEL ONE **Corner of Section **Corn
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Coast. Fork of Willamette River (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is 1/80 cu.ft. cubic feet per second. DBT ACTA for irrigation & 0.02 from creek to maintain reserved (I water is to be disc from more than one source, give quantity from each) **3. The use to which the water is to be applied is Trrigation and maintaining (trrigation, power, mining, manufacturing, domestic supplies, etc.) reservoir for bird sanctuary. 4. The point of diversion is located
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Coast. Fork of Willamatta River (Name of stream) 2. The amount of water which the applicant intends to apply to beneficial use is 1/80 cu.ft. cubic feet per second. 2. The amount of water which the applicant intends to apply to beneficial use is 1/80 cu.ft. cubic feet per second. 2. The use to which the water is to be used from more than one source, give quantity from each (it water is to be died from more than one source, give quantity from each (it water is to be applied is 1.1 Irrigation, power, mining, manufacturing, domestic supplies, etc.) 2. The use to which the water is to be applied is 1.1 Irrigation, power, mining, manufacturing, domestic supplies, etc.) 2. The use to which the water is to be applied is 1.1 Irrigation, power, mining, manufacturing, domestic supplies, etc.) 2. The point of diversion is located 1.200 ft. S. and 9.20 ft. W. from the .NE (Ct. et w.) 3. W. from the .NE (Great River Millametta) (Section or subdivision) 3. W. M. M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) 3. W. M., in the county of Lang. (Give smallest legal subdivision) 5. The .To be irrigated by water pipe to be
1. The source of the proposed appropriation is Coast Fork of Willamatta River 2. The amount of water which the applicant intends to apply to beneficial use is 1/80 cu.ft. cubic feet per second. Der agra for irrigation & 0.02 from creek to maintain reserve (a water is to be used from more than one source, give quantity from the water is to be applied is Trigation and maintaining (trigation, power, mining, manufacturing, dementic supplied, etc.) reservoir for bird sanctuary. 4. The point of diversion is located 100 ft. S. and 920 ft. W. from the NE corner of Section 5. Township 21 South Ranga 3 West, W.M. in Lane County, Oregon Gurrin Greek— 1370 feet. South and 300 feet. West from the NE corner of Section T. 21. S. R. 3. W. N.M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE\$ of NE\$ (Over S.) (Cover mallest legal subdivision) 5. The To be irrigated by water pipe to be (Milles or feet) in length, terminating in the (Section and subdivision) of Sec. Tp. (N. or S.)
and Currin Creek
2. The amount of water which the applicant intends to apply to beneficial use is
cubic feet per second. PST AGRA for irrigation & 0.02 from creek to maintain reservo (It water is to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is
**3. The use to which the water is to be applied is
**3. The use to which the water is to be applied is
4. The point of diversion is located 100 ft. S. and 920 ft. W. from theNE. corner of
corner of Section 5, Township 21 South Range 3 West, W.M. in Lane County, Oregon Currin Creek 1370 feet South and 300 feet West from the NE corner of Section T 21 S, R 3 W., W.M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE1 of NE1 of Sec. 5, Tp. 21 S, (N. or S.) R. 3 W., W. M., in the county of Lane (E or W.) 5. The To be irrigated by water pipe to be (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) (Smallest legal subdivision)
corner of Section 5, Township 21 South Range 3 West, W.M. in Lane County, Oregon Gurrin Creek 1370 feet South and 300 feet West from the NE corner of Section T. 21 S, R. 3. W., W.M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE1 of NE1 of Sec. 5, Tp. 21 S, (N. or S.) R. 3. W., W. M., in the county of Lane (E. or W.) 5. The To be irrigated by water pipe to be (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision) (Smallest legal subdivision)
T 21 S, R 3 W., W.M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE1 of NE1 of NE1 of Sec. 5 , Tp. 21 S , (Give smallest legal subdivision) R. 3 W , W. M., in the county of Lane (E. or W.) 5. The To be irrigated by water pipe to be (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) of Sec. 7p. (N. or S.)
T 21 S, R 3 W., W.M. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SE1 of NE1 of NE1 of Sec. 5, Tp. 21 S, (Give smallest legal subdivision) R. 3 W, W. M., in the county of Lane (E. or W.) 5. The To be irrigated by water pipe to be (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) of Sec. 7p. (N. or S.)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SEA Of NEA of Sec. 5, Tp. 21 S, (Give smallest legal subdivision) R. 3 W, W. M., in the county of Lane (E. or W.) 5. The To be irrigated by water pipe to be (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Smallest legal subdivision) (Smallest legal subdivision)
being within the SEA of NEA of Sec. 5 , Tp. 21 S , Give smallest legal subdivision) R. 3 W , W. M., in the county of Lane 5. The To be irrigated by water pipe to be (Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision) (Smallest legal subdivision)
R3 W, W. M., in the county ofLane
5. TheTo be irrigated by water pipe to be
5. TheTo be irrigated by water pipe to be
in length, terminating in the
R, W. M., the proposed location being shown throughout on the accompanying map.
DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(Anniver, Constant, Consta
(c) If water is to be pumped give general description400 gallons per minute
electric_pump

A different form of application is provided where storage works are contemplated.
 Application for permits to appropriate water for the generation of electricity, with the exception

adgate. At hea	dgate: width on t	op (at water	line)	feet; width on botton
	,			feet fall per on
ousand feet.				iter line)
	feet; width on bo	ttom	feet; depth of	f water feet
ade	feet fall	per one thou	sand feet.	•
(c) Lengt	h of pipe,	ft.;	size at intake,	in.; size at f
om intake	in.;	size at place o	of use in.;	difference in elevation betwee
take and place	of use,	ft. Is	s grade uniform?	Estimated capacity
		rigated, or pl	ace of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
21 S	3 W	5	NE4 of NE4	2.8
			NW1 of NE1	.7
:. '			SW4 of NE4	.2
· .		-	SE ¹ of NE ¹	1.0
			SEA OI NEA	
		. , ,		4.7 Acres
			and on and	Divid Comptus
		4	NW [‡] OF NW [‡]	Bird Sanctuary
<u> </u>			SWA OF NWA	
		5	NET OF NET	
<u> </u>	·		SEL OF NEL	12 31
		1		
	<u> </u>	/Td mana mana		
(a) C1	naracter of soil	(II more space	required, attach separate sheet)	
				·
ower or Minin		<i></i>		
		wer to be dev	veloped	theoretical horsepowe
	•		power	
		-		•
			(Head)	
(a) T	ne nature of the i	vorks by mea	ns of which the power is to	be developed
	•••••••			
(e) S	uch works to be l	ocated in	(Legal subdivision)	of Sec
(No. N. or	, R(No. I	, W.	м.	
•	•		tream?	
			(20201210)	

(i) The nature of the mines to be served

10. (a) To supply the city of	
,	ent population of
d an estimated population of	in 19
(b) If for domestic use state number of	of families to be supplied
(Answer questions 1	1, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$	
Name of the Control o	
	ore
13. Construction work will be completed on	or beforeNow completed
14. The water will be completely applied to	the proposed use on or before Now completed
······································	
	Malter a Woodard
	,
Remarks:	······································
***************************************	······································
	······································
`	
	·
Table Blown Table	and the second of the second o
TATE OF OREGON.)	
TATE OF OREGON, ss. County of Marion,	
	e foregoing application, together with the accompanying
naps and data, and return the same for	· · · · · · · · · · · · · · · · · · ·
	* * *
In order to retain its priority, this applica	ition must be returned to the State Engineer, with corre
ions on or before	, 19
•	
WITNESS my hand this day of	, 19,
	•

Ву

STATE OF OREGON, Ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

Currin Creek and reservoir for bird sanctuary.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2½ acre feet per acre for each acre irrigated during the irrigation season of each year,

The right allowed herein for bird sanctuary shall be subordinate and inferior to all future rights for beneficial consumptive uses,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 29, 1965

Actual construction work shall begin on or before June 25, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

Charles STATE ENGINEER

Application No. 40815

Permit No.

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon on the 211 day of

19.6.2., at (2.3... o'clock

Returned to applicant.

Z

oved:

Recorded in book No.

CHRIS L. WHEELER

rainage Basin No. 2

State Printing 98137