

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Elizabeth A. Baertlein
(Name of applicant)

of Route 1, Box 130, Cloverdale
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring
(Name of stream)

a tributary of Dawson Creek - Nestucca River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic use of one family
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1120 ft. S and 1040 ft. E from the NW
corner of Sec. 26
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 26, Tp. 4 S
(Give smallest legal subdivision) (N. or S.)

R. 10 W, W. M., in the county of Tillamook
(E. or W.)

5. The pipeline to be ± 900'
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 26, Tp. 4 S
(Smallest legal subdivision) (N. or S.)

R. 10 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____ 1/2 HP elec. pump
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

± 20.0 head

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

9170

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before September 1, 1965

13. Construction work will be completed on or before October 1, 1966

14. The water will be completely applied to the proposed use on or before October 1, 1967

x Elizabeth A. Baertlein
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from spring

.005
Spring

The use to which this water is to be applied is domestic use of one family

Dom C

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated _____

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 13, 1965

May 13-65

Actual construction work shall begin on or before August 23, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Extended to Oct. 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 23rd day of August, 1965.

Chris L. Wheeler

STATE ENGINEER

4

Application No. 40893
Permit No. 30481

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of May, 1965, at 1:20 o'clock P. M.

Returned to applicant: _____

Approved: _____
August 23, 1965

Recorded in book No. _____ of 30481
Permits on page _____

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1 page 16.F
Fees 20.00