

RECEIVED  
MAR 15 1965

Permit No. 30285

STATE ENGINEER  
SALEM, OREGON

\*APPLICATION FOR PERMIT

CERTIFICATE NO. 44779

# To appropriate the Public Waters of the State of Oregon

I, KLICKER BROS.  
(Name of applicant)  
of Route 4  
(Mailing address)  
State of Washington, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Mill Creek & Springs  
(Name of stream)  
Walla Walla River, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.752  
0.06 cfs from Spings  
cubic feet per second. .6920 from Mill Creek for irrigation  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic supplies, irrigation ✓  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located        ft.        and        ft.        from the  
(N. or S.) (E. or W.)  
corner of See platted map of springs and diversions (Attachment #1)  
Diversions #1 (Section or subdivision)  
See attachment #2 for descriptions of springs and points of diversions  
Note - Diversion #2 is pump only.  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the        of Sec.       , Tp.         
(Give smallest legal subdivision) (N. or S.)  
R.       , W. M., in the county of         
(E. or W.)

5. The Diversion #1 Ditch to be 2510  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the NE 1/4 of NE 1/4 of Sec. 19, Tp. 6N  
(Smallest legal subdivision) (N. or S.)

R. 38 E, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.) Diversion #3 Ditch to be 1630 ft. terminating in NE 1/4 of NW 1/4 Sec. 20 Tp. 6N  
R. 38 E

### DESCRIPTION OF WORKS

Diversions Works— #1 and #3

6. (a) Height of dam 3 feet, length on top 8 feet, length at bottom 8 feet; material to be used and character of construction concrete  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate 2 x 6 timbers Opening - 3ft.  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Portable Unit  
(Size and type of pump)  
3-in. intake, 2-in. outlet, 140 gpm, 27 1/2 H.P. Gas Engine  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

30282

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 ft. feet; width on bottom 2 ft. feet; depth of water 4 in. feet; grade 20 feet fall per one thousand feet.

(b) At 1/4 miles from headgate: width on top (at water line) 2 ft. feet; width on bottom 2 ft. feet; depth of water 4 in. feet; grade 20 feet fall per one thousand feet.

Description of Sprinkler Pipe

(c) Length of pipe, portable 30 ft.; size at intake, 4 in. in.; size at 500 ft. from intake 4 in. in.; size at place of use 3 in. in.; difference in elevation between intake and place of use, different elevations ft. Is grade uniform? no Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 6 N	R 38 E	19	NW 1/4 - NE 1/4	7.137 Irrigation & Domestic
T 6 N	R 38 E	19	NE 1/4 - NE 1/4	10.000 Irrigation & Domestic
T 6 N	R 38 E	20	NW 1/4 - NW 1/4	13.051 Irrigation & Domestic
T 6 N	R 38 E	20	NE 1/4 - NW 1/4	13.192 Irrigation & Domestic
T 6 N	R 38 E	20	SW 1/4 - NW 1/4	1.000 Irrigation & Domestic
T 6 N	R 38 E	20	NW 1/4 - NE 1/4	7.920 Irrigation & Domestic
T 6 N	R 38 E	20	SW 1/4 - NE 1/4	3.065 Irrigation & Domestic
				55.365

(If more space required, attach separate sheet)

(a) Character of soil Rocky - Heavy loam - Clay loam

(b) Kind of crops raised Garden, Strawberries, Grass, Blueberries

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. R. W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. Tp. R. W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Item 4

SPRINGS  
R38E - T6N

1. Reynolds Camp Spring - Beginning at the point on the common corner of sections 17, 18, 19, 20, proceed on a bearing of S 85° 00' W, 2,400 feet to the spring. (6 gallons per minute - Domestic) Land where water will be used--NW $\frac{1}{4}$  of NW $\frac{1}{4}$  Sec. 19 and SW $\frac{1}{4}$  of SE $\frac{1}{4}$  Sec. 18.
2. Reynolds Camp Spring - Beginning at the point on the common corner of sections 17, 18, 19, 20, proceed on a bearing of S 86° 00' W, 2,360 feet to the spring. (6 gallons per minute - Domestic) Land where water will be used--NW $\frac{1}{4}$  of NW $\frac{1}{4}$  Sec. 19 and SW $\frac{1}{4}$  of SE $\frac{1}{4}$  Sec. 18.
4. Reynolds Berry Spring - Beginning at the point on the common corner of sections 17, 18, 19, 20, proceed on a bearing of S 63° 20' W, 1,720 feet to the spring. (2 gallons per minute - Domestic) Land where water will be used--NW $\frac{1}{4}$  of NW $\frac{1}{4}$  Sec. 19 and SW $\frac{1}{4}$  of SE $\frac{1}{4}$  Sec. 18.
5. Road Side Spring - Beginning at the point on the common corner of sections 17, 18, 19, 20, proceed on a bearing of S 89° 00' W, 1,325 feet to the spring. (2 gallons per minute-- Domestic) Land where water will be used--NW $\frac{1}{4}$  of NE $\frac{1}{4}$  Sec. 19 and NE $\frac{1}{4}$  of NE $\frac{1}{4}$  Sec. 19.
6. Wood Cutter Spring - Beginning at the point on the common corner of sections 17, 18, 19, 20, proceed on a bearing of S 24° 55' W, 1,120 feet to the spring. (3 gallons per minute - Domestic) Land where water will be used--NE $\frac{1}{4}$  of NE $\frac{1}{4}$  Sec. 19.
7. Cushion Baker Spring - Beginning at the point on the common corner of sections 17, 18, 19, 20, proceed on a bearing of S 12° 45' W, 340 feet to the spring. (3 gallons per minute - Domestic) Land where water will be used--NE $\frac{1}{4}$  of NE $\frac{1}{4}$  Sec. 19 and NW $\frac{1}{4}$  of NW $\frac{1}{4}$  Sec. 20.
9. Klicker Sulphur Spring- Beginning at the point on the common corner of sections 17, 18, 19, 20, proceed on a bearing of S 62° 45' E, 2,035 feet to the spring. (1 gallon per minute - Domestic) Land where water will be used--NW $\frac{1}{4}$  of NW $\frac{1}{4}$  Sec. 20
11. Gold Springs Spring - Beginning at the point on the common corner of sections 17, 18, 19, 20, proceed on a bearing of S 67° 30' E, 3,560 feet to the spring. (4 gallons per minute - Domestic) Land where water will be used--NW $\frac{1}{4}$  of NE $\frac{1}{4}$  Sec. 20 and NE $\frac{1}{4}$  of NW  $\frac{1}{4}$  Sec. 20

POINTS OF DIVERSION

- 1st point of diversion - Pump & Ditch  
Beginning at the point on the common corner of section 17, 18, 19, 20, proceed on a bearing of S 49° 00' E, 1,850 feet to the point of diversion.
- 2nd point of diversion - Pump  
Beginning at the point on the common corner of section 17, 18, 19, 20, proceed on a bearing of S 65° 50' E, 2,180 feet to the point of diversion.
- 3rd point of diversion - Pump & Ditch  
Beginning at the point on the common corner of section 17, 18, 19, 20, proceed on a bearing of S 73° 00' E, 3,780 feet to the point of diversion.

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ~~5 Springs~~ <sup>50</sup> ~~10~~ ~~presently~~ ~~will~~  
~~supply possibly 40 more.~~

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 5,755.00

12. Construction work will begin on or before Started

13. Construction work will be completed on or before October 1, 1966 ~~Partial, 2 years~~ ~~Balance, 5 years~~

14. The water will be completely applied to the proposed use on or before October 1, 1967

*Klicker Bros*  
(Signature of applicant)  
*by Robert A Klicker*

Remarks: We are not waiving or abandoning any vested rights that already  
existed on this land.

LIST OF ATTACHMENTS:

- 1. Platted map & Platted Pipe Lines
- 2. Springs and Points of diversion
- 3. Descriptions and No. of acres
- 4. Titles for land

*File for application on this site - will get it  
made - might be a bit later - will be used - building on  
if needed*

STATE OF OREGON,  
County of Marion, } ss...

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for ..... completion

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before May 24, 1965.

WITNESS my hand this 24 day of March, 1965.

RECEIVED  
MAY 12 1965

STATE ENGINEER  
SALEM OREGON

CHRIS L. WHEELER  
STATE ENGINEER

*Walter Perry*  
ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.75 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Mill Creek and eight springs.

The use to which this water is to be applied is irrigation and domestic use of 50 families; being 0.69 c.f.s., from Mill Creek for irrigation and 0.013 c.f.s., from spring No. 1, 0.013 c.f.s., from No. 2, 0.004 c.f.s., from No. 4, 0.004 c.f.s., from No. 5, 0.007 c.f.s., from No. 6, 0.007 c.f.s., from No. 7, 0.002 c.f.s., from No. 9, and 0.01 c.f.s., from No. 11 (total 0.06 c.f.s.) for domestic use.

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 15, 1965

Actual construction work shall begin on or before October 22, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967. Extended to Oct. 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1968. Extended to Oct. 1, 1968

WITNESS my hand this 22nd day of October, 1965.

*Chris L. Wheeler*  
STATE ENGINEER

PC.  
Application No. 40680  
Permit No. 30525

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of March, 1965, at 8:00 o'clock A. M.

Returned to applicant:

Approved: October 22, 1965

Recorded in book No. 30525 of Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 7 page 2-B

Fees 28.90  
Ret. - 83.90