

RECEIVED

JUN. 3 1965

STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 38495

Permit No. 30546

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, JAMES A. MARESH

(Name of applicant)

of RT 3 Box 537 DUNDEE

(Mailing address)

State of OREGON

, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is UNNAMED SPRING WHICH FLOWS OFF
LOT 19 AND SUBSEQUENTLY SEEPS INTO THE GROUND
(Name of stream)
a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 3/100
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is DOMESTIC SUPPLIES FOR THREE FAMILIES
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
THIS TO INCLUDE IRRIGATION OF LAWNS AND GARDENS FOR EACH FAMILY

4. The point of diversion is located 40 ft. N and 370 ft. W from the SE
corner of LOT 19 IN CHEHALEM ORCHARD HOMES AS SHOWN BY THE PLAT THEREOF RECORDED
(Section or subdivision)
AND ON FILE IN THE OFFICE OF COUNTY CLERK OF YAMHILL COUNTY OREGON, THE SAME BEING
A PORTION OF THE DONATION LAND CLAIM OF CHARLES HANDLEY WIFE CLAIM NO. 56 IN SECTIONS
26, 27, 34+35 IN TOWNSHIP 3 SOUTH, RANGE 3 WEST OF THE WILLAMETTE MERIDIAN.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the LOT 19 OF CHEHALEM ORCHARD HOMES of Sec. 27, Tp. 3 S
(Give smallest legal subdivision) (N. or S.)
R. 3 W, W. M., in the county of YAMHILL
(E. or W.)

5. The PIPE LINE to be 1250 FT
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N.E. CR. OF LOT 20 of Sec. 27, Tp. 3 S
(Smallest legal subdivision) (N. or S.)
R. 3 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom
feet; material to be used and character of construction
(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width' on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ¹²⁵⁰ ft.; size at intake, ^{1"} in.; size at ft. from intake in.; size at place of use ^{1"} in.; difference in elevation between intake and place of use, ^{150'} ft. Is grade uniform? ^{yes} Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
35	3W	27	LOT 20 IN CHEHALEM	ORCHARD HOMES AS
SHOWN BY THE PLAT THEREOF RECORDED AND ON FILE IN THE OFFICE OF COUNTY CLERK OF				
YAMHILL COUNTY OREGON, THE SAME BEING A PORTION OF THE DONATED LAND CLAIM OF CHARLES				
HAMBLEY & WIFE, CLAIM No. 56 IN SECTIONS 26, 27, 34 & 35 IN TOWNSHIP 3 SOUTH, RANGE 3				
WEST OF THE WILLAMETTE MERIDIAN.				
35	3W	27	LOT 5 OF CHEHALEM	ORCHARD HOMES IN YAMHILL COUNTY
35	3W	27	SOUTH HALF OF LOT 4	IN CHEHALEM ORCHARD HOMES
35	3W	27	SW ¹ / ₄ NW ¹ / ₄	Domestic 1 house
			NW ¹ / ₄ SW ¹ / ₄	Domestic 2 houses

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied THREE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 700

12. Construction work will begin on or before MAY 31, 1966

13. Construction work will be completed on or before MAY 30, 1967

14. The water will be completely applied to the proposed use on or before MAY 30, 1967

James A. Marsh
(Signature of applicant)

Remarks: THE THREE FAMILIES ARE PRESENTLY SERVED FROM

1) ONE WELL WHICH HAS BECOME CONTAMINATED - NO LONGER USED.

2) ONE WELL WHICH PROVIDES AN INADEQUATE AMOUNT FOR NEEDS

3) ONE WELL WHICH IS OPERATIVE BUT INADEQUATE FOR ALL NEEDS.

THE THREE SYSTEMS HAVE BEEN INTERCONNECTED. THE PROPOSED WORKS
WOULD SERVE THREE FAMILIES.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before Sept. 13,, 1965

WITNESS my hand this 13th day of July, 1965

RECEIVED CHRIS L. WHEELER
JUL 28 1965

STATE ENGINEER
SALEM, OREGON

By Walter L. Long

STATE ENGINEER
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use of three families, including the irrigation of not to exceed one-half acre lawn and garden at each residence.

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 3, 1965

Actual construction work shall begin on or before October 22, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967. Extended to Oct. 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 22nd day of October 1965

Chris J. Wheeler

STATE ENGINEER

Application No. 40958
Permit No. 30546

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of June, 1965, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

October 22, 1965

Recorded in book No. 30546 of Permits on page

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 7 page 76A32

Fees \$20.00