

RECEIVED RECEIVED
JUN 15 1965 MAY 17 1965

Permit No. 30563

CERTIFICATE NO. 35264

STATE ENGINEER STATE ENGINEER
SALEM OREGON SALEM OREGON *APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, We, Loren W. and Ethel J. Hunt
(Name of applicant)

P. O. Box 274, Elgin
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is a spring in pond No. 3, swamp drainage to Pond No. 2, and auxiliary inlet from Mill Creek, a tributary of Grande Ronde River, to Pond No. 3.

2. The amount of water which the applicant intends to apply to beneficial use is .06 cubic feet per second Spring .02, Tile from swamp .04; any shortage to be made up from Mill Cr.

**3. The use to which the water is to be applied is Fish ponds

4. The point of diversion is located 710 ft. N and 230 ft. W from the S.E. corner of Sec. 22, T3S, R40E of W.M.

Diversion point located 55 feet West of Center of County road and 135 feet north of South boundary line of property. Spring is 480 ft. North and 340 ft. west from the SE corner of Sec. 22 and the Tile outlet is 650 ft. North and 420 ft. West from the SE corner of Sec. 22, T 3 S, R 40 E, W M

being within the SE 1/4, SE 1/4 of Sec. 22, Tp. 3S, R. 40E, W. M., in the county of Union

5. The Pipe line to be 150 ft. 2ft. head in length, terminating in the tract 2600 of Sec. 22, Tp. 3S, R. 40E, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate Screened 2 in. pipe 150 feet long inserted into Creek and buried 2 feet underground. 2 ft head, 30 gal per minute.

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	40 E	22	SE $\frac{1}{4}$ SE $\frac{1}{4}$	Fish Ponds

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)
 Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before one year from date of permit.....

13. Construction work will be completed on or before October 1, 1967.....

14. The water will be completely applied to the proposed use on or before October 1, 1968.....

Loren W. Henry
(Signature of applicant)
Etchell Howard

Remarks: Water from the Creek will only be needed through the winter, from
about November to April, as neighboring irrigation about triples the flow
from spring during the summer months.

This project was originally intended for private use but there is a
possibility that in time it may be used commercially.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 23....., 1965.....

WITNESS my hand this 22nd..... day of June....., 1965.....

RECEIVED
JUN 29 1965
STATE ENGINEER
By *Walter Henry*
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from spring, swamp drainage, Mill Creek & reservoirs No. 1, No. 2, & No. 3, to be constructed under application No. R-40901, Permit No. R-4597; being 0.02 c.f.s. from spring, 0.04 c.f.s. from drainage from a swamp with any deficiency in the available supply from either source to be made up by diversion from Mill Creek.

The use to which this water is to be applied is fish culture

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated

The appropriation of water from Mill Creek shall be limited to the period from November 1, to April 1, each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 15, 1965

Actual construction work shall begin on or before October 22, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 22nd day of October, 1965

Chris L. Wheeler

STATE ENGINEER

Application No. 40988
Permit No. 30563

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of JUNE, 1965, at 1:00 P. M.

Returned to applicant:

Approved:

October 22, 1965

Recorded in book No. 30563 of

Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 8 page 8A

Fees 20.00