

RECEIVED
MAY 17 1965
STATE ENGINEER

Permit No. 30571
CERTIFICATE NO. 30037001

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Hazelle Hallmark
(Name of applicant)
of Route 4, Box 533, Grants Pass,
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Spring
(Name of stream)
tributary of Slagle Creek, a tributary of Applegate River.

2. The amount of water which the applicant intends to apply to beneficial use is 0.0125
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic, including the irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
of not to exceed $\frac{1}{2}$ acre garden.

4. The point of diversion is located 1385 ft. N. and 2130 ft. E. from the SW
(N. or S.) (E. or W.)
corner of Section 33
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 33, Tp. 37 S.
(Give smallest legal subdivision) (N. or S.)
R. 4 W., W. M., in the county of Jackson
(E. or W.)

5. The pipeline to be 3385 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 32, Tp. 37 S.
(Smallest legal subdivision) (N. or S.)
R. 4 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate spring box 3' x 3' x 3' - outlet is 1 $\frac{1}{2}$ " pipe.
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of, in 19.....

(b) If for domestic use state number of families to be supplied one family.

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 300.00.....

12. Construction work will begin on or before 1 year from date of priority.....

13. Construction work will be completed on or before October 1, 1967.....

14. The water will be completely applied to the proposed use on or before October 1, 1968.....

Angella Hallmark
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use of one family including the irrigation of not to exceed one-half acre lawn and garden.

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 17, 1965

Actual construction work shall begin on or before October 22, 1966 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 22nd day of October, 1965

Chris L. Wheeler
STATE ENGINEER

Application No. 40997
Permit No. 30571

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of June, 1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

October 22, 1965

Recorded in book No. 30571 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 15 page 16N
Fees