

*APPLICATION FOR PERMIT

CERTIFICATE NO. 39699

To Appropriate the Public Waters of the State of Oregon

	1. David & Caraon
	(Name of applicant)
of?	225 Wet 16 th ma movel &
State	of, do hereby make application for a permit to appropriate the
follor	ving described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
	1. The source of the proposed appropriation is (Name of stream) , a tributary of South Mandall B
••••••	2. The amount of water which the applicant intends to apply to beneficial use is 35 - 420
cubic	feet per second.
*	*3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
aorn e	4. The point of diversion is located 2330 ft. S. and 2100 ft. W. from the NE of Section 11 7.55 RGW
	(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being	within the SW (Give smallest legal subdivision) of Sec. // Tp.5.5 (N. or S.)
r.6	(E. or W.) W. M., in the county of Samuel
	5. The
in lan	
in ten	egth, terminating in the of Sec, Tp, (N. or S.)
R	(E. or W.) W. M., the proposed location being shown throughout on the accompanying map.
Diver	DESCRIPTION OF WORKS
	6. (a) Height of dam Mondo feet, length on top feet, length at bottom
••••••	feet; material to be used and character of construction
rock an	d brush, timber crib, etc., wasteway over or around dam)
	(b) Description of headgate(Timber, concrete, etc., number and size of openings)
	(c) If water is to be pumped give general description 7½ HP. Electric Pump) (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted etc.)
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroe ectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon

1 System or	Pipe Line—	`			
7. (a) Gir	ve dimensions at	each point o	of canal where materially chan	ged in size, statin	ng miles from
gate. At hea	idgate: width i on i	top (at wate	er line)	feet; wid	th on bottom
	feet; depth of w	ater	feet; grade	fee	t fall per one
sand feet.	-				
(b) At	·	miles from	headgate: width on top (at wat	ter line)	
	. feet; width on bo	ottom	feet; depth of	water	feet;
2	feet fall	per one tho	ousand feet.		
		_	·		¢4
(c) Lengt	n oj pipe,	†t	t.; size at intake,	in.; size at	jt.
	7	•			
ce and place	in.; of use,sec. ft. on of area to be in	size at place	e of usein.; d Is grade uniform? place of use	Estim	ated capacity,
8. Locatio	in.; of use,sec. ft.	size at place	Is grade uniform?	Estim	ated capacity,
8. Locatio	e of use,	size at place	Is grade uniform? place of use Forty-acre Tract	Number Acres T	ated capacity,
8. Location Cownship	in.; c of use,	size at place ft. rrigated, or	Is grade uniform? place of use Forty-acre Tract S W. S. S W. L. M. S. L.	Number Acres T	ated capacity,
e and place	in.; c of use,	size at place ft. rrigated, or	Is grade uniform? place of use Forty-acre Tract SWESWENE F	Number Acres T	ated capacity,
8. Location Clownship North or South	in.; c of use,	size at place ft. rrigated, or section	Is grade uniform? place of use Forty-acre Tract SWENEY NEW	Number Acres T	ated capacity,
8. Location Clownship North or South	in.; c of use,	size at place ft. rrigated, or	Is grade uniform? place of use Forty-acre Tract SULSWENE E NEELSWENE E NEELSWENE E	Number Acres T	ated capacity,
8. Location	in.; c of use,	size at place ft. rrigated, or section	Is grade uniform? place of use Forty-acre Tract SWENEY NEW	Number Acres T	ated capacity,
8. Location Clownship North or South	in.; c of use,	size at place ft. rrigated, or section	Is grade uniform? place of use Forty-acre Tract SULSWENE E NEELSWENE E NEELSWENE E	Number Acres T	ated capacity,
8. Location Clownship North or South	in.; c of use,	size at place ft. rrigated, or section	Is grade uniform? place of use Forty-acre Tract SULSWENE E NEELSWENE E NEELSWENE E	Number Acres T	ated capacity,

				/	
				34.	<i>\$</i>
					Self low
	(b) Kind of cro	ps raised The	afe Ore-	12/03/	
Power or	Mining Purpose				
(9.	(a) Total amou	nt of power to be deve	eloped	1	theoretical horsepower.
	(b) Quantity of	f water to be used for p	oower	sec. ft.	
	(c) Total fall to	o be utilized	(Head)	feet.	•
	(d) The nature	of the works by mean	s of which the pow	ver is to be develo	pped
	(e) Such works	s to be located in	(Legal subdivi	C	f Sec,
		(No. E. or W.)			•
		be returned to any str			
	(g) If so, name	stream and locate po	int of return	•	
	·	, Sec	, Tp	, R.	, W. M.
		which power is to be a			
	(i) The nature	of the mines to be ser	med		

(10. (a) To supply the city of	
(Name of)	g a present population of
nd an estimated population of	in 19
(b) If for domestic use state n	umber of families to be supplied
·	
	r questions 11, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works	
12. Construction work will begin on	0, 00,000
	pleted on or before august 11-1965
- 14. The water will be completely app	plied to the proposed use on or before August 1-1
·	
	Moved L'ausin
,	(Signature of applicant)
Remarks: Mc Sen	anst .
	Ev. Will run
Of Finance	
Elisa Con	us so pump side
	······································
·	
	·
,	
STATE OF OREGON, ss.	i
County of Marion,	·
This is to certify that I have exam	mined the foregoing application, together with the accompanying
naps and data, and return the same for .	completion
In order to retain its priority this	s application must be returned to the State Engineer, with corre
ions on or beforeSept27	, 19.05
WITNESS my hand this 27th	. day of July , 19 65.
	e mg ca (company) and a company to be
	CHRIS L. WHEELER
	STATE ENGINEER

STATE OF OREGON, Sss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount	of water which can be applied to beneficial use
and shall not exceed	ond measured at the point of diversion from the
stream, or its equivalent in case of rotation with other u	water users, from Deer Creek
The use to which this water is to be applied is	irrigation
If for irrigation, this appropriation shall be limited	to 1/20th of one cubic foot per
second or its equivalent for each acre irrigated and sha	
not to exceed $2\frac{1}{2}$ acre feet per acre for each	•
season of each year,	
	·
a a su a	and a second control of the control
The priority date of this permit isAu	is may be ordered by the proper state officer. ily 12, 1965 for 0.375 c.f.s.
Actual construction work shall begin on or before	october 22, 1900 and shall
thereaster be prosecuted with reasonable diligence and b	be completed on or before October 1, 19.67
Complete application of the water to the proposed	use shall be made on or before October 1, 19.68.
WITNESS my hand this22nd day of	October , 19 65
·	STATE ENGINEER
g or governorment to the second secon	ما منظور به ما من مستقد المنظم الما والمنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم المنظم الم المنظم المنظم المنظ

Application No. 1/108/ Permit No. LELLIVILL
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

19. 6. S, at . B. C. d... o'clock

M

Returned to applicant:

October 22, 1965

Approved:

Recorded in book No.

Permits on page

CHRIS L. WHEELER

STATE ENGINEER

Drainage Basin No. Z page 90A9