*APPLICATION FOR PERMIT

CERTIFICATE NO. 36178

To Appropriate the Public Waters of the State of Oregon

of 10.72 N. W. Keaser Pokarish. Wilsu Kurakang. State of Pregen 77491 And hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Change of second Pokarish. 2. The amount of water which the applicant intends to apply to beneficial use is an 14 to 102 - could feet per second. Let B. O. S. Let B. C. C. S. D. C. C. S. S. Let B. C. C. S. D. C. C. S. S. Let B. C. C. S. D. C. C. S. S. Let B. C. C. S. D. C. C. S. S. D. C. C. S. S. Let B. C. C. C. S. S. Let B. C. C. C. S. S. Let B. C. C. C. S. S. C. C. C. C	Thelma & Donald Montgomery - Lot #13 1, Martha M. & William A. Greenfield - Lots #10-15-16
State of Oregon 97491 do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Common at the source of the proposed appropriation is Common at the source of the proposed appropriation is Common at the source of the proposed appropriation is Common at the source of the proposed appropriation is Common at the source of the proposed appropriation is Common at the source of the proposed appropriation is Common at the source of the source	I, Martha M. & William A' Greentield-Lots 10-15-16 (Name of applicant)
State of Oragon 97491 do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is Others of the proposed appropriation is of the proposed appropriation is of the proposed appropriation in the proposed appropriation is of the proposed appropriation in the proposed appropriation is of the proposed appropriation in the proposed appropriation is of the proposed appropriation in the proposed appropriation is located applied is Other proposed to which the water is to be applied is Other proposed appropriation in the proposed appropriation is located applied in the proposed applied in the proposed appropriation is located applied in the proposed applied in the proposed applied in the proposed appropriation is located applied in the proposed appropriation in the proposed applied in the proposed applied in the proposed appropriation is located applied in the proposed applied applied in the proposed applied in the proposed applied	of 1072 N.W. Keasey POBOX692 Wilbur Roseburg
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is **Price of the proposed appropriation is price of the pr	State of Oregon 97494, do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is Pice and defining the proposed appropriation is Pice and defining the proposed appropriation is O2. The amount of water which the applicant intends to apply to beneficial use is	following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
1. The source of the proposed appropriation is Pice and defining the proposed appropriation is Pice and defining the proposed appropriation is O2. The amount of water which the applicant intends to apply to beneficial use is	If the applicant is a corporation, give date and place of incorporation
Cubic feet per second Lot	
(If there is more than one with the point of diversion is located If the point If the point of diversion is located If the point If the point If the point of diversion is located If the point If the poi	1. The source of the proposed appropriation is North Zhou zou
Cubic feet per second. Lot " Co. O. S. Lot " S. O. S.	
CA. The point of diversion is located 40 ft. W and 30 ft. W from the S. KV corner of Lot 16 (Beetinn embidished) CR. or 8.)	
O4. The point of diversion is located #0 ft. N and 30 ft. W from the S.N. (Section or subdivision) The point of diversion is located. I ft. N and 30 ft. S. from the SE gorner of Lot 1 // I ft. point of diversion is located. I ft. N and 30 ft. S. from the SE gorner of Lot 1 // I ft. point of diversion is located. I ft. N and 30 ft. W from the SN cerner of Lot 1 // I ft. point of diversion is located. I ft. N and 20 ft. W from the SN cerner of Lot 1 // I ft. point of diversion is located. I ft. N and 20 ft. W from the SN cerner of Lot 1 // I ft. point of diversion is located. I ft. N and 20 ft. W from the SN cerner of Lot 1 // I ft. point of diversion is located. I ft. N and 20 ft. W from the SN cerner of Lot 1 // I ft. point of diversion is located. I ft. N and 20 ft. W from the SN cerner of Lot 1 // I ft. point of diversion is located. I ft. N and 20 ft. W from the SN cerner of Lot 1 // I ft. point of Located. I ft. N and 20 ft. W from the SN cerner of Lot 1 // I ft. point of Located. I ft. N and 20 ft. W from the SN cerner of Lot 1 // I ft. point of Located. I ft. point of Sec. I ft. point of Sec. I ft. point ft. poi	cubic feet per second. Lot 10.015 Lot 15.015 Lot 16.015 Lot 13.015 (M water is to be used from more than one source, give quantity from each) (garden + la
Corner of Lot Bend Estates The point of diversion is located. I ft. W and 30 ft S. from the SE gorner of Lot	**3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
The point of diversion is located I ft. W and 30 ft. S. from the SE gorner of Lot "I The point of diversion is located 20 ft. W and 20 ft. W from the SW corner of Lot "I Note to diversion is located 20 ft. W and 20 ft. W from the SW corner of Lot "I Note to diversion is located 20 ft. W and 20 ft. W from the SW corner of Lot "I Note a book a W of Coche Bend (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW corner of Lot "I Note a book a W of Sec. The Color and subdivision) R. M. W. M., in the county of Day of Sec. The Color and or pipe line) in length, terminating in the (Smallest legal subdivision) R. W. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— Diversion Works— (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Leese rock, concrete, masoury, reek and brush, tumber crib, etc., wasteway over or around dam)	O4. The point of diversion is located 40 ft. 10 and 30 ft. W from the S. H.
The point of diversion is located 20 ft N and 20 ft W from the SW cerner of Lot 1/2 The point of diversion is located 20 ft N and 20 ft W from the SN cerner of Lot 1/3 (It preferable, the distance and bearing to metion corner) (It there is more than one point of diversion, each must be described. The separate sheet if necessary) being within the S (Give smallest legal subdivision) R. (Give smallest legal subdivision) F. (Give smallest legal subdivision) S The (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision) R. (Main ditch, canal or pipe line) DESCRIPTION OF WORKS Diversion Works— Diversion Works— (Canal of the separate sheet if necessary) DESCRIPTION OF WORKS Diversion Works— (Canal of the separate sheet if necessary) DESCRIPTION of the separate sheet if necessary (Canal of the separate sheet if necessary) (Canal of the separate sheet if	corner of Lot 16 Echo Dend Gstates (Section or subdivision)
The point of diversion is located 20 ft N and 20 ft W from the SW cerner of Lot 1/2 The point of diversion is located 20 ft N and 20 ft W from the SN cerner of Lot 1/3 (It preferable, the distance and bearing to metion corner) (It there is more than one point of diversion, each must be described. The separate sheet if necessary) being within the S (Give smallest legal subdivision) R. (Give smallest legal subdivision) F. (Give smallest legal subdivision) S The (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision) R. (Main ditch, canal or pipe line) DESCRIPTION OF WORKS Diversion Works— Diversion Works— (Canal of the separate sheet if necessary) DESCRIPTION OF WORKS Diversion Works— (Canal of the separate sheet if necessary) DESCRIPTION of the separate sheet if necessary (Canal of the separate sheet if necessary) (Canal of the separate sheet if	The point of diversion is located I ft W and 30 ft & from the SE gorner of Lot"
The point of diversion is located 20 ft 10 and 20 ft W from the SN corner of Lot \$\frac{1}{2}\$ (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the \$\frac{1}{2} \frac{1}{2} \f	The point of diversion is located 70 ft. N and 20 ft. W from the Sto. corner of Lot 1
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	The point of diversion is located 20 ft N and 20 ft W from the SN corner of Lot 1.
being within the S Give smallest legal subdivision) R. S W M, in the county of Dang S C S M Tp. (N. or S.) S. The (Main ditch, canal or pipe line) in length, terminating in the (Smallest legal subdivision) R. W. M., w. M., the proposed location being shown throughout on the accompanying map. DESCRIPTION OF WORKS Diversion Works— (a) Height of dam feet; material to be used and character of construction (Loose rock, concrete, massoury, reckt and brush, tunber crib, etc., wasteway over or around dam)	(If preferable, give distance and bearing to section corner) (The above all of Echo Bend)
5. The	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
5. The	being within the
in length, terminating in the	R. J. W. M., in the country of Dauglas DLC # 41
in length, terminating in the	5. The to be
R	
DESCRIPTION OF WORKS Diversion Works— (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	
Diversion Works— (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Losse rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)	
feet; material to be used and character of construction	DESCRIPTION OF WORKS Diversion Works—
rock and brush, timber crib, etc., wasteway over or around dam)	(a) Height of dam feet, length on top feet, length at bottom
	feet; material to be used and character of construction
Description of headgate(Timber, concrete, etc., number and size of openings)	reck and brush, timber crib, etc., wasteway over or around dam)
	Description of headgate(Timber, concrete, etc., number and size of openings)
1 21	.1 21
(c) If water is to be pumped give general description (Size and type of pump)	(Size and type of pump)
3/4 horse - (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

(i) The nature of the mines to be served

(Name of)					
l an estimated population of .					
(b) If for domestic u	se state numbe	r of families to b	e supplied	4 hauses	p.A. Famasil
-		ns 11, 42, 13, and 14 in all			<i>:</i>
211. Estimated cost of prop	osed works, \$	Too for	each	ot.	
12. Construction work wi	ll begin on or b	efore	act	196	<u></u>
13. Construction work wi					
14. The water will be com				_	
		, Turn	M	gan li	e.l
		7	Signa	help fic turn of applicate) Surfue	
•	•	Xopine	ri VV).	Surgar	***************************************
Remarks:	***************************************	,	••••••••••••••••••••••••••••••••••••••		······································
			•••••	***************************************	······
				00000000000000000000000000000000000000	
,		;		•	
***************************************	•••••••••••••••		***************************************	***************************************	
***************************************				***************************************	
			••••••	······································	
		•			
	·····			· · · · · · · · · · · · · · · · · · ·	······································

***************************************					······
***************************************					*******************

•	•				
				······································	
TATE OF OREGON, }ss.					
County of Marion,	,	<u>;</u>		· (0), 450	
This is to certify that I	have examined	the foregoing ap	plication, to	gether with the	accompanying
naps and data, and return the	same for				
		1	•		
In order to retain its pr	iority, this appl	ication must be re	eturned to t	he State Enginee	r, with correc
ions on or before		, 19			
	•				
WIMNESS L 3 41 '-	و				10.
WITNESS my hand this	day	ој			, 19:
					·
					STATE ENGINEER

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceedQ.Q.4.5...... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from .North Umpqua. River.. The use to which this water is to be applied is ... irrigation and domestic use of four. families, being 0.025 c.f.s. for irrigation and 0.02 c.f.s. for domestic second or its equivalent for each acre irrigated and shall be further limited to a ___diversion_of_not_to_exceed_2½_acre_feet_per_acre_for_each_acre_irrigated_____ during the irrigation season of each year. and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is _____July 12, 1965_ Actual construction work shall begin on or before _______________________________ and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19....67. Complete application of the water to the proposed use shall be made on or before October 1, 19.58.. WITNESS my hand this ____5th_____ day of ____January

Application No. 21025

No.

PERMIT

APPROPRIATE THE PUBLIC WATERS OF THE STATE This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of 1965, at A.O.O. o'clock M.

Returned to applicant:

Recorded in book No.

Approved:

ermits on page

CHRIS L. WHEELER

TATE ENGINEER

Tainage Basin No. // page 26

State Printing 98