

To appropriate the Public Waters of the State of Oregon

I, James Stancliff
(Name of applicant)

of Glade, Oregon
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is North Umpqua River
(Name of stream)

, a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 420 ft. S and 15 ft. E from the N.W.

corner of Lot 3, Oak Ridge Acres
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 - SE 1/4 of Sec. 10, Tp. 26 S,
(Give smallest legal subdivision) (N. or S.)

R. 3 W, W. M., in the county of Douglas
(E. or W.)

5. The 1 inch pipe line to be 250 feet
(Main ditch, canal or pipe line) (Miles or feet)

in length, terminating in the SE 1/4 - NE 1/4 of Sec. 10, Tp. 26 S,
(Smallest legal subdivision) (N. or S.)

R. 3W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

..... feet; material to be used and character of construction
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 hp. submersible electric
(Size and type of pump)

1 hp. electric 60 ft. of head
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of

(Name of) County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied ONE

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before August 1, 1965

13. Construction work will be completed on or before Oct. 1, 1967

14. The water will be completely applied to the proposed use on or before Oct. 1, 1967

James Stenciliff (Signature of applicant)

Remarks: The county has granted a pipe line easement across the county road and it is of record in the county engineer's office.

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.005 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Umpqua River

The use to which this water is to be applied is domestic use of one family

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated -----

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 27, 1965

Actual construction work shall begin on or before January 5, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 5th day of January, 1966

Chris L. Wheeler
STATE ENGINEER

Application No. 41150
Permit No. 30677

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of July, 1965, at 8:22 o'clock A.M.

Returned to applicant:
Approved: January 5, 1966
Recorded in book No. 30677 of
Permits on page

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 16 page 26C
Fees \$20.00