STATE ENGINEER SALEM OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO: 51101

To Appropriate the Public Waters of the State of Oregon

| I, BILL COWENS |
|--|
| of P.O. Box 65 Bux to N |
| (Mailing address) State of |
| |
| following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: |
| If the applicant is a corporation, give date and place of incorporation |
| 1. The source of the proposed appropriation is winter Runoff & winamed |
| SPRINGS, a tributary of |
| 2. The amount of water which the applicant intends to apply to beneficial use is |
| cubic feet per second. ### CLA STORED WATER (If water is to be used from more than one source, give quantity from each) |
| **3. The use to which the water is to be applied is |
| 4. The point of diversion is located 600 ft. 5 and 1000 ft. 5 from the NW |
| corner of SECTION 9 (Section or subdivision) |
| |
| (If preferable, give distance and bearing to section corner) |
| (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW H of Sec. 7, Tp. 2, (Give smallest legal subdivision) (N. or S.) |
| R. 4ω , W. M., in the county of $\omega A S H / N G + D N$ |
| 5. The |
| in length, terminating in the of Sec, Tp, (N. or S.) |
| · |
| R, W. M., the proposed location being shown throughout on the accompanying map. |
| DESCRIPTION OF WORKS Diversion Works— |
| 6. (a) Height of dam feet, length on top feet, length at bottom |
| feet; material to be used and character of construction |
| |
| rock and brush, timber crib, etc., wasteway over or around dam) |
| (b) Description of headgate(Timber, concrete, etc., number and size of openings) |
| -L // |
| (c) If water is to be pumped give general description 72 HP ELECTRIC (Size and type of pump) |
| CENTRIFUC-AL (Size and type of engine or motor to be used, total head water is to be lifted, etc.) |
| |

| 4 | | | canal where materially change | |
|----------------------------|---|---------------------------------------|------------------------------------|---------------------------------------|
| | | | line) | |
| housand feet. | | | eadgate: width on top (at wate | |
| | feet; width on bo | | feet; depth of u | pater feet; |
| (c) Lengtl | h of pipe, | ft., | ; size at intake, | . in.; size at ft. |
| rom intake | in.; | size at place | of use in.; dif | ference in elevation between |
| ntake and place | of use, | ft. 1 | Is grade uniform? | Estimated capacity, |
| 8. Locatio | | rrigated, or p | lace of use | |
| Township North or South | Range E. or W. of Willemette Meridian | Section | , Forty-acre Tract | Number Acres To Be Irrigated |
| T2N | R4W | 9 | Nw 1/4 Nw 1/4 | 6.7 |
| TZIV | R4W | 9 | NW 1/4 NW 1/4 | 10.9 |
| | | | | |
| | | | | 17.6 Acre |
| | · . | | | |
| | | | | |
| | | 1 | | |
| | | · · | | |
| | | | | |
| | | | | |
| | | · · · · · · · · · · · · · · · · · · · | | |
| | | <u> </u> | | |
| | | (If more space | e required, attach separate sheet) | |
| | | | LOAM | |
| | | d ber | r.1.e.S. | |
| Power or Minin | <u> </u> | never to he de | veloped | theoretical horsenower |
| | • | | · powerse | |
| | • • | • | · . | so. ja |
| | • | | (Head) feet. | |
| (a) T | he nature of the | works by med | ins of which the power is to be | developed |
| (e) S | uch works to be l | ocated in | (Legal subdivision) | of Sec |
| | , R | | I | |
| (| , , | | stream?(Yes or No) | • |
| | | | (Yes or No) | · · · · · · · · · · · · · · · · · · · |
| | | | | |

:

| 10. (a) To supply the city of | |
|---|--|
| County, having a p | present population of |
| d an estimated population of | in 19 |
| 1 | er of families to be supplied |
| (0) I) for domestic use state number | er of families to be supplied |
| | ons 11, 12, 13, and 14 in all cases) |
| (11. Estimated cost of proposed works, \$ | <u>400</u> |
| 12. Construction work will begin on or t | beforeSEPT 1 _ 1965 |
| 13. Construction work will be completed | l on or before SEPT 1,1966 |
| \ | |
| 14. The water will be completely applied | to the proposed use on or before |
| | Q II O |
| | Bill Cowers (Signature of applicant) |
| | |
| Remarks: | |
| кеншткв: | |
| | |
| | |
| | |
| • | |
| · | |
| | |
| | |
| | |
| | |
| | |
| | |
| المراقع | |
| • | U SAN SOME CON CONTRACTORS (CONTRACTORS) |
| | |
| | 1 Care at 11 and and profit on forest of times. |
| | |
| TATE OF OREGON,) | |
| County of Marion, ss. | |
| | l the foregoing application, together with the accompanyi |
| | |
| aps and data, and return the same for | |
| | |
| In order to retain its priority, this app | lication must be returned to the State Engineer, with corr |
| ons on or before | |
| | |
| | |
| WITNESS my hand this day | of, 19 |
| | |
| | |
| | • |

Ву

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

| The right herein granted is limited to the amount of water which can be applied to beneficial use |
|--|
| and shall not exceed |
| stream, or its equivalent in case of rotation with other water users, from unnamed spring and |
| reservoir to be constructed under Application No. R-41193. Permit No. R-4626 |
| The use to which this water is to be applied isirrigation |
| If for irrigation, this appropriation shall be limited to |
| second or its equivalent for each acre irrigated from directliflow and shall the further vimited |
| tota diversion of not to exceed 2½ acresset perhacres for each acresirgisted |
| during the irrigation season, of reach year from direct flow and storage from |
| reservoir to be constructed under permit No. Rc4626, |
| |
| |
| |
| |
| |
| and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. |
| The priority date of this permit isAugust 6, 1965 |
| Actual construction work shall begin on or before |
| thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967. |
| Complete application of the water to the proposed use shall be made on or before October 1, 1968 |
| WITNESS my hand this5th day of January, 1966. |
| Chief Latte Engineer |
| |

This instrument was first received in the ice of the State Engineer at Salem, Oregon,

65, at 8,00 o'clock A. M. the 6th day of Augus

turned to applicant:

January 5, 1966

proved:

Recorded in book No. rmits on page CHRIS L. WHEELER

page 62 ARS

ainage Basin No. L

State Printing 98137