

RECEIVED
JUN 28 1965

Permit No. 30718

CERTIFICATE NO. 37693

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, O. E. CLAYTON (Name of applicant)

of Route 2 Box 425, Roseburg, Oregon (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is 1. Spring 2. Spring 3. Spring (Name of stream)

4. Van Dine Creek, a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 1. 20 gpm

2. 20 gpm. 3. 20 gpm. 4. 50 gpm. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Watering stock and for one household not to exceed over one family at anyone time.

House and barn locations are marked on map with orange pencil

4. The point of diversion is located ft. and ft. from the (N. or S.) (E. or W.)

corner of 1. S13°W - 50 ft. from 1/4 cor. Cor. Sec's 13/24, in NE, NW Sec. 24 (Section or subdivision)

2. S54°W - 187 ft. from CN 1/16 cor. Sec. 24, in SE, NW Sec. 24

3. 261 ft. North, 336 ft. West from center of Sec. 24, in SE, NW Sec. 24

4. 240 ft. North, 1210 ft. West from 1/4 cor. Sec's. 24/25 in SE, SW Sec. 24 (If preferable, give distance and bearing to section corner)

All in Twp. 29 S, Rg. 6 W. W. M. (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the (Give smallest legal subdivision) of Sec. of Tp. (N. or S.)

R. W. M., in the county of Douglas (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet)

in length, terminating in the (Smallest legal subdivision) of Sec. of Tp. (N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction (Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Three Horsepower Electric Pump. (Size and type of pump)

Fifty Gallons per minute, when in use. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres to Be Irrigated
T 29S	R6W. W.M.	24	Spring No.1 NE $\frac{1}{4}$ of the NW $\frac{1}{4}$	
T 29S	R6W. W. M.	24	Spring #2 SE $\frac{1}{4}$ of the NW $\frac{1}{4}$	
T 29S	R6W.W.M.	24	Spring #3 SE $\frac{1}{4}$ of the NW $\frac{1}{4}$	
T 29S	R6W.W.M.	24	VanDine Creek SE $\frac{1}{4}$ of the SW $\frac{1}{4}$	
All above Described West half Section 24 T29S R6W.W.M.				
We plan to run Approximately 250 head of cows.				
Springs 1,2, & 3 will be curbed with large concrete tile and piped by gravity into concrete water troughs below each.				
VanDine Creed will be used for domestic use and barn use.				

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be covered

10. (a) To supply the city of

By domestic use we mean for 1 farm house and one family.

(Name of)

county, having a present population of not over 6

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied

One - plus the usual needs of a ranch barn where cattle are kept.

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ *no cost*
- 12. Construction work will begin on or before *none*
- 13. Construction work will be completed on or before *none*
- 14. The water will be completely applied to the proposed use on or before *July 1, 1966*

X *O. E. Clayton*
 (Signature of applicant)

Remarks: *All corners used for tie-in of diversion points have been*

established by a registered engineer, properly referenced and recorded in the

Douglas County Surveyor's Office.

STATE OF OREGON, }
 County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for *completion*

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before *Sept. 15*, 19*65*

WITNESS my hand this *15th* day of *July*, 19*65*

RECEIVED
 OCT 27 1965
 STATE ENGINEER
 CHRIS L. WHEELER
 STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from four springs

The use to which this water is to be applied is domestic use of one family and stock, being 0.005 c.f.s. from each of springs 1, 2, 3 and 4 for stock and 0.005 c.f.s. from spring #4 for domestic

If for irrigation, this appropriation shall be limited to ----- of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 27, 1965

Actual construction work shall begin on or before February 21, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968

WITNESS my hand this 21 day of February, 1966

Chris L. Wheeler
STATE ENGINEER

Application No. 41035
Permit No. 30718

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of June, 1965, at 9:00 o'clock A. M.

returned to applicant:

approved:

February 21, 1966

Recorded in book No. 30718 of permits on page

Chris L. Wheeler
STATE ENGINEER

rainage Basin No. 16 page 37F
ees 2002