

RECEIVED
JUL 8 1965

Permit No. 30792

STATE ENGINEER
SALEM, OREGON

*APPLICATION FOR PERMIT

CERTIFICATE NO. 44554

To Appropriate the Public Waters of the State of Oregon

I, PACIFIC CITY WATER DISTRICT
(Name of applicant)

of Pacific City P. O. Box 78
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream
(Name of stream), a tributary of Horn Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.5
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Municipal
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 330 ft. N. and 50 ft. E. from the W¹/₄
(N. or S.) (E. or W.)
corner of Sec. 16, T. 4 S., R. 10 W., W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW¹/₄ NW¹/₄ of Sec. 16, Tp. 4 S.
(Give smallest legal subdivision) (N. or S.)

R. 10 W., W. M., in the county of Tillamook
(E. or W.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____,
(Smallest legal subdivision) (N. or S.)

R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 50 feet, length at bottom 45 feet; material to be used and character of construction Timber crib, Loose rock
(Loose rock, concrete, masonry, Concrete spillway)

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Timber - 1-6' Opening for line
(Timber, concrete, etc., number and size of openings)

1-12' Flush line

(c) If water is to be pumped give general description _____
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4 S	10 W	19	SW $\frac{1}{4}$	Municipal
		30	NW $\frac{1}{4}$	Municipal
4 S	11 W	24	SE $\frac{1}{4}$	Municipal
		25	NE $\frac{1}{4}$	Municipal

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of Pacific City

Tillamook County, having a present population of 250 water hook ups
(Name of)

and an estimated population of 325 hook ups in 1970

(b) If for domestic use state number of families to be supplied same

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3000

12. Construction work will begin on or before August 1

13. Construction work will be completed on or before September 1

14. The water will be completely applied to the proposed use on or before upon completion

Pacific City Water Dist.
(Signature of applicant)
Chairman Loyal E Seals

Remarks: This will be a supplemental supply for and during periods of heavy rain wh
Horn Creek is too dirty for domestic use.

This is below where our major damage occurred during last January
flood. Will give us an alternate supply when work is required on existing dam
and inlet.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 0720, 1970

WITNESS my hand this _____ day of _____, 19____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 8, 1965

Actual construction work shall begin on or before March 21, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1967.

Complete application of the water to the proposed use shall be made on or before October 1, 1968.

WITNESS my hand this 21st day of March, 1966

Chris L. Wheeler
STATE ENGINEER

Application No. 40432
Permit No. 30792

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of July, 1965, at 11:15 o'clock A.M.

Returned to applicant:

Approved:

Recorded in book No. 30792 of Permits on page March 21, 1966

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 1 page 16F
Fees \$20.00