*APPLICATION FOR PERMIT

CERTIFICATE NO. 41052

To Appropriate the Public Waters of the State of Oregon

of Rt. 2, Box 78 Elgin State of	I,Emmet L. Guisto		f applicant)	
State of	ofRt. 2, Box 78	Elgin		
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS: If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	(Mailing addre	256)		for a permit to appropriate the
If the applicant is a corporation, give date and place of incorporation 1. The source of the proposed appropriation is	-	-		
1. The source of the proposed appropriation is				
	If the applicant is a corpo	ration, give date and p	lace of incorporation	
	· · ·			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
2. The amount of water which the applicant intends to apply to beneficial use is cubic feet per second. 1.1. (If weiter is to be used from more than one source, five quantity from each) **3. The use to which the water is to be applied is irrigation. [Cirrigation, power, mining, manufacturing, domestic supplies, etc.] 2. The point of diversion is located 2110 ft. S. and 1900 ft. W. from the NN. (S. or W.) 2. Corner of Section 35, township 3 N., R 39 E. Other points of diversion are: (Gescion or subdivision) 2. 2164 S. and 1900 N.; 2300 S. and 1750 N.; 2720 S. and \$80 E.; 2740 S. and \$700 E. (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The same section corner. (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. The same section corner. (If one subdivision) (If there is more than one point of diversion, each must be described. The same section corner. (If one subdivision) (If there is more than one point of diversion, each must be described. The same section corner. (If there is more than one point of diversion, each must be described. The same section corner.) (If one subdivision) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion. each must be described. The same section corner.) (If one subdivision) (If one subdivi				
cubic feet per second. 1.1 Cit wester to be used from more than one source, give quantity from each) **3. The use to which the water is to be applied is		, a tributa	ry of Cabin Cree	ek and Grande Ronde River
**3. The use to which the water is to be applied is	2. The amount of water u	which the applicant inte	nds to apply to bene	ficial use is
**3. The use to which the water is to be applied isirrigation	cubic feet per second	(If water is to be used i	rom more than one source, giv	e quantity from each)
4. The point of diversion is located 2110 ft. S. and 1900 ft. W. from the NW. (R. or E.) corner of Section 35, township 3 N., R. 39 F. Other points of diversion are: (Section or abduriston) 2164 S. and 1900 W.; 2300 S. and 1750 W.; 2720 S. and 180 E.; 2740 S. and 4700 F. (If preferable, give distance and bearing to section corner. (If preferable, give distance and bearing to section corner.) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW. 1 of NE. 1 of Sec. 34 rest in NW. 2 of SW. 2 55, Tp. 3 N. (Give smallest legal subdivision) R. 39 E. W. M., in the county of Union 5. The first three main ditches (Kain ditch, canal or pipe line) (Kain ditch, canal or pipe line) (R. 30 F. W.) (R. or S.) R. 30 F. W. M. the proposed location being shown throughout on the accompanying map. The rest, lengths: 1710 ft., 1774, 1785, and 335—they terminate in SW. 1 of NW. 2 of NW. 3 of NW. 4 of NW. 5	**3. The use to which the u	•	irrigation	
4. The point of diversion is located 2110 ft. S. and 1900 ft. W. from the NW. (Rows) corner of Section 35, township 3 N., R 39 E. (Other points of diversion are: 2164 S. and 1900 W.; 2300 S. and 1750 W.; 2720 S. and 180 E.; 2740 S. and 490 E. 2164 S. and 1900 W.; 2300 S. and 860 E. of the same section corner. (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each much be described. The separate sheet it necessary) first three being within the SW. 10 ND. 10 Sec. 24. rest in NW. of Sec. 35, Tp. 2 N. (Give mallest legal subdivision) R. 39 E. W. M., in the county of Union 5. The first three main ditches to be 1650 ft.; 2067 ft.; 814 ft. (Main ditch, canal or pipe line) (Ross Simulate legal subdivision) R. 39 F. W. M., the proposed location being shown throughout on the accompanying map. The rest, lengths: 1710 ft., 1774, 1785, and 335—they terminate in SW. 1 of NW. 2 of DESCRIPTION OF WORKS 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Loose rock, concrete, masseum) rock and brush, timber cit. etc., wasteway over or around dam) (b) Description of headgate S.: Timber 10" X 12" (Chinber, concrete, etc., number and size of openings)		·	(Irrigation, power, minin	g, manufacturing, domestic supplies, etc.)
corner of Section 35, township 3 Na, R 39 E. Other points of diversion are: (Section or subdivision) 2164. S. and 1900 Wa; 2300 S. and 1750 W.; 2720 S. and 180 E.; 2740 S. and 420 E (1976-1962 2800 S. and 760 Ea; 2800 S. and 860 E. of the same section corner. (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and bearing to section corner) (III preferable, give distance and general description (III preferable, give distance and general description general g	4		2 1000	a u a mu
(Section or subdivision) 2164 S. and 1900 W.; 2300 S. and 1750 W.; 2720 S. end \$50 E.; 2740 S. and \$60 E. (If preferable, give distance and bearing to section corner. (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) first three (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) first three (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) first three (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) first three (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) (If preferable, give distance and bearing to section corner. (If preferable, give distance and bearing to section corner. (If preferable, give distance and bearing to section corner. (If preferable, give distance and bearing to section corner. (If preferable, give distance and bearing to section corner. (If preferable, give distance and section of Section Section (All section Section Section			,	
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) first three being within the SW. 1 of NE. 1 of Sec. 34 rest in NW. 2 of SW. 1 35, Tp. 3 N. (Give smallest legal subdivision) R. 39 E. W. M., in the county of Union (S. or W.) 5. The first three main ditches to be 1650,ft.; 2067 ft. 4 814 f (Main ditch, canal or pipe line) (R. or S.) R. 39 E. W. M., the proposed location being shown throughout on the accompanying map. The rest, lengths: 1710 ft.,1774, 1785, and 335—they terminate in SW. 1 of NW. 2 of NW. 2 of DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at botton feet; material to be used and character of construction (Loose rock, concrete, masour) (Choose rock, concrete, masour) (Choose rock, concrete, masour) (Choose rock, concrete, masour) (Choose rock, concrete, masour)	corner of Section 35, town	nship 3 N., R 39 E.	Other points on or subdivision)	f diversion are:
(If preferable, give distance and bearing to section corner) first three being within the SW. ½ of NE. ½ of Sec. 34 rest in NW. of SW. ½ 35. Tp. 3 N. (Cive smallest legal subdivision) of Sec. 35. Tp. 3 N. (Cive smallest legal subdivision) R. 39 E. W. M., in the county of Union 5. The first three main ditches to be 1650,ft.; 2067 ft. 4 814 f (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Main cive seed) in length, terminating in the SE. ½ of NE. ½ of NE. (Kors.) (Rose of W.) The rest, lengths: 1710 ft.,1774, 1785, and 335—they terminate in SW. ½ of NW. ½ of DESCRIPTION OF WORKS DESCRIPTION OF WORKS 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masson; Charles and type of pump) (c) If water is to be pumped give general description (Size and type of pump)	2164 S. and 1900 W.;	2300 S. and 1750	W.; 2720 S. and B	80 E.; 2740 S. and 420 E
(If preferable, give distance and bearing to section corner) first three being within the SW. ½ of NE. ½ of Sec. 34 rest in NW. 2 of SW. ½ 35. Tp. 3 N. (Give smallest legal subdivision) of Sec. 35. Tp. 3 N. (R. or s.) R. 39 E. W. M., in the county of Union 5. The first three main ditches to be 1650,ft.; 2067 ft. 4 814 f (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) in length, terminating in the SE. ½ of NE. ½ of NE. ½ (Smallest legal subdivision) of Sec. 34 Tp. 3 N. (R. or s.) R. 39 E. W. M., the proposed location being shown throughout on the accompanying map. (R. or w.) The rest, lengths: 1710 ft.,1774, 1785, and 335—they terminate in SW. ½ of NW. ½ of DESCRIPTION OF WORKS Section 35. Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masson; Charlest, concrete, masson; Charlest, concrete, masson; Charlest is to be pumped give general description (Size and type of pump)	√ 520 € 2800 S. and 760 E.:	2800 S. and 860 E.	of the same se	ction corner.
first three being within the SW. \$\frac{1}{4}\$ of NE. \$\frac{1}{4}\$ of Sec. \$24. \tag{N. \frac{1}{4}}\$ of Sw. \$\frac{1}{4}\$ 35., Tp. 3 N. (N. or S.) R39 E, W. M., in the county of	•			
first three being within the SW. 1 of NE. 1 of Sec. 34 rest in NW. of SW. 2 35, Tp. 3 N. (N. or S.) R. 39 E. W. M., in the county of Union (E. or W.) 5. The first three main ditches to be 1650, ft.; 2067 ft.; 814 ft. (Main ditch, canal or pipe line) (Main three main ditches of Sec. 34 Tp. 3 N. (N. or S.) R. 39 E. W. M., the proposed location being shown throughout on the accompanying map. (E. or W.) The rest, lengths: 1710 ft., 1774, 1785, and 335—they terminate in SW. 1 of NW. 1 of NW. 2 of NW. 1 of NW. 1 of NW. 2 of NW. 1 of NW. 2 of NW. 3 of NW	***************************************	(If preferable, give distance and	bearing to section corner)	,
R. 39 E. (Give smallest legal subdivision) 5. The first three main ditches to be 1650, ft.; 2067 ft.; 814 f (Miles or feet) in length, terminating in the SE. 10 NE. (Miles or feet) (Smallest legal subdivision) R. 39 E. (Smallest legal subdivision) R. 39 E. (Smallest legal subdivision) The rest, lengths: 1710 ft., 1774, 1785, and 335—they terminate in SW. 10 ft., 1774, 1785, and 335—they terminate in SW. 10 ft., 1774, 1785, and 335—they terminate in SW. 10 ft., 1774, 1785, and 335—they terminate in SW. 10 ft., 1774, 1785, and 335—they terminate in SW. 10 ft., 1774, 1785, and 335—they terminate in SW. 10 ft., 1785, and 325—they terminate in SW. 10 ft., 10 ft., 1774, 1785, and 335—they terminate in SW. 10 ft., 10 ft., 1774, 1785, and 335—they terminate in SW. 10 ft., 10 ft., 1785, and 335—they terminate in SW. 10 ft., 10 ft., 10 ft., 1785, and 335—they terminate in SW. 10 ft., 10 ft., 10 ft., 10 ft., 10 ft., 1785, and 335—they terminate in SW. 10 ft., 10 ft		n one point of diversion, each mus	t be described. Use separate s	neet if necessary)
5. The first three main ditches (Main ditch, canal or pipe line) (Main ditch, canal or pipe line) (Miles or feet) (N. or S.) R. 39 E	being within the SW. 2 Of A	NE. $\frac{1}{4}$ of Sec. 34 relieve smallest legal subdivision)	st in NW. 7 of S	W. 4 35, Tp. 3 N. (N. or S.)
in length, terminating in the SE of NE of Sec. 34, Tp. 3.N	R. 39 E. W. M., in the co	ounty ofUnion		
in length, terminating in the SE of NE of Sec. 34, Tp. 3.N	5. Thefirst three_(M	main ditches	to be _1	650,ft.; 2067 ft.; 814 f
R	in length, terminating in theS	SE 4 of NE 1	of Sec	34, Tp3. N. (N. or s.)
The rest, lengths: 1710 ft., 1774, 1785, and 335—they terminate in SW. ½ of NW. ½ of NW. ½ of DESCRIPTION OF WORKS Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mason; cock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate S.: Timber 10" X 12" (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)				'
Diversion Works— 6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, mason; rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate S: Timber 10" X 12" (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)			•	nate in SW. $\frac{1}{4}$ of NW. $\frac{1}{4}$ or
feet; material to be used and character of construction (Loose rock, concrete, masonry rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate S: Timber 10" X 12" (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)		DESCRIPTION	OF WORKS	Section 35.
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate S.: Timber 10" X 12" (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	6. (a) Height of dam	feet, le	ngth on top	feet, length at bottom
rock and brush, timber crib, etc., wasteway over or around dam) (b) Description of headgate S.: Timber 10" X 12" (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)	feet; material	to be used and characte	er of construction	
(b) Description of headgate s.: Timber 10" X 12" (Timber, concrete, etc., number and size of openings) (c) If water is to be pumped give general description (Size and type of pump)				(Loose rock, concrete, masonry
(c) If water is to be pumped give general description				
	(b) Description of headg	pate S : Timber 1	imber, concrete, etc., number	and size of openings)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(c) If water is to be pum	iped give general descri	ption	(Size and type of pump)
	(Riva and	type of engine or motor to he use	d. total head water is to be lif	ted, etc.)

10	(a) To supply	the city of				3086
.,						
			ng a present populatio			
l an es	timated populat	tion of	in 19	•••••		
	(b) If for dom	restic use state 1	number of families to	be supplied	es of	
(a 6)	:	(Answe	er questions 11, 12, 13, and 14 in a	all cases)		
(† <u>11.</u>	Estimated cost	of proposed work	ks, \$500.	, v	er (h.)	•
	Construction 11	pork will begin o	on or beforeHasl	neen complete	đ	
		-	•	·	•	
			pleted on or before			
14.	The water will	be completely a	pplied to the proposed	use on or befor	eMayl	.,1966
•••••••		•••••		<u> </u>		2
			ارسین شده ک ی	DLUDILL C	of applicant)	usto
				(Signature	or abbreaut)	
ъ.	a w1		,			
Re	: nurks:	***************************************		••••••		·
••••••		•••••				
		•••••			,	
						•••••
		•				
••••••						
			······		••••••	***************************************
	••••••				·····	•••••
			•••••			
	· · · · · · · · · · · · · · · · · · ·					
		••••••				

			:			
••••••			,	,		
CATE	OF OREGON,	ss.	· ·			·
Cour	nty of Marion,	\(\frac{1}{5} \).				
T	his is to certify	that I have exa	mined the foregoing	application, toge	ther with the	accompany
aps ar	nd data, and reti	urn the same for	·			
	,	,		•		
	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1					•••••••
Iı	n order to retain	n its priority, th	is application must be	returned to the	State Enginee	er, with corr
ons on	or before		19			
			. !			
•						
YI	ひりかひをくら ~~・ ~~	and this	day of			79

STATE	OF	OREGON,	
Coun	tu o	f Marios	ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, from unnamed tributary of
Cabin Creek
The use to which this water is to be applied is irrigation
If for irrigation, this appropriation shall be limited to1/40th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 3 acre feet per acre for each acre irrigated
during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is September 8, 1965
Actual construction work shall begin on or beforeMarch 21, 1967 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.67
Complete application of the water to the proposed use shall be made on or before October 1, 1968
WITNESS my hand this 21st day of March , 19.66
STATE ENGINEER

March 21, 1966

roved:

ecorded in book No.

rits on page ...

STATE ENGINEER

nage Basin No.

CHRIS L. WHEELER

his instrument was first received in the

TO APPROPRIATE THE PUBLIC

PERMIT

WATERS OF THE STATE

OF OREGON

Application No. 41.24.2.

e of the State Engineer at Salem, Oregon,

ve Oth day of September

5, at . 6:00 o'clock

rned to applicant: