

RECEIVED  
SEP 16 1965  
STATE ENGINEER  
SALEM OREGON

Permit No. 30917

CERTIFICATE NO. 34869

\*APPLICATION FOR PERMIT

# To appropriate the Public Waters of the State of Oregon

I, Izola Mitchell Morris  
(Name of applicant)  
of Route 4 Box 570 Roseburg, Oregon  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Looking Glass Creek  
(Name of stream)  
a tributary of South Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is .0375  
cubic feet per second.  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Irrigation  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ..... ft. ..... and ..... ft. ..... from the north 1/4  
(N. or S.) (E. or W.)  
corner of Section 19. Begin at the north 1/4 corner of section 19  
(Section or subdivision)  
Tsp 28 south Range 6 w. w.m. thence South 54 degrees & 22 minutes  
& 45 seconds west 869.84 feet thence South 83 degrees & 54 minutes  
west 80 feet, thence South 18 degrees & 35 minutes west 827 feet  
(If preferable, give distance and bearing to section corner)  
to the center of the creek.  
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the North east 1/4 of the N.W. 1/4 Sec. 19, Tp. 28S.  
(Give smallest legal subdivision) (N. or S.)  
R. 6 West, W. M., in the county of Douglas  
(E. or W.)

5. The Pipe line to be 827 feet  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the N. E. 1/4 of the N.W. 1/4 Sec. 19, Tp. 28 S.  
(Smallest legal subdivision) (N. or S.)

R. 6 West, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

## DESCRIPTION OF WORKS

### Diversion Works—

6. (a) Height of dam ..... feet, length on top ..... feet, length at bottom  
..... feet; material to be used and character of construction .....  
(Loose rock, concrete, masonry,  
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate .....  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description one inch & one half centrifugal  
(Size and type of pump)  
pump powered by a five horsepower electric motor. Head approx 15 feet.  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  
Plan to operate 10 sprinklers, approximately 5 G.P.M. each

\*A different form of application is provided where storage works are contemplated.  
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00

12. Construction work will begin on or before Sept 1 1965

13. Construction work will be completed on or before Sept 1 1966

14. The water will be completely applied to the proposed use on or before Sept 1 1967

*Iola Frances Mitchell Morris*  
(Signature of applicant)

Remarks: The pump and irrigation system described herein is the same equipment in use on the adjoining strip of land permit #29094

The additional cost will be for added irrigation pipe and wiring.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

By .....

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.038 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lookingglass Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 16, 1965

Actual construction work shall begin on or before April 7, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.

Complete application of the water to the proposed use shall be made on or before October 1, 1969.

WITNESS my hand this 7th day of April, 1966

*Chris L. Wheeler*  
STATE ENGINEER

Application No. 4132  
Permit No. 30917

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 6th day of September, 1965, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

April 7, 1966 of 30917 Permits on page

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 16 page 37F  
Fees 15.00