

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Jack Godwin  
(Name of applicant)  
of 8820 S.W. Dolph St. Portland 23,  
(Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation None

1. The source of the proposed appropriation is unnamed  
(Name of stream)

, a tributary of Stahlman Creek

2. The amount of water which the applicant intends to apply to beneficial use is 3/4" pipe  
cubic feet per second. 2 gallons per minute  
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic & for  
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)  
landscaping & beautification of the property

4. The point of diversion is located 40 ft. S. and 45 ft. E from the S.E.  
(N. or S.) (E. or W.)  
corner of Lot #36 Stahlman Summer Home  
(Section or subdivision)

Trace  
#1 S 70° 30' E 1881 ft. from NE cor Sec 12  
# S 68° E 1865  
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  
being within the ~~Lot #36 Stahlman Summer Home~~ of Sec. 12, Tp. 10 S,  
(Give smallest legal subdivision) (N. or S.)  
R. SE, W. M., in the county of Linn  
(E. or W.)

5. The 3/4" pipe to be 150'  
(Main ditch, canal or pipe line) (Miles or feet)  
in length, terminating in the same of Sec. —, Tp. —,  
(Smallest legal subdivision) (N. or S.)  
R. —, W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top — feet, length at bottom — feet; material to be used and character of construction —  
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate none  
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description none  
(Size and type of pump)  
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



10. (a) To supply the city of \_\_\_\_\_

\_\_\_\_\_ County, having a present population of \_\_\_\_\_

(Name of)

and an estimated population of \_\_\_\_\_ in 19\_\_\_\_\_

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 25,00

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before \_\_\_\_\_

14. The water will be completely applied to the proposed use on or before Project is completed

Jack Godwin  
(Signature of applicant)

Remarks: I was not aware that a water right was necessary until called by your engineer.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_ completion \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 29, 1965

WITNESS my hand this 29th day of October, 1965

RECEIVED  
NOV 18 1965

CHRIS L. WHEELER

STATE ENGINEER

STATE ENGINEER  
SALEM OREGON

Lawrence Jones  
By

ASSISTANT

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed .....0.005..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from .....unnamed creek.....

The use to which this water is to be applied is .....domestic use of one family and for.....  
.....landscape beautification.....

If for irrigation, this appropriation shall be limited to ..... of one cubic foot per second or its equivalent for each acre irrigated .....

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is .....September 17, 1965.....

Actual construction work shall begin on or before .....April 7, 1967..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19...68.

Complete application of the water to the proposed use shall be made on or before October 1, 19...69..

WITNESS my hand this .....7th..... day of .....April....., 19...66.

*Chris L. Wheeler*  
STATE ENGINEER

Application No. 41397  
Permit No. 30922

**PERMIT**  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 17th day of September,  
1965, at 8:00 o'clock A. M.

Returned to applicant:  
.....

Approved:  
.....  
.....April 7, 1966.....

Recorded in book No. .... of  
Permits on page 30922

CHRIS L. WHEELER  
STATE ENGINEER

Drainage Basin No. 2 page 50K  
Fees 430.00