

RECEIVED
NOV 26 1965
STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 37023
ASSIGNED, See Misc. Rec., Vol. 5 Page 62

Permit No. 31681

***APPLICATION FOR PERMIT**

To appropriate the Public Waters of the State of Oregon

I, W. C. McCALL (Name of applicant)
of 1342 Lloyd Center (Mailing address) Portland
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Pine Cr. (Name of stream)
a tributary of Snake R.

2. The amount of water which the applicant intends to apply to beneficial use is ~~4.59~~ 4.59
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation & Suppl.
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. (N. or S.) and ft. (E. or W.) from the corner of Sec 'Remarks' section (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec., Tp., R., W. M., in the county of

5. The to be in length, terminating in the of Sec., Tp., R., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—Existing at McMullen Slough

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(c) If water is to be pumped give general description 6" x 8" Centrifugal
180 H.P. GMC Diesel

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

31081

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
8 5	H 6 E	23	SE 1/4 SE 1/4	22.0
		24	NE 1/4 NE 1/4	40.0 Primary
			NW 1/4 NE 1/4	20.0
			SW 1/4 NE 1/4	40.0
			SE 1/4 NW 1/4	10.0
			NE 1/4 SW 1/4	40.0
			SW 1/4 SW 1/4	30.0
			SE 1/4 SW 1/4	40.0
			NW 1/4 SE 1/4	40.0
			SW 1/4 SE 1/4	40.0
		13	SW 1/4 SE 1/4	5.0 Primary
			SE 1/4 SE 1/4	40.0 Primary

(If more space required, attach separate sheet)

367.00

(a) Character of soil Clay Loam

(b) Kind of crops raised Hay, Grain & Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

10. (a) To supply the city of

County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 150⁰⁰
- 12. Construction work will begin on or before Oct 1 1966
- 13. Construction work will be completed on or before Oct 1 1967
- 14. The water will be completely applied to the proposed use on or before Oct 1 1967

W. B. M. Galt

(Signature of applicant)

Remarks:

- #1- 380' S & 530' E from W 1/4 cor. of Sec 21 within NW 1/4 SW 1/4 31, T7S, R46EWM in Baker county
- #2- 180' N & 1250' W from E 1/4 cor. of Sec 23 within SE 1/4 NE 1/4 Sec 23
- #3- 1270' N & 1260' E from W 1/4 cor. of Sec 24 within SW 1/4 NW 1/4 Sec 24
- #4- 1270' N & 990' E from N 1/4 cor. of Sec 24 within SW 1/4 SE 1/4 Sec 24 T8S, R46EWM in Baker county

13
287

To be diverted from #1 - 4.59 cfs.
If this is not satisfactory applicant will divert as follows:

#2	0.65	cfs
#3	2.63	cfs
#4	1.31	cfs
	<u>4.59</u>	

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 4.59 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Pine Creek

The use to which this water is to be applied is irrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to 1/40th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 26, 1965

Actual construction work shall begin on or before May 19, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.

Complete application of the water to the proposed use shall be made on or before October 1, 1969.

WITNESS my hand this 19th day of May, 1966

Chris L. Wheeler
STATE ENGINEER

Application No. 41646
Permit No. 31081

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of November, 1965, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

May 19, 1966
Recorded in book No. 31081
Permits on page

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 9 page 20
Fees \$38.95