

*APPLICATION FOR PERMIT

ASSIGNED, See Misc. Rec., Vol. 4 Page 2167

To appropriate the Public Waters of the State of Oregon

I, ERNEST N. WHITE, SR.
(Name of applicant)
of NORTH MYRTLE ROUTE BOX 127, MYRTLE CREEK
(Mailing address)
State of OREGON, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is NORTH MYRTLE CREEK,
(Name of stream)
OF MYRTLE CREEK, a tributary of SOUTH UMPQUA RIVER

2. The amount of water which the applicant intends to apply to beneficial use is 0.06
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is IRRIGATION
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1320.3ft. S and 310.4ft. E from the Sec.
(N. or S.) (E. or W.)
COMMON corner of SECS. 14, 15, 22, and 23
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 NW 1/4 of Sec. 23, Tp. 29S,
(Give smallest legal subdivision) (N. or S.)
R. 5W, W. M., in the county of DOUGLAS
(E. or W.)

5. The PIPELINE to be 400 FT.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the NW 1/4 NW 1/4 of Sec. 23, Tp. 29S,
(Smallest legal subdivision) (N. or S.)
R. 5W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 220 V. AC
(Size and type of pump)
1 HP 1 1/2" SUCTION 3/4" DISCHARGE
(Size and type of engine or motor to be used, total head water is to be listed, etc.)
"WESTINGHOUSE" STYLE 1462601

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

51093

10. (a) To supply the city of _____

(Name of)

County, having a present population of _____

and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 400

12. Construction work will begin on or before ALREADY IN USE

13. Construction work will be completed on or before ALREADY COMPLETE

14. The water will be completely applied to the proposed use on or before ALREADY IN USE

Ernest N. White Sr.
(Signature of applicant)

Remarks: FOR SOME YEARS, WATER HAS BEEN IN USE, FROM THE CREEK, FOR OUR LAND. WHEN WE FIRST PURCHASED THIS LAND, THE WATER HAD ALREADY BEEN PUMPED FROM THE CREEK. WE RESPECTFULLY MAKE THIS APPLICATION FOR OUR PERMIT.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19_____

WITNESS my hand this _____ day of _____, 19_____

STATE ENGINEER

By _____ ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.05 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from North Myrtle Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 2, 1965

Actual construction work shall begin on or before May 19, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969.

WITNESS my hand this 19th day of May, 1966

Chris L. Wheeler

STATE ENGINEER

Application No. 41666
Permit No. 51093

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of December, 1965, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

May 19, 1966

Recorded in book No. 51093 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 16 page 376
Fees \$15.00