

RECEIVED
MAY 9 1966
STATE ENGINEER
SALMON DIVISION

*APPLICATION FOR PERMIT

CERTIFICATE NO. 34830

To appropriate the Public Waters of the State of Oregon

I, Edna Heard (Name of applicant)

of Rt. 1 Box 519 Beaverton (Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Heard Reservoir (Name of stream)

a tributary of Fanno Creek

2. The amount of water which the applicant intends to apply to beneficial use is 1 acre foot cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is stock (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1420 ft. S and 710 ft. E from the NE corner of Sec. 31 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 NE 1/4 of Sec. 31, Tp. 1S (Give smallest legal subdivision) (N. or S.)

R. 1W, W. M., in the county of Washington (E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.)

R. (E. or W.), W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

31114

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ Completed

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before Completed

14. The water will be completely applied to the proposed use on or before Completed

Edna Heard

(Signature of applicant)

Remarks: Stock drink from Creek

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By

ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use 1.0 acre foot stored water only and shall not exceed ~~1.0 acre foot per second~~ measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from reservoir to be constructed under application No. R-41119, Permit No. R-4688

The use to which this water is to be applied is stock

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 9, 1966

Actual construction work shall begin on or before June 10, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.

Complete application of the water to the proposed use shall be made on or before October 1, 1969.

WITNESS my hand this 10th day of June, 1966.

Chris L. Wheeler

STATE ENGINEER

Application No. 42192
Permit No. 3114

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of May, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

June 10, 1966

Recorded in book No. 3114
Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 62426

Fees 2.00