

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Otis Valley Irrigation Company
(Name of applicant)
of Juntura, Oregon
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**
Reactivated:

If the applicant is a corporation, give date and place of incorporation June 8, 1950
Burns, Oregon Original Incorporation: Drawsey, Oregon, August 28, 1919.

1. The source of the proposed appropriation is Cottonwood Creek and Cottonwood Creek
(Name of stream)
Dam, a tributary of Middle Fork of Malheur River

2. The amount of water which the applicant intends to apply to beneficial use is 21.0
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located _____ ft. _____ and _____ ft. _____ from the _____
(N. or S.) (E. or W.)
corner of (1) S 39° 32' W. 1337 feet from the North 1/4 corner of Section 28, Township
(Section or subdivision)
19 South., Range 36 East, W.M. and other diversions (existing) as shown on the
accompanying map.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE 1/4 NW 1/4 of Sec. 28, Tp. 19 S
(Give smallest legal subdivision) (N. or S.)
R. 36 E, W. M., in the county of Harney
(E. or W.)

5. The main ditch (Altnow) to be 2.8 miles
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SE 1/4 NE 1/4 of Sec. 4, Tp. 20 S
(Smallest legal subdivision) (N. or S.)
R. 36 E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top none feet, length at bottom
none feet; material to be used and character of construction none
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Excavation to divert water into channel
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description no
(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line— Canals and ditches are all part of existing system

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 6 - 10 feet; width on bottom 2-4 feet; depth of water 1 to 2 feet; grade 0.9 feet fall per one thousand feet.

(b) At --- miles from headgate: width on top (at water line) --- feet; width on bottom --- feet; depth of water --- feet; grade --- feet fall per one thousand feet.

(c) Length of pipe, --- ft.; size at intake, --- in.; size at --- ft. from intake --- in.; size at place of use --- in.; difference in elevation between intake and place of use, --- ft. Is grade uniform? --- Estimated capacity, --- sec. ft.

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. The table contains the text 'SEE ATTACHED SHEETS' in the 'Forty-acre Tract' column.

(If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Hay and grain

Power or Mining Purposes—

9. (a) Total amount of power to be developed --- theoretical horsepower.

(b) Quantity of water to be used for power --- sec. ft.

(c) Total fall to be utilized --- feet. (Head)

(d) The nature of the works by means of which the power is to be developed ---

(e) Such works to be located in --- of Sec. ---, (Legal subdivision)

Tp. ---, R. ---, W. M. (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? --- (Yes or No)

(g) If so, name stream and locate point of return ---

---, Sec. ---, Tp. ---, R. ---, W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is ---

(i) The nature of the mines to be served ---

Township	Range	Section	Fourty-acre Tract	Number Acres to be Irrigated
19 S	36 E	28	SE $\frac{1}{4}$ NW $\frac{1}{4}$	8.0
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	22.0
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	25.0
		32	SE $\frac{1}{4}$ NE $\frac{1}{4}$	15.0
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	35.0
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	38.0 35.0 <i>foot</i>
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	20.0
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	40.0 ²⁰⁰
			SE $\frac{1}{4}$ SE $\frac{1}{4}$	40.0
		33	NE $\frac{1}{4}$ NW $\frac{1}{4}$	22.0
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	30.0
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	40.0
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	19.0
			NW $\frac{1}{4}$ NW $\frac{1}{4}$	18.0
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	37.0
20 S	36 E	4	SE $\frac{1}{4}$ NW $\frac{1}{4}$	20.0
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	15.0
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	40.0
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	35.0
			NE $\frac{1}{4}$ NE $\frac{1}{4}$	40.0 ⁴⁰⁰
		5	NW $\frac{1}{4}$ NE $\frac{1}{4}$	40.0
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	40.0
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	40.0
			NE $\frac{1}{4}$ NW $\frac{1}{4}$	40.0
			SE $\frac{1}{4}$ NW $\frac{1}{4}$	40.0 ¹⁰⁰
		8	NE $\frac{1}{4}$ SW $\frac{1}{4}$	15.0 40.0 <i>foot 25 primary</i>
			SW $\frac{1}{4}$ SW $\frac{1}{4}$	16.0
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	35.0 40.0 <i>foot 5 primary</i>
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	40.0
			NW $\frac{1}{4}$ SE $\frac{1}{4}$	40.0
17	SW $\frac{1}{4}$ SE $\frac{1}{4}$	40.0		
	SE $\frac{1}{4}$ SE $\frac{1}{4}$	40.0		
	NE $\frac{1}{4}$ NW $\frac{1}{4}$	40.0 ³⁹⁶		
	NW $\frac{1}{4}$ NW $\frac{1}{4}$	16.0		
	SW $\frac{1}{4}$ NW $\frac{1}{4}$	3.0		
19	SE $\frac{1}{4}$ NW $\frac{1}{4}$	40.0		
	NE $\frac{1}{4}$ SW $\frac{1}{4}$	35.0		
	SE $\frac{1}{4}$ SW $\frac{1}{4}$	37.0		
	NE $\frac{1}{4}$ NW $\frac{1}{4}$	15.0		
	SE $\frac{1}{4}$ NW $\frac{1}{4}$	15.0		
30	NE $\frac{1}{4}$ SW $\frac{1}{4}$	20.0		
	NE $\frac{1}{4}$ NE $\frac{1}{4}$	10.0		
	SE $\frac{1}{4}$ NE $\frac{1}{4}$	30.0		
	SE $\frac{1}{4}$ SW $\frac{1}{4}$	3.0		
	NE $\frac{1}{4}$ SE $\frac{1}{4}$	23.0		
	NW $\frac{1}{4}$ SE $\frac{1}{4}$	8.0		
	SW $\frac{1}{4}$ SE $\frac{1}{4}$	30.0		
	NW $\frac{1}{4}$ NE $\frac{1}{4}$	40.0		
	SW $\frac{1}{4}$ NE $\frac{1}{4}$	40.0		
	SE $\frac{1}{4}$ NE $\frac{1}{4}$	10.0		
NE $\frac{1}{4}$ NW $\frac{1}{4}$	6.0			
NE $\frac{1}{4}$ SE $\frac{1}{4}$	26.0			
NW $\frac{1}{4}$ SE $\frac{1}{4}$	35.0			
SW $\frac{1}{4}$ SE $\frac{1}{4}$	30.0			
SE $\frac{1}{4}$ SE $\frac{1}{4}$	35.0			

Continued - - -

Application No. 33145
Permit No.

Township	Range	Section	Fourty-acre Tract	Number Acres to be Irrigated
20 S	36 E	31	SE $\frac{1}{4}$ NE $\frac{1}{4}$	12.0
			NE $\frac{1}{4}$ SE $\frac{1}{4}$	7.0
		32	NW $\frac{1}{4}$ NW $\frac{1}{4}$	12.5
			SW $\frac{1}{4}$ NW $\frac{1}{4}$	25.0
			NW $\frac{1}{4}$ SW $\frac{1}{4}$	<u>37.0</u>
			Total	1652.5

93^s

Application No. 33145
 Permit No.

RECEIVED
 JUN 3 1966
 STATE ENGINEER
 PORTLAND OREGON

10. (a) To supply the city of

(Name of)

County, having a present population of

and an estimated population of in 19....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$..No..cost,..will..use existing system

12. Construction work will begin on or before

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before

x B. A. Edmanson (Signature of applicant)

Remarks:

Initialed items (JDA) by James D. Honley, engineer.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for correction

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 2, 1966.

WITNESS my hand this 2nd day of June, 1966.

RECEIVED
JUN 8 1966
STATE ENGINEER
OREGON

CHRIS L. WHEELER

STATE ENGINEER

By Larry W. Gebousek ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed21.0..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Cottonwood Creek andreservoir to be constructed under application No. R-33144, permit No. R-4699

The use to which this water is to be applied isirrigation and supplemental irrigation

If for irrigation, this appropriation shall be limited to1/40th..... of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under permit No. R-4699, provided further that the right allowed herein shall be limited to any deficiency in the available supply of any prior right existing for the same land and shall not exceed the limitation allowed herein, and is subject to the terms of an order of the State Engineer entered July 20, 1965,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit isJune 8, 1959

Actual construction work shall begin on or beforeJune 17, 1967..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.

Complete application of the water to the proposed use shall be made on or before October 1, 1969..

WITNESS my hand this 17thday of June, 1966

Chris L. Wheeler
STATE ENGINEER

pc

Application No. 33145
Permit No. 51115

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 17th day of June, 1966, at 2:00 o'clock P. M.

Returned to applicant:

Approved:

June 17, 1966

Recorded in book No. 51115 of Permits on page

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 10 page 15B

Fees