## \*APPLICATION FOR PERMIT

CERTIFICATE NO. 38868

## To Appropriate the Public Waters of the State of Oregon

Rt. 1, Stanfield (Mailing address)		,
(Mailing address)  ate of, do hereb	y make application fo	r a permit to appropriate the
llowing described public waters of the State of Oreg		
	-	
If the applicant is a corporation, give date and p	lace of incorporation	······································
		The second secon
1. The source of the proposed appropriation is Umatilla River. Site # (2) Umatilla River. Site # (3) Dug pit. , a tributa	rer - a tributary"	of Columbia River.
2. The amount of water which the applicant inte	nds to apply to benefi	cial use is 5.05
	TA TASAS IN COUR	- <del></del> )
bic feet per second. (Site # 2 and 3 are altered water is to be used to	rom more than one source, give	quantity from each)
**3. The use to which the water is to be applied is stanfield Drain	Irrigation & 5	manufacturing, domestic supplies, etc.)
4. Alternate points of diversion are as	s follows: Site (	1) 3300 ft S and 600 ft
B. from the NW corner of Sec. 32. Site	# (2) 800 ft S an	ad 1400 ft W E from the NW
# The point of diversion is located xxxxxxxxx to corner of Sec. 31. and Site # (3) 700 ft	(XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	(E. of W.)  Troil the SW enrerxelyses
rner of Sec. 30 (Bection	n or subdivision)	
Site (1) being within $NN_{4}^{1}$ SW. Sec 32		·
Site (2) being within NW4 NW4 Sec 31		
Sico (3) being within SW 58 Sec 30		
(If preferable, give distance and		
(If preferable, give distance and	bearing to section corner)	
(If preferable, give distance and	bearing to section corner) be described. Use separate she	et if necessary)
(If preferable, give distance and  (If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.	et if necessary)
(If preferable, give distance and  (If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.	et if necessary)
(If preferable, give distance and  (If there is more than one point of diversion, each must ing within the  (Give smallest legal subdivision)  29. E, W. M., in the county of	bearing to section corner)  be described. Use separate she  of Sec.	et if necessary)  TpN
(If preferable, give distance and  (If there is more than one point of diversion, each must ing within the  (Give smallest legal subdivision)  29. E, W. M., in the county of	bearing to section corner)  be described. Use separate she  of Sec.  to be	et if necessary)  TpN
(If preferable, give distance and  (If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.	(Miles or feet)  (N. or S.)
(If preferable, give distance and  (If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.	(Miles or feet)  (N. or S.)
(If there is more than one point of diversion, each musting within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  shown throughout on	(Miles or feet)  (N. or S.)
(If preferable, give distance and  (If there is more than one point of diversion, each must ing within the  (Give smallest legal subdivision)  29.E, W. M., in the county of	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  shown throughout on	(Miles or feet)  (N. or S.)
(If preferable, give distance and  (If there is more than one point of diversion, each must ing within the  (Give smallest legal subdivision)  29.E, W. M., in the county of	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  shown throughout on  OF WORKS	(Miles or feet)  Tp, (N. or S.)  (Miles or feet)  (N. or S.)  the accompanying map.
(If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  g shown throughout on  OF WORKS	(Miles or feet)  Tp. (N. or S.)  (Miles or feet)  (N. or S.)  the accompanying map.
(If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  shown throughout on  OF WORKS  agth on top  r of construction	(Miles or feet)  Tp. (N. or S.)  (Miles or feet)  Tp. (N. or S.)  the accompanying map.
(If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  shown throughout on  OF WORKS  agth on top  r of construction	(Miles or feet)  Tp. (N. or S.)  (Miles or feet)  Tp. (N. or S.)  the accompanying map.
(If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  shown throughout on  OF WORKS  agth on top  r of construction	(Miles or feet)  Tp. (N. or S.)  (Miles or feet)  Tp. (N. or S.)  the accompanying map.  feet, length at bottom  (Loose rock, concrete, masonry,
(If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  shown throughout on  OF WORKS  agth on top  r of construction	(Miles or feet)  (Miles or feet)  (N. or S.)  the accompanying map.  (Loose rock, concrete, masonry,
(If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  shown throughout on  OF WORKS  agth on top  r of construction	(Miles or feet)  (Miles or feet)  (N. or S.)  the accompanying map.  (Loose rock, concrete, masonry,
(If there is more than one point of diversion, each must ing within the	bearing to section corner)  be described. Use separate she  of Sec.  to be  of Sec.  shown throughout on  OF WORKS  agth on top  r of construction  imber, concrete, etc., number an	(Miles or feet)  (Miles or feet)  (N. or S.)  (N. or S.)  the accompanying map.  (Loose rock, concrete, masonry,  1800 CPM I 52 T, D.H.,  38HP ELECTRIC CENTYIF

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

10. (a) To supply the city of	31223
rd an estimated population of in 19 in 19	
(b) If for domestic use state number of families to be supplied	:
(Answer questions 11, 12, 13, and 14 in all cases)	ŕ
- 11. Estimated cost of proposed works, \$ 60,000	
- 12. Construction work will begin on or before 5 torted	
13. Construction work will be completed on or before Oct. 1.66	
- 14. The water will be completely applied to the proposed use on or before O.L.L.	67
Libel Bros	
Subel Bros  * By Albert J. Subel-	Part
Remarks: (5) For Site # (1) a pipeline about 1600 ft long will carry in the Feed Canal (Structure is withing the $SW_{4}^{1}$ $NW_{4}^{1}$ Sec 32 as shown), the Feed Canal to a relift station (about 12000 ft from structure in feed on relife station being within $SW_{4}^{1}$ $SW_{4}^{1}$ Sec 30 as shown; thence via 4500 ft complace of use. terminating in the $NW_{4}^{1}$ $NW_{4}^{1}$ Sec 30 The R29E WM.	ence via the control of pipeline
For Site (2) a pipeling 7800 ft long termination NW NW Sec 30 TUN R29	
For Site (3) a pipeline $4600$ ft. long terminating in the $N_4^1$ $N_4^1$ Sec. 30.	.TLNR29E.
•	
	***************************************
STATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the foregoing application, together with the acc	companying
maps and data, and return the same for correction	
In order to retain its priority, this application must be returned to the State Engineer,	with correc-
tions on or before July 13	
	•
WITNESS my hand this13th day of	19 66
	·
AND AND A AND A CONTROL OF THE PARTY OF THE	
CHRIS L. WHEELER	
STA	TE ENGINEER
STALL By /s/ Larry W. Jebousek	
Continue of the continue of th	ASSISTANT

STATE	E OF OR	OREGON,	1
STATE OF OREGON,			\ S

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be ap	plied to beneficial use
and shall not exceed5.05 cubic feet per second measured at the point	of diversion from the
stream, or its equivalent in case of rotation with other water users, fromStanf	ield Drain and
Umatilla River; being 4.30 cfs from Drain and 0.75 cfs from Umat	illa River
The use to which this water is to be applied isirrigation and supplem	ental irrigation
If for irrigation, this appropriation shall be limited to1/40th	
second or its equivalent for each acre irrigated and shall be further limited	
not to exceed 4½ acre feet per acre for each acre irrigated durin	g the irrigation
season of each year, provided further that the right allowed here	in shall be limited
to any deficiency in the available supply of any prior right exis	ting for the same
land and shall not exceed the limitation allowed herein.	
en e	Auto Cara de C
and shall be subject to such reasonable rotation system as may be ordered by the property September 29, 1965 for 4.30 cfs	from Drain
The priority date of this permit is June 20, 1966 for 0.75 cfs from	
Actual construction work shall begin on or before August 16, 1967	and shall
thereafter be prosecuted with reasonable diligence and be completed on or before O	october 1, 19.68
Complete application of the water to the proposed use shall be made on or be	fore October 1, 1969
WITNESS my hand this 16th day of August,	19,66
charlet the	STATE ENGINEER

Application No. 41.443

Permit No. 31223

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON PERMIT

This instrument was first received in the

office of the State Engineer at Salem, Oregon, 19. 65, at ... 1. Ollo'clock on the 29 Hay of

· Returned to applicant:

Approved:

August 16, 1966

Recorded in book No.

Permits on page .......

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No.

State Printing 18131

Fees