

RECEIVED
MAR 15 1966
STATE ENGINEER
SALEM OREGON

Permit No. 31226
CERTIFICATE NO. 427909

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Glenn Allen Gribble
(Name of applicant)
of 13615 S. E. Kuehn Rd., Milwaukie
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Kellogg Creek
(Name of stream)
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 1/80th
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 212 ft. north and 803 ft. west from the S.E.
(N. or S.) (E. or W.)
corner of the Plat of Atkinson Filed Jan. 8-1890
(Section or subdivision)
(being 930' N. & 803' W. From SW cor. Elisha Kellogg DLC)
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the N.E. 1/4 S.W. 1/4 of Sec. 6, Tp. T2S
(Give smallest legal subdivision) (N. or S.)
R. R2E, W. M., in the county of Clackamas
(E. or W.)

5. The pipe line to be 500 Feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the N.E. 1/4 S.W. 1/4 of Sec. 6, Tp. T2S
(Smallest legal subdivision) (N. or S.)
R. R2E, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description One stationary 1 1/4 " electric centrifugal pump with 1 1/2 H.P. motor. (Paco type L Mod. 1 1/4" J", 15 Ft. suction, 40 ft. discharge - delivers 60 GPM)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

D. Maximum of 4 Rain Bird Mod. 25 sprinklers delivering 5 GPM each to be used at one time; and moved about on 30 (plus or minus) permanent openings as needed.

Canal System or Pipe Line—

31226

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 400 ft.; size at intake, 2" in.; size at 40 ft. from intake 1 1/2" in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 7 to 35 ft. Is grade uniform? Yes Estimated capacity, 1/20th sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2S	2E	6	NE 1/4 SW 1/4	.67 acres

Part of Tract "A", Atkinson, in T2S, R2E, W. M., Clackamas County, Ore.,

more particularly described as follows:
 Beginning at an iron pipe in the westerly boundary line of the Julius Kuehn Road No. 1249 that is South 4° 23' East 203.20 feet distant from an iron pipe driven at a point where said westerly road boundary intersects the northerly boundary line of Tract A, Atkinson; said point being the most easterly southeast corner of a tract of land conveyed to Joseph A. Adair, Jr. and wife by deed recorded August 22, 1952 in Book 460, page 147, Deed Records; thence North 4° 23 1/2' West 31.54 feet to a point; thence south 67° 38 1/2' West 325 feet, more or less, to a point which is 45 feet distant from, when measured at right angles to the westerly line of the aforementioned Adair tract; thence South 1° 34' West parallel with and 45 feet distant from the westerly line of said Adair tract, 145 feet, more or less, to a point in the southerly line of said Adair tract, which point is in the center of Kellogg Creek; thence upstream, along the center of Kellogg Creek 150 feet, more or less, to the most southerly southeast corner of said Adair Tract; thence North 15° 15 1/2' East 315 feet, more or less, to an angle corner in said Adair tract; thence North 67° 37 1/2' East 150.8 feet to the point of beginning.

(If more space required, attach separate sheet)

(a) Character of soil gravelly

(b) Kind of crops raised lawn and shrubbery

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

31226

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 500.00.....

12. Construction work will begin on or before March 12, 1966.....

13. Construction work will be completed on or before Sept. 1, 1966.....

14. The water will be completely applied to the proposed use on or before Sept. 1, 1966.....

Alvin H. Gible
(Signature of applicant)

Remarks: The purpose of this system is for lawn and shrubbery.....

irrigation during summer months and system will be shut down.....

and drained during winter months.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Kellogg Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 15, 1966

Actual construction work shall begin on or before August 19, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968...

Complete application of the water to the proposed use shall be made on or before October 1, 1969...

WITNESS my hand this 19th day of August, 1966.

Chris L. Wheeler
STATE ENGINEER

Application No. 41991
Permit No. 31228

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15th day of March, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:

August 19, 1966 of
Recorded in book No. 31228
Permits on page 31228

CHRIS L. WHEELER
STATE ENGINEER

Drainage Basin No. 2 page 16A33

Fees