

74020 76944 76945
75566 ASSIGNED, See Misc. Rec., Vol. 5 Page 314

***APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

ASSIGNED, See Misc. Rec., Vol. 4 Page 125

I, Ore-Ida Foods, Inc.

(Name of applicant)

of P. O. Box 60, Ontario, Oregon

(Mailing address)

State of Oregon

, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation Ontario, Oregon

1. The source of the proposed appropriation is the Snake River

(Name of stream)

, a tributary of the Columbia River

2. The amount of water which the applicant intends to apply to beneficial use is

198.2 cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and 2150 ft. E from the SW

(N. or S.)

(E. or W.)

corner of Section 16, T. 17 S., R. 17 E. W. M.

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot # 1 of Sec. 21, Tp. 17 S.

(Give smallest legal subdivision)

(N. or S.)

R. 47E, W. M., in the county of Malheur

(E. or W.)

5. The pipe line to be 72,025'

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SWNW of Sec. 3, Tp. 18 S.

(Smallest legal subdivision)

(N. or S.)

R. 46 E, W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

 feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 5 - 1500 HP short coupled turbine

(Size and type of pump)

pumps with vertical hollow shaft motors will be used to lift the water approximately 440'

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

31231

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 19,800 ft.; size at intake, 4.8 in.; size at ft. from intake in.; size at place of use 4.5" Sprinkler in.; difference in elevation between intake and place of use, 44.0 ft. Is grade uniform? Estimated capacity, 186.3 sec. ft.

8. Location of area to be irrigated, or place of use

Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
T 18 S	46	2	7 acres	7
T 18 S	R 46 E	4	14	560 (see atchd)
T 18 S	R 46 E	3	3 + 35 acres	155
T 18 S	R 46 E	5	1	40
T 17 S	R 46 E	35	66	66
T 17 S	R 46 E	34	14 + 52 acres	612
T 17 S	R 46 E	33	16	640
T 17 S	R 46 E	32	10	400
T 17 S	R 46 E	29	13	520
T 17 S	R 46 E	28	16	640
T 17 S	R 46 E	27	16	640
T 17 S	R 46 E	26	5 + 155 acres	355
T 17 S	R 46 E	23	8 + 106 acres	426

T 17 S	R 46 E	22	16	640
T 17 S	R 46 E	21	14	560
T 17 S	R 46 E	20	3	120
T 17 S	R 46 E	17	7	280
T 17 S	R 46 E	18		
T 17 S	R 46 E	16	13	520
T 17 S	R 46 E	15	14	560
T 17 S	R 46 E	14	15 + 32 acres	632
T 17 S	R 46 E	13	6 + 111 acres	351
T 17 S	R 46 E	12	8 + 72 acres	392
T 17 S	R 46 E	11	11 + 72 acres	512
T 17 S	R 46 E	10	1	40
T 17 S	R 46 E	2	3 + 81 acres	201
T 17 S	R 46 E	1	45 acres	45
				<u>9914</u>

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Sec. 1:	SW 1/4 - SW 1/4 - 33		
	SE 1/4 - SW 1/4 - 12		45
Sec. 2:	NE 1/4 - SW 1/4 - 40		
	SE 1/4 - SW 1/4 - 36		
	NW 1/4 - SE 1/4 - 33		
	NE 1/4 - SE 1/4 - 12		
	SW 1/4 - SE 1/4 - 40		
	SE 1/4 - SE 1/4 - 40		201
Sec. 10:	SE 1/4 - SE 1/4 - 40		40
Sec. 11:	NE 1/4 - NW 1/4 - 40	SW 1/4 - SW 1/4 - 40	
	SE 1/4 - NW 1/4 - 40	SE 1/4 - SW 1/4 - 40	
	NW 1/4 - NE 1/4 - 36	NW 1/4 - SE 1/4 - 40	
	NE 1/4 - NE 1/4 - 40	NE 1/4 - SE 1/4 - 40	
	SW 1/4 - NE 1/4 - 40	SW 1/4 - SE 1/4 - 40	
	SE 1/4 - NE 1/4 - 36	SE 1/4 - SE 1/4 - 40	
	NE 1/4 - SW 1/4 - 40		512
Sec. 12:	NW 1/4 - NW 1/4 - 40	SW 1/4 - NE 1/4 - 40	
	NE 1/4 - NW 1/4 - 40	NW 1/4 - SW 1/4 - 36	
	SW 1/4 - NW 1/4 - 40	NE 1/4 - SW 1/4 - 40	
	SE 1/4 - NW 1/4 - 40	SW 1/4 - SW 1/4 - 40	
	NW 1/4 - NE 1/4 - 40		356
Sec. 13:	NW 1/4 - NW 1/4 - 40	NW 1/4 - SW 1/4 - 40	
	NE 1/4 - NW 1/4 - 40		
	SW 1/4 - NW 1/4 - 40		
	SE 1/4 - NW 1/4 - 40		
	NW 1/4 - NE 1/4 - 36		
	NE 1/4 - NE 1/4 - 40		276
Sec. 14:	NW 1/4 - NW 1/4 - 40	NW 1/4 - SW 1/4 - 40	
	NE 1/4 - NW 1/4 - 40	NE 1/4 - SW 1/4 - 40	
	SW 1/4 - NW 1/4 - 40	SW 1/4 - SW 1/4 - 40	
	SE 1/4 - NW 1/4 - 40	SE 1/4 - SW 1/4 - 40	
	NW 1/4 - NE 1/4 - 40	NE 1/4 - SE 1/4 - 40	
	NE 1/4 - NE 1/4 - 40	NE 1/4 - SE 1/4 - 40	
	SW 1/4 - NE 1/4 - 40	SW 1/4 - SE 1/4 - 40	
	SE 1/4 - NE 1/4 - 40		600
Sec. 15:	SW 1/4 - NW 1/4 - 40	NE 1/4 - SW 1/4 - 40	
	SE 1/4 - NW 1/4 - 40	SW 1/4 - SW 1/4 - 40	
	NW 1/4 - NE 1/4 - 40	SE 1/4 - SW 1/4 - 40	
	NE 1/4 - NE 1/4 - 40	NW 1/4 - SE 1/4 - 40	
	SW 1/4 - NE 1/4 - 40	NE 1/4 - SE 1/4 - 40	
	SE 1/4 - NE 1/4 - 40	SW 1/4 - SE 1/4 - 40	
	NW 1/4 - SW 1/4 - 40	SE 1/4 - SE 1/4 - 40	560
Sec. 16:	NW 1/4 - NW 1/4 - 40	SW 1/4 - SW 1/4 - 40	
	SW 1/4 - NW 1/4 - 40	SE 1/4 - SW 1/4 - 40	
	SE 1/4 - NW 1/4 - 40	NW 1/4 - SE 1/4 - 40	
	SW 1/4 - NE 1/4 - 40	NE 1/4 - SE 1/4 - 40	
	SE 1/4 - NE 1/4 - 40	SW 1/4 - SE 1/4 - 40	
	NW 1/4 - SW 1/4 - 40	SE 1/4 - SE 1/4 - 40	
	NE 1/4 - SW 1/4 - 40		520
Sec. 17:	NE 1/4 - NW 1/4 - 40		
	SE 1/4 - NW 1/4 - 40		
	NW 1/4 - NE 1/4 - 40		
	NE 1/4 - NE 1/4 - 40		
	SW 1/4 - NE 1/4 - 40		
	SE 1/4 - NE 1/4 - 40		
	SE 1/4 - SE 1/4 - 40		
Sec. 20:	NE 1/4 - NE 1/4 - 40		
	SW 1/4 - SE 1/4 - 40		
	SE 1/4 - SE 1/4 - 40		

RECEIVED
 JUL 2 1930

Sec. 21:	NW 1/4 - NW 1/4 - 40	NE 1/4 - SW 1/4 - 40	
	NE 1/4 - NW 1/4 - 40	SW 1/4 - SW 1/4 - 40	
	SE 1/4 - NW 1/4 - 40	SE 1/4 - SW 1/4 - 40	
	NW 1/4 - NE 1/4 - 40	NW 1/4 - SE 1/4 - 40	
	NE 1/4 - NE 1/4 - 40	NE 1/4 - SE 1/4 - 40	
	SW 1/4 - NE 1/4 - 40	SW 1/4 - SE 1/4 - 40	
	SE 1/4 - NE 1/4 - 40	SE 1/4 - SE 1/4 - 40	560

Sec. 22: Entire Section - 640 640

Sec. 23:	NW 1/4 - NW 1/4 - 40	NW 1/4 - SW 1/4 - 40	
	NE 1/4 - NW 1/4 - 40	NE 1/4 - SW 1/4 - 40	
	SW 1/4 - NW 1/4 - 40	SW 1/4 - SW 1/4 - 40	
	SE 1/4 - NW 1/4 - 40	SE 1/4 - SW 1/4 - 40	320

Sec. 26:	NW 1/4 - NE 1/4 - 40	NW 1/4 - SW 1/4 - 40	
	NE 1/4 - NW 1/4 - 40	NE 1/4 - SW 1/4 - 40	
	SW 1/4 - NW 1/4 - 40		
	SE 1/4 - NW 1/4 - 40		
	NW 1/4 - NE 1/4 - 40		
	SW 1/4 - NE 1/4 - 40		240

Sec. 27: Entire Section - 640 640

Sec. 28: Entire Section - 640 640

Sec. 29:	SW 1/4 - NW 1/4 - 40	SW 1/4 - SW 1/4 - 40	
	NW 1/4 - NE 1/4 - 40	SE 1/4 - SW 1/4 - 40	
	NE 1/4 - NE 1/4 - 40	NW 1/4 - SE 1/4 - 40	
	SW 1/4 - NE 1/4 - 40	NE 1/4 - SE 1/4 - 40	
	SE 1/4 - NE 1/4 - 40	SW 1/4 - SE 1/4 - 40	
	NW 1/4 - SW 1/4 - 40	SE 1/4 - SE 1/4 - 40	
	NE 1/4 - SW 1/4 - 40		520

Sec. 32:	NE 1/4 - NW 1/4 - 40	SE 1/4 - NE 1/4 - 40	
	SE 1/4 - NW 1/4 - 40	NE 1/4 - SW 1/4 - 40	
	NW 1/4 - NE 1/4 - 40	NW 1/4 - SE 1/4 - 40	
	NE 1/4 - NE 1/4 - 40	NE 1/4 - SE 1/4 - 40	
	SW 1/4 - NE 1/4 - 40	SE 1/4 - SE 1/4 - 40	400

Sec. 33: Entire Section - 640 640

Sec. 34:	NW 1/4 - NW 1/4 - 40	NW 1/4 - SW 1/4 - 40	
	NE 1/4 - NW 1/4 - 40	NE 1/4 - SW 1/4 - 40	
	SW 1/4 - NW 1/4 - 40	SW 1/4 - SW 1/4 - 40	
	SE 1/4 - NW 1/4 - 40	SE 1/4 - SW 1/4 - 40	
	NW 1/4 - NE 1/4 - 40	NW 1/4 - SE 1/4 - 40	
	NE 1/4 - NE 1/4 - 40	SW 1/4 - SE 1/4 - 40	
	SW 1/4 - NE 1/4 - 40		
	SE 1/4 - NE 1/4 - 40		560

Sec. 35: SW 1/4 - NW 1/4 - 22 22

T. 18S., R. 46 E.W.M.

Sec. Acres

Sec. 3: NW 1/4 - NW 1/4 - 40
NE 1/4 - NW 1/4 - 40
NW 1/4 - NE 1/4 - 40

120

Sec. 4: NW 1/4 - NW 1/4 - 40
NE 1/4 - NW 1/4 - 40
SW 1/4 - NW 1/4 - 40
SE 1/4 - NW 1/4 - 40
NW 1/4 - NE 1/4 - 40
NE 1/4 - NE 1/4 - 40
SW 1/4 - NE 1/4 - 40

SE 1/4 - NE 1/4 - 40
NE 1/4 - SW 1/4 - 40
SE 1/4 - SW 1/4 - 40
NW 1/4 - SE 1/4 - 40
NE 1/4 - SE 1/4 - 40
SW 1/4 - SE 1/4 - 40
SE 1/4 - SE 1/4 - 40

560

Sec. 5: NE 1/4 - NE 1/4 - 40

40

TOTAL: 9,460

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$2,170,000.....

12. Construction work will begin on or before August 1, 1966.....

13. Construction work will be completed on or before August 1, 1969.....

14. The water will be completely applied to the proposed use on or before June 1, 1970.....

ORE-IDA FOODS, INC.

G. J. Newcomb (Signature of applicant) Agent

Remarks: ...Approximately 20,000 sprinklers will be used supplying 4.1 gpm.....

@ 35 psi and spaced 40' apart on 3" x 4" aluminum pipe.....

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 29, 1966.....

WITNESS my hand this 29th day of June, 1966.....

RECEIVED
JUL 18 1966

STATE ENGINEER
CALL OREGON

CHRIS L. WHEELER

STATE ENGINEER

Larry W. Jebousek
Larry W. Jebousek

Larry W. Jebousek

ASSISTANT

PERMIT

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 198.2 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Snake River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/40 of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 4 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 27, 1966

Actual construction work shall begin on or before August 22, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968

Complete application of the water to the proposed use shall be made on or before October 1, 1969

WITNESS my hand this 22nd day of August, 1966

Chris L. Wheeler

STATE ENGINEER

Application No. 42408

Permit No. 31231

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of June, 1966, at 1:00 o'clock P. M.

Returned to applicant:

Approved:

August 22, 1966

Recorded in book No. of

Permits on page 31231

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 10 page 4B

Fees 155.10