CERTIFICATE NO. 40326

## To Appropriate the Public Waters of the State of Oregon

State of Bella.  A ohereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is DIAMINATE.  SCANATED YESENVERS a tributary of MANY CREEK.  2. The amount of water which the applicant intends to apply to beneficial use is ILLS  crubic feet per second fall and analysis of the state is to be used from nore than one source, give annula country one and the state is to be applied is Creation, power mining, annula country one and the state is to be applied is Creation, power mining, annula country of annula SEC.  4. The point of diversion is located BLL ft. Scarce and SEC. ft. Examples of the state is to be applied in the state of the	I, SALPH W Meeuw Sew (Name of applicant)
State of	of 27880 NW EVERGREEN STREET HILLSBORD, Charge
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation  1. The source of the proposed appropriation is  PESCANATED PESCANAIA a tributary of AMINATE CREEK CARE K.  2. The amount of water which the applicant intends to apply to beneficial use is a Land Created K.  2. The amount of water which the applicant intends to apply to beneficial use is a Land Created K.  2. The use to which the water is to be applied is  CITY TO SECONDAL ACTION OF CREATED OF CREAT	State of
1. The source of the proposed appropriation is DANIMATED CREAK CALL TO YESCAVOIR, a tributary of MENTAL CREAK  2. The amount of water which the applicant intends to apply to beneficial use is 16.5  cubic feet per second farm desiration of the tributary of MENTAL CREAK  2. The use to which the water is to be applied is 16.5  Currentum, power, mining, manufacturing, documents reasons, even quantity from each)  4. The point of diversion is located SUL ft. 2. and 16.5 ft. 4. or from the 5. W. Covers.  4. The point of diversion is located SUL ft. 2. and 16.5 ft. 5. from the 5. W. Covers.  Corper of Wikhilm Bull Bull Bull Greeting and the creation of abstration of the covers of the cov	following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
2. The amount of water which the applicant intends to apply to beneficial use is	If the applicant is a corporation, give date and place of incorporation
2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed appropriation is DANINAGE. DITCH COMD
cubic feet per second from Alexander Lill (it water to be used from more than one source, give quantity from each)  4. The point of diversion is located all ft. S. and IIII ft. G. or S.)  4. The point of diversion is located all ft. S. and IIII ft. G. or S.)  5. FORM + L. E. L. S. S. OR 3610 ft. E. or or or or believed to the control of the source of	EXCAVATED RESERVOIR, a tributary of MEKAY CAREK
4. The point of diversion is located SUL ft. S. and ALL ft. F. G. or w.)  corner of Wilhim But But Sul Section residuivation  Section or endivation  Section or endivation  Section or endivation  A SECTION 29 FOR THE CORNER OF SECTION 29 FOR THE COR	2. The amount of water which the applicant intends to apply to beneficial use is
4. The point of diversion is located SUL ft. S. and ALL ft. F. G. or w.)  corner of Wilhim But But Sul Section residuivation  Section or endivation  Section or endivation  Section or endivation  A SECTION 29 FOR THE CORNER OF SECTION 29 FOR THE COR	cubic feet per second. furn daning Still ANT 0.125 CFS. + 10m Reservoir at 100 CF CFS & + 10m Reservoir at 100 CFS ORY (If water is to be used from more than one source, give quantity from each)
Corner of Wilhim Ball Ball Sall Section or subdivision)  Section or subdivision)  Section of subdivision)  OR 3610 ft. E. S. C.	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
Corner of William Ball Ball Section or subdivision)  Section or subdivision)  OR 3610 ft. Excess of Section or subdivision or subdivision of Section of Section or subdivision of Section or subdivision of Section of Section of Section of Section of Section of Section or subdivision of Section of Sec	4. The point of diversion is located SUC ft. S and LICO ft. E from the S. W.
Stand of diversion, each must be described. Use separate sheet if necessary)  We come and separate sheet if necessary)  We make the legal subdivision of Sec. 2.1. Tp. (N. or S.)  The light (Main ditch, canal or pipe line)  (In there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the light (Give smallest legal subdivision)  R. 2. (S. or W.)  5. The light (Main ditch, canal or pipe line)  (Miles or teet)  (Main ditch, canal or pipe line)  (In length, terminating in the Simulated legal subdivision)  R. (S. or W.)  W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height-of-dam	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  being within the ME (Give smallest legal subdivision)  R. L. W. M., in the country of WHS HIM JIN (Miles or feet)  in length, terminating in the NE (Main ditch, canal or pipe line)  (Knor W.)  (Knor S.)  R. W. M., the proposed location being shown throughout on the accompanying map.  DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height-of-dam	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	Sump a The Point of diversion is Localed 3600 / E and 430'S from
being within the	BNE Corner of Section 27 for the Drainage Ditche
R. 2 (E. or W.), W. M., in the country of	being within the NE /4 Of Sec. 29, Tp. Nors.
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height-of-dam  feet; material to be used and character of construction  feet; material to be used and character of construction  (b) Description of headgate  (c) If water is to be pumped give general description	R. 2 W. M., in the county of WHS HINGIER
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height-of-dam	5. The PPELINE to be SIC (Main ditch, canal or pipe line) to be
DESCRIPTION OF WORKS  Diversion Works—  6. (a) Height-of-dam  feet; material to be used and character of construction  feet; material to be used and character of construction  (b) Description of headgate  (c) If water is to be pumped give general description	in length, terminating in the NE ANW of Sec. 29, Tp. N. of Sec. 29, Tp. N. or S.)
Diversion Works—  6. (a) Height-of-dam	R, W. M., the proposed location being shown throughout on the accompanying map.
feet; material to be used and character of construction  (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description	
feet; material to be used and character of construction  (Loose rock, concrete, masonry, cock and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description	Diversion Works—  6. (a) Height-of-dam 12 feet, length on top 150 feet, length at bottom
(b) Description of headgate	feet; material to be used and character of construction Single - (Loose rock, concrete, masonry,
(c) If water is to be pumped give general description	
(c) If water is to be pumped give general description	(b) Description of headgate(Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description (Size and type of pump)	
	(c) If water is to be pumped give general description
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

(i) The nature of the mines to be served .....

CHRIS L. WHEELER

STATE ENGINEER

ASSISTANT

ASSISTANT

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceedO.ll cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from a drainage ditch and
reservoir to be constructed application No. R-42317, permit No. R-4749
The use to which this water is to be applied is irrigation
<u> </u>
If for irrigation, this appropriation shall be limited to1/80th of one cubic foot per
second or its equivalent for each acre irrigated from direct flow and shall be further limited.
to a diversion of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during
the irrigation season of each year from direct flow and storage from reservoir to be
constructed under permit No. R- 4749
′
The state of the s
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit is June 7, 1966
Actual construction work shall begin on or before October 18, 1967 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968
Complete application of the water to the proposed use shall be made on or before October 1, 1969
WITNESS my hand this 18th day of October, 1966.
Charles and a state of
STATE ENGINEER

Application No. 43318

Permit No. 51272

This instrument was first received in th

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

office of the State Engineer at Salem, Orego on the 7th day of Lita & 19 & L. at E.C. o'clock A.W.

Returned to applicant: ....

Approved:

Recorded in book No.

CHRIS L. WHEELER ENGINEER

S: Drainage Basin No. ......... 1 State District Of139