

## \*APPLICATION FOR PERMITERTIFICATE NO. 76599

## To Appropriate the Public Waters of the State of Oregon

4,	Sutherlin Water Control Di	STRICT me of applicant)	••••••
of		me or approach	
	(Mailing address)	reby make application for a permit to appropr	•
			rate tite
		regon, SUBJECT TO EXISTING RIGHTS:	
If the applica	ant is a corporation, give date an	d place of incorporation	•••••••••••••••••••••••••••••••••••••••
***************************************			······
1. The sourc	e of the proposed appropriation is	Sutherlin Creek and Plat "I" (Name of stream)	
Reservoi	r, a trib	utary of North Umpqua River	
2. The amou	ınt of water which the applicant i	ntends to apply to beneficial use is	·
cubic feet per secon	nd. from Sutherlin Creek ar	nd 790 A. ft from Plat "I" Reservoir sed from more than one source, give quantity from each)	
**? The use to	If water is to be w	ied from more than one source, give quantity from each)	
5. The use to	s which the water is to be applied	is Irrigation (Irrigation, power, mining, manufacturing, domestic suppli	ies, etc.)
***************************************			***********
4. The point	of diversion is located 1484.87	ft. $S$ and $542.31$ ft. $E$ from the .	N'A
corner of Plat	'I" of the Luse Land and De	velopment Co. L't'd.	••••••
	(Se	ection or subdivision)	
	(If preferable, give distance	and bearing to section corner)	
		must be described. Use separate sheet if necessary)	_
being within the	(Give smallest legal subdivision)	of Sec. 1), Tp. 25,5	or S.)
R. 5W, W.	. M., in the county ofDougla	S	
		to be17,080 feet	
		(writes or rest)	******************************
	ing in the SW NE	of Sec. 15 Tp. 25	
		of Sec. 15, Tp. 25.	<b>S</b> , or <b>S</b> .)
		of Sec5, Tp25	<b>S</b> , or <b>S</b> .)
R. 5W (E. or W.)	, W. M., the proposed location be		<b>S</b> , or <b>S</b> .)
R5W (E. or W.)  Diversion Works—	, W. M., the proposed location be	eing shown throughout on the accompanying mo	or s.)
R. 5W (E. or W.)  Diversion Works—  6. (a) Heigh	DESCRIPTION of dam	eing shown throughout on the accompanying mo	ap.
R. 5W (E. or W.)  Diversion Works—6. (a) Heigh fe	DESCRIPTION  of dam feet,  eet; material to be used and chara	eing shown throughout on the accompanying me ON OF WORKS  length on top feet, length at acter of construction	ap.
R. 5W (E. or W.)  Diversion Works— 6. (a) Heigh ————————————————————————————————————	DESCRIPTION  at of dam feet,  reet; material to be used and character,  become etc., wasteway over or around dam)	on OF WORKS  length on top feet, length at acter of construction (Loose rock, concrete	ap.
R. 5W (E. or W.)  Diversion Works— 6. (a) Heigh ————————————————————————————————————	DESCRIPTION  at of dam feet,  reet; material to be used and character,  become etc., wasteway over or around dam)	eing shown throughout on the accompanying me ON OF WORKS  length on top feet, length at acter of construction	ap.
R. 5W (E. or W.)  Diversion Works— 6. (a) Heigh ————————————————————————————————————	DESCRIPTION  at of dam feet,  reet; material to be used and character,  become etc., wasteway over or around dam)	on OF WORKS  length on top feet, length at acter of construction (Loose rock, concrete	ap.
R. 5W (E. or W.)  Diversion Works— 6. (a) Heigh  rock and brush, timber crib. (b) Descript	DESCRIPTION feet, material to be used and character, wasteway over or around dam)	ON OF WORKS  length on top feet, length at acter of construction (Loose rock, concrete to the construction and size of openings)	ap.  bottom  te, masonry,
R. 5W (E. or W.)  Diversion Works— 6. (a) Heigh  rock and brush, timber crib (b) Descript  (c) If water	DESCRIPTION  of dam feet,  neet; material to be used and chara  of etc. wasteway over or around dam)  tion of headgate fits to be pumped give general des  1-30. HP. Flectric, motors, to	on OF WORKS  length on top feet, length at acter of construction (Loose rock, concrete	bottom  te, masonry.

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Dregon.

	1			feet; width on botton
ousand feet.	feet; depth of u	ater	feet; grade	feet fall per on
(b) At		miles from hea	adgate: width on top (at wate	er line)
	feet; width on b	ottom	feet; depth of u	vater feet
ade	feet fal	l per one thous	and feet.	
(c) Length	of pipe, 17,08	0 ft.; s	size at intake, <u>12</u>	in.; size at f
			f use 4 in.; di	
		•	grade uniform? Yes	•
		الم المار و.ع	grade unijorm:	Dsimatea capacity
5.02 8. Location	sec. ft. n of area to be i	rrigated, or pla	ice of use See Attache	ed Sheets
Township	Range E. or W. of	Section	Forty-acre Tract	Number Acres To Be Irrigated
North or South	Willamette Meridian		1	
_ <del></del>	5 W	10,11, 13,14	ر 15, الحروا, 15,	689,50 Acres
			<u> </u>	
			4.0	
		0		
	-			·
			<u> </u>	
		,		
·				
(~) Ch		•	required, attach separate sheet) and Clays	
	-	ŧ		35 8 5 2
b) Ki; ower or Mining	• •	d <u>нау,</u> Р	asture and Orchards	
_	- ,	ower to be deve	eloped	theoretical horsepowe
			oowerse	
		a.	1	
			(Head)	
(d) Th	e nature of the	works by mean	s of which the power is to be	developed
••••••		***************************************		
(e) Su	ch works to be l	ocated in	(Legal subdivision)	of Sec
	, R			
			ream?(Yes or No)	•
			(Yes or No) int of return	
(9/1)	oo, wante stream	ana weate po		
				, R, W.

Ar	-ea to	be Irric	ated	31273	1	2
Township	Range	Section		acre Tract	Acres Irrigated	
255	5W	10	SE ¼	, SE 1/4		
,,	n	11	5w 1/4	, SW1/4	// 7/	1.25
"	"	// ///	NEV4 5E 1/4	; SW 1/4- SW 1/4	//.3/ 0.58 _/4.50	
"	"	/3	NE 4	, NW 1/4	14.73	26.39
"	"	"//	NW Y	4, NVV 1/4	7.70	
"	u ·	#	S.W /	4, NW 4	15.18	10-12-66
"	"	"	NWX	4, SW 1/4	<del>}</del>	suppl.
"	II.	- "		, SW 1/4	32.86	
		14	NEX	, NE14	2.88	77.52
		· 'I	NW 1/4	, NE14	18.60	
		н .	SW	4 , NE 1/4	16.96	
		'1)	SE 1/2	4, NE14	27.03	
		),	NE Y4	, NW14	34,57	-
		11	NW 1/4	, NW 1/4	31.60	
		"	SW 1/4	, NW4	35.94	
		u	SE1/4	, NW 1/4	34.51	
		"	NE%	, SW4	19.72	:
		u :	Nw!	4, SW1/4	24.05	
		u .	NWN	4, SE4	12.17	
		"	Sw 1/4	, SE 1/4	0.89	
		ıı.	SE 14	, SE 1/4	7.29	266.27

Area	to be	Irrigate	ed 31273	2 2
Township	Range	Section	Forty-acre Tract	Acres Irrigated
255	5 W	15	NEY, NEY	6.63
		q ·	NWY, NEVA	14.33
		4	SW 1/4, NE 1/4	20.95
		И	SE1/4, NE1/4	18.63
		11	NEV4, NW14	6.27
	et	. 11 -	SE 4, NW 1/4- SW 1/4, NW 1/4	18.99
	·	u :	NE14, SW 14	1.45 40.∞
		u	NW 1/4, SYV 1/4	2).28
		и	SW4, 5W4	14.15
		11	SE1/4, SW1/4	13.97
		"/	NEX, SEX	28.66
·		11	NW4, SE14	40.00
		ų	SW1/4, SE1/4	22.03
		11	SE1/4, SE 1/4	12.00
		16	NE4, SE14	279.34 7.83
٠.		11	SE 1/4, SE 1/4	1037
		23	NW4, NE14	
	·	"	NEZ, NE Z	14. 10-12.6. 29 sind.
		. 24	NWI, NW/L	9.97 (34.01)
			The Table To be	7.71
			otal Area Irriga	fed = 6-89.50Ac

•

Municipal or Domestic Supply—	
10. (a) To supply the city of	31%/
	t population of
and an estimated population of	in 19
(b) If for domestic use state number of	families to be supplied
(Answer questions 11, 4	2, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$ 221.	000
	July 1966
	r beforeFall 1966
•	e proposed use on or before Fall 1968
14. The water will be completely applied to the	e proposed use on or dejore
-	Sutherlin Water Control District by (Signature of applicant)
Works to be xenstmeted	under P. L. 566 as part of Sutherlin
Watershed Project.	
,	
	· · · · · · · · · · · · · · · · · · ·
1	· · · · · · · · · · · · · · · · · · ·
	······································
STATE OF OREGON,	į
County of Marion,	•
This is to certify that I have examined the	foregoing application, together with the accompanyi
maps and data, and return the same for	<u> </u>
In order to retain its priority, this application	on must be returned to the State Engineer, with corre
tions on or before,	, 19
WITNESS my hand this day of	, 19
TTILIDED MY NAME OF THE COMMENT WAY OF THE	
	STATE ENGINEE
	STATE ENGINEE
	By

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amo	unt of water which can be applied to beneficial use
and shall not exceed8.50 cubic feet per	second measured at the point of diversion from the
stream, or its equivalent in case of rotation with oth	er water users, from Sutherlin Creek and
reservoir to be constructed under applicat	ion No. R-33573, permit No. R-4751
••	irrigation and supplemental irrigation
	•
•	ited to1/80th of one cubic foot per
second or its equivalent for each acre irrigatedIXQN	direct flow and shall be further limited.
to a diversion of not to exceed 2 acre fe	et per acre for each acre irrigated during
the irrigation season of each year from di	rect flow and storage from reservoir to
be constructed under permit No. R-4751	and further limited to the use of stored
water only on the lands described as suppl	emental.
and shall be subject to such reasonable rotation syste	m as may be ordered by the proper state officer.
The priority date of this permit is	ary 27, 1960
Actual construction work shall begin on or be	fore
thereafter be prosecuted with reasonable diligence a	nd be completed on or before October 1, 19.68
Complete application of the water to the propo	sed use shall be made on or before October 1, 1969
WITNESS my hand this19th day of	October , 19.66
•	OKALISALISALISA STATE ENGINEERS
• •	SINIE ENGINEER
	!

72

Application No. 33577 Permit No. .....

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon,

1960, at 8:00 o'clock A. M.

on the 27 th day of January

Returned to applicant:

.....0ctober 19, 1966.

Approved:

Recorded in book No.

Permits on page .....

CHRIS L. WHEELER STATE ENGINEER

Drainage Basin No. 16

286

Fees 5495

State Printing 98137