

## \*APPLICATION FOR PERMIT STEICATE NO. 43359

## To Appropriate the Public Waters of the State of Oregon

If the applicant is a corporation, give date and place of incorporation  I. The source of the proposed appropriation is	I, William Claussen
the of Oregon, do hereby make application for a permit to appropriate the lowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:  If the applicant is a corporation, give date and place of incorporation	
If the applicant is a corporation, give date and place of incorporation	(Mailing address)
If the applicant is a corporation, give date and place of incorporation  I. The source of the proposed appropriation is	tate of Oregon do hereby make application for a permit to appropriate the
1. The source of the proposed appropriation is Coast Fork Willamette  (It was of tream)  (It was a tributary of Willamette  2. The amount of water which the applicant intends to apply to beneficial use is 5599  (It was it to be used from more than one source, give quantity from each)  1. Trigation.  1. Trigation.  1. Trigation.  1. The point of diversion is located 256  1. N. and 980  1. E. Convey.  1. The point of diversion is located 256  1. N. and 980  1. E. Convey.  1. No. No. W. corner of the Silas Lane D. L. C. No. 42  (Bection or subdivision)  (It there is more than one point of diversion, each must be described. Use separate sheet if accessary)  ing within the NW 1. NW 1. One of the silas and bearing to section corner)  (It there is more than one point of diversion, each must be described. Use separate sheet if accessary)  ing within the NW 2. NW 1. One of the silas and separate sheet in accessary)  (It was in more than one point of diversion, each must be described. Use separate sheet if accessary)  ing within the NW 2. NW 1. One of the silas each must be described. Use separate sheet if accessary)  (It was in more than one point of diversion, each must be described. Use separate sheet if accessary)  (It was in more than one point of diversion, each must be described. Use separate sheet if accessary)  (It was in more than one point of diversion, each must be described. Use separate sheet if accessary)  (It was in more than one point of diversion, each must be described. Use separate sheet if accessary)  (It was in more than one point of diversion, each must be described. Use separate sheet if accessary)  (It was in more than one point of diversion, each must be described. Use separate sheet if accessary)  (It was in more than one point of diversion.  (It was in more than one point of diversion.  (It was in more than one point of diversion.  (It was in more than one point of diversion.  (It was in more than one point of diversion.  (It was in more than one point of diversion.  (It was in more tha	ollowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
A tributary of Willamette  Others of freezes)  a tributary of Willamette  2. The amount of water which the applicant intends to apply to beneficial use is	If the applicant is a corporation, give date and place of incorporation
A tributary of Willamette  Others of freezes)  a tributary of Willamette  2. The amount of water which the applicant intends to apply to beneficial use is	
(If weter is to be used from more than one source, give quantity from each)  1. The use to which the water is to be applied is Irrigation  1. Trigation power mining, manufacturing, domestic supplies, etc.)  1. The point of diversion is located 256 ft. No. 3 and 980 ft. E. (E. or W.)  1. The point of diversion is located 256 ft. No. 3 and 980 ft. (E. or W.)  2. The use to which the water of the Silas Lane D. L. C. No. 42  (Bestion or subdivision)  (If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  (If there is more than one point of diversion, each must be described.  (If the set is to be country of the set of t	
2. The amount of water which the applicant intends to apply to beneficial use is	1. The source of the proposed appropriation is Coast Fork Willamette (Name of stream)
**3. The use to which the water is to be used from more than one source, give quantity from each)  1. Trigation (trigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located 256 ft. No. and 800 ft. E. GENVENX (Co. or Z.)  No. No. We corner of the Silas Lane Do. L. Co. No. 42  (tribure is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the NW ± NW ± (Give smallest legal indelvision)  5. The pipe line (Salad dich. canal or pice line)  Cat. or W.)  5. The pipe line (Salad dich. canal or pice line)  Ingula, terminating in the SE ± SW ± (Smallest legal subdivision)  DESCRIPTION OF WORKS  6. (a) Height of dam (Located and character of construction (Locate rock, concrete, masonry.)  Choose rock, concrete, masonry.  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)	, a tributary of `Willamette
**3. The use to which the water is to be used from more than one source, give quantity from each)  1. Trigation (trigation, power, mining, manufacturing, domestic supplies, etc.)  4. The point of diversion is located 256 ft. No. and 800 ft. E. GENVENX (Co. or Z.)  No. No. We corner of the Silas Lane Do. L. Co. No. 42  (tribure is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the NW ± NW ± (Give smallest legal indelvision)  5. The pipe line (Salad dich. canal or pice line)  Cat. or W.)  5. The pipe line (Salad dich. canal or pice line)  Ingula, terminating in the SE ± SW ± (Smallest legal subdivision)  DESCRIPTION OF WORKS  6. (a) Height of dam (Located and character of construction (Locate rock, concrete, masonry.)  Choose rock, concrete, masonry.  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)  (c) If water is to be pumped give general description (Located to the pump)	
**3. The use to which the water is to be applied is     Character, power, mining, manufacturing, domestic supplies, etc.	
**3. The use to which the water is to be applied is     Character, power, mining, manufacturing, domestic supplies, etc.	ubic feet per second.
4. The point of diversion is located 256 ft. N and 980 ft. E XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the	(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the	
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the	4. The point of diversion is located 256 ft. N and 980 ft. E FORWING
(If preferable, give distance and bearing to section corner)  (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) ing within the NW 1 NW 2 Of Sec. 9 Tp. 21 S (N. or S.)  3 W (CL. or W.) , W. M., in the county of LAMB (Main ditch, canal or pipe line)  5. The DIPP Lime (Main ditch, canal or pipe line)  [Const. or W.) (Main ditch	
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the NW 1 NW 2 (Give smallest legal subdivision) of Sec. 9 , Tp. 21 S (X. or S.)  3 W , W. M., in the county of Lane  (C. or W.)  5. The pipe line (Main dich, canal or pipe line) to be 2050 feet (Miles or feet)  length, terminating in the SE 1 SW 1 (Miles or feet)  (Semallest legal subdivision) of Sec. 4 , Tp. 21 S (N. or S.)  3 W , W. M., the proposed location being shown throughout on the accompanying map.  (C. or W.)  DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, taken the best of the pumped give general description (Timber, concrete, etc., number and site of openings)  (c) If water is to be pumped give general description 25 and suction Built together central (like and type of pump)	(Section or subdivision)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)  ing within the NW 1 NW 2 (Give smallest legal subdivision) of Sec. 9 , Tp. 21 S (X. or S.)  3 W , W. M., in the county of Lane  (C. or W.)  5. The pipe line (Main dich, canal or pipe line) to be 2050 feet (Miles or feet)  length, terminating in the SE 1 SW 1 (Miles or feet)  (Semallest legal subdivision) of Sec. 4 , Tp. 21 S (N. or S.)  3 W , W. M., the proposed location being shown throughout on the accompanying map.  (C. or W.)  DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, taken the best of the pumped give general description (Timber, concrete, etc., number and site of openings)  (c) If water is to be pumped give general description 25 and suction Built together central (like and type of pump)	
3 W , W. M., in the county of Lane  (E. or W.)  5. The pipe line (Main ditch, canal or pipe line) (Allies or feet)  (Rate of feet)  (Rate or feet)  (No or S.)  (No or S.)  (S. or W.)  DESCRIPTION OF WORKS  version Works—  (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Coose rock, concrete, masonry, concrete, etc., number and size of openings)  (b) Description of headgate  (Timber, concrete, etc., number and size of openings)	(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
3 W , W. M., in the county of Lane  (E. or W.)  5. The pipe line (Main ditch, canal or pipe line) (Allies or feet)  (Rate of feet)  (Rate or feet)  (No or S.)  (No or S.)  (S. or W.)  DESCRIPTION OF WORKS  version Works—  (a) Height of dam feet, length on top feet, length at bottom  feet; material to be used and character of construction  (Coose rock, concrete, masonry, concrete, etc., number and size of openings)  (b) Description of headgate  (Timber, concrete, etc., number and size of openings)	eing within the NW 1 NW 1 NW 1 of Sec. 9 Tp. 21 S
length, terminating in the SE SW 1 of Sec. 1, Tp. 21 S (N. or S.)  3 W (N. or S.)  DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, tand brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 21 and suction Ruilt together centre (Size and type of pump)	3 W , W. M., in the county of Lane
length, terminating in the SE SW 1 of Sec. 1, Tp. 21 S (N. or S.)  3 W (N. or S.)  DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, tand brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description 21 and suction Ruilt together centre (Size and type of pump)	5 The pipe line to be 2050 feet
DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam	
DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam	length, terminating in the SE 1 SW 1 of Sec. 4 Tp. 21 S
DESCRIPTION OF WORKS  version Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,	
version Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,	(E. or W.)
version Works—  6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry,	DESCRIPTION OF WORKS
feet; material to be used and character of construction  (Loose rock, concrete, masonry,  (and brush, timber crib, etc., wasteway over or around dam)  (b) Description of headgate  (Timber, concrete, etc., number and size of openings)  (c) If water is to be pumped give general description  (Size and type of pump)	iversion Works—
(b) Description of headgate	
(b) Description of headgate	facts material to be used and absence of sometimestics
(b) Description of headgate	[Loose rock, concrete, masonry,
(b) Description of headgate	ok and brush, timber orth ate, wasteway over or around daw)
(c) If water is to be pumped give general description 21th end suction. Built together centre	Andrew Comments and Comments an
	(Timber, concrete, etc., number and size of openings)
	(a) If sustant is to be numbed give general description 22.11 and sustion /But 14 to set between
40 HP 30 elec. motor 285 Total system Head	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)	40 HP 30 elec. motor 285 Total system Head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

A different form of application is provided where storage works are contemplated.
 Application for permits to appropriate water for the generation of electricity, with the exception of appropriate water for the generation of electricity.

APPROPRIATE THE PUBLIC

P P

Application No. 42. 76.

WATERS OF THE STATE OF OREGON

at A:00 o'clock

1966

Returned to applicant

Recorded in book No.

Permits on page

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions: The right herein granted is limited to the amount of water which can be applied to beneficial use stream, or its equivalent in case of rotation with other water users, from Coast Fork Willamette The use to which this water is to be applied is irrigation If for irrigation, this appropriation shall be limited to ......1/80th...... of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 acre feet per acre for each acre irrigated during the irrigation and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.... Complete application of the water to the proposed use shall be made on or before October 1, 19.69... WITNESS my hand this ... 19th ...... day of ...... October STATE ENGINEER office of the State Engineer at Salem, Oregon This instrument was first received in