

RECEIVED
JAN 20 1966
STATE ENGINEER
SALEM OREGON

Permit No. 31292

CERTIFICATE NO. 41990

*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, GREEN FOREST ACRES, INCORPORATED
(Name of applicant)

of P. O. Box 517; Coos Bay, Oregon
(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation 5th day of March, 1965, Coos Bay, Oregon

1. The source of the proposed appropriation is an un-named spring
(Name of stream), a tributary of Millicoma River

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 128.2 ft. South and 1763.1 ft. West from the NE corner of Section 18,
(N. or S.) (E. or W.) (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the Lot 6 (NW 1/4 NE 1/4) of Sec. 18, Tp. 25 S, R. 11 W, W. M., in the county of Coos.
(Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The pipe line to be in length, terminating in the Lot 6 of Sec. 18, Tp. 25 S, R. 11 W, W. M., the proposed location being shown throughout on the accompanying map.
(Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.
**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1670 ft.; size at intake, 3/4 in.; ~~size at~~ all 3/4" ~~x~~ ~~xxxxxxx~~ pipe in.; size at place of use 3/4 in.; difference in elevation between intake and place of use, 50 ft. Is grade uniform? no Estimated capacity, 0.01 sec. ft.

Lot 10 (SW 1/4 SE 1/4), Sec 7, T 25 S, R 11W
Lot 6 (NW 1/4 NE 1/4), Sec. 18, " "

8. Location of area to be irrigated, or place of use

Table with 5 columns: Township North or South, Range E. or W. of Willamette Meridian, Section, Forty-acre Tract, Number Acres To Be Irrigated. Includes rows for 'PLACES OF DOMESTIC USE' and 'Sites 1 - 4' through 'Sites 5 - 8'.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

31292

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 8

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before The system was completed in.....

13. Construction work will be completed on or before 1941, and has been in use
since then.

14. The water will be completely applied to the proposed use on or before

John Forest Home Inc
by Charles A. Johnston, P.E.
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before March 28 19 66

WITNESS my hand this 26th day of January 19 66

RECEIVED
FEB 1 1966
CHRIS L. WHEELER
STATE ENGINEER
S. LEM. OREG.

By *Tommy W. G. [Signature]*
STATE ENGINEER
ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic use of eight families

If for irrigation, this appropriation shall be limited to _____ of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 20, 1966

Actual construction work shall begin on or before October 25, 1967 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968.

Complete application of the water to the proposed use shall be made on or before October 1, 1969.

WITNESS my hand this 25th day of October, 1966

Chris J. Wheeler
STATE ENGINEER

Application No. 41804
Permit No. 31292

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 20th day of January, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved: _____
Recorded in book No. _____ of _____
Permits on page 31292

CHRIS J. WHEELER
STATE ENGINEER

Drainage Basin No. 17 page 10H

Fees 20.00