*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

	I, Roy O. Stewart and Annabelle V. Stewart (Name of applicant)
of	Route 6, Box 130, Lakeview, (Mailing address)
State	ofOregon do hereby make application for a permit to appropriate th
follo	wing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
	If the applicant is a corporation, give date and place of incorporation
pool Sec.	1. The source of the proposed appropriation is slough from Juanta Ditch and unna reservoir located in SW4SE4 of (Name of stream) 25. T 38 S. R 19 E.W.M. , a tributary of Thomas Creek
	2. The amount of water which the applicant intends to apply to beneficial use is3_3_0
cubi	c feet per second
	**3. The use to which the water is to be applied isirigation
*******	No. 1
	4. The point of diversion/is located740 ftS and80ftW from theNW
corn	er of NW\SE\.of.Section25,T38SR19E.W.M,forsprinklersystem
wa.t	er for flood irrigation will be diverted from pond reservoir at
var	ious places by pumpsAll points of diversion and pond reservoir
ref Div T3	erred to above are within NW\SE\ of Sec. 25, T 38 S, R 19 E.W.M. ersion point No. 2 is located at the NW corner of Sec. 31, 8.S., R 20 E.W.M. being (If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
	gwithin the
R	20E., W. M., in the county ofLake
	5. Themain_ditch to be1100_feet(Milles or feet)
in le	ngth, terminating in theNELSEL of Sec. 25, Tp. 38S(Smallest legal subdivision)
R	19E.W. M., the proposed location being shown throughout on the accompanying map.
	DESCRIPTION OF WORKS
Dive	ersion Works—
	6. (a) Height of dam3 feet, length on top135 feet, length at bottom
	.25 feet; material to be used and character of constructionrock.,graveland
st	eel culvert 2 feet in diameter nd brush, timber crib, etc., wasteway over or around dam)
TOUR 6	(b) Description of headgatesteel_culvert_headgate_with_two_openings,
_ea	ch 2 feet in diameter
	(c) If water is to be numbed give general description
	(c) If water is to be pumped give general description
	(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

^{*}A different form of application is provided where storage works are contemplated.

(b) If for domestic use state number of families to be supplied (Answer questions 11, 14, 14, and 14 in all cases) 11. Estimated cost of proposed works, \$.1,000.00. 12. Construction work will begin on or before	County, having a present population of in 19
(b) If for domestic use state number of families to be supplied	(b) If for domestic use state number of families to be supplied Abover questions II. 3. II. and II hall classe) 11. Estimated cost of proposed works, \$1.000.00. 12. Construction work will begin on or before October 1, 1956. 13. Construction work will be completed on or before December 1, 1956. 14. The water will be completely applied to the proposed use on or before June 30, 1957. Remarks: The land to be irrigated by flood irrigation in Sec. 31, T 38 S, R 20 E.W.M., as shown on the accompanying map. The method be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T 38 S, R 19 E.W.M., and pick is up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t 38 S, R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, Sec. County of Marion, Sec. 31. This is to certify that I have examined the foregoing application, together with the accompany
(b) If for domestic use state number of families to be supplied [Accessed questions in it. it. in and it is not considered to the proposed works, \$1,000.00	(b) If for domestic use state number of families to be supplied Answer questions it. it. is and it is all cases) 11. Estimated cost of proposed works, \$ 1,000.00 12. Construction work will begin on or before
II. Estimated cost of proposed works, \$.1,000.00	11. Estimated cost of proposed works, \$ 1.000.00 12. Construction work will begin on or before October 1, 1966. 13. Construction work will be completed on or before December 1, 1966. 14. The water will be completely applied to the proposed use on or before June 30, 1967. Remarks: The land to be irrigated by flood irrigation in Sec. 31. T 38 S, R 20 E.W.M., as shown on the accompanying map. The method be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T 38 S, R 19 E.W.M., and pick i up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31. t 38 S, R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, Ss. County of Marion, Ss. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompany
11. Estimated cost of proposed works, \$.1,000.00	11. Estimated cost of proposed works, \$1.000.00 12. Construction work will begin on or beforeQatober_1, 1966. 13. Construction work will be completed on or beforeDecember_1, 1966. 14. The water will be completely applied to the proposed use on or beforeJune301967. Remarks: The land to be irrigated by flood irrigation in Sec31_ T. 38. S. R. 20. E.W.M., as shown on the accompanying map. The method be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec25, T. 38. S. R. 19. E.W.M., and pick i up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec31_ t. 38. S. R. 20. E.W.M., at the Northwest corner of said Section_31. STATE OF OREGON, Ss. County of Marion, State St
12. Construction work will begin on or before October 1, 1956. 13. Construction work will be completed on or before December 1, 1966. 14. The water will be completely applied to the proposed use on or before June 30, 1957. Remarks: The land to be irrigated by flood irrigation in Sec. 31, T. 38. S. R. 20. E.W.M., as shown on the accompanying map. The method is be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T. 38. S. R. 19. E.W.M., and pick in up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t. 38. S. R. 20. E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	12. Construction work will begin on or beforeQCLOBER_1, 1956. 13. Construction work will be completed on or beforeDecember_1, 1956. 14. The water will be completely applied to the proposed use on or beforeJune30,_1957. Remarks: The land to be irrigated by flood irrigation in Sec. 31, T 38 S, R 20 E.W.M., as shown on the accompanying map. The method be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T 38 S, R 19 E.W.M., and pick i up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t 38 S, R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, SS. County of Marion, County of Marion, SS. County of Marion, SS. County of Marion, County o
13. Construction work will be completed on or before	13. Construction work will be completed on or before
14. The water will be completely applied to the proposed use on or before	Remarks: The land to be irrigated by flood irrigation in Sec. 31. T 38 S. R 20 E.W.M., as shown on the accompanying map. The method be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25. T 38 S. R 19 E.W.M., and pick i up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31. t 38 S. R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, St. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany
Remarks: The land to be irrigated by flood irrigation in Sec. 31, T. 38. S. R. 20. E.W.M., as shown on the accompanying map. The method is be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T. 38. S. R. 19. E.W.M., and pick is up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t. 38. S. R. 20. E.W.M., at the Northwest corner of said. Section 31. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corne ions on or before 19. WITNESS my hand this day of 19.	Remarks: The land to be irrigated by flood irrigation in Sec. 31. T. 38 S. R. 20 E.W.M., as shown on the accompanying map. The method be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T. 38 S. R. 19 E.W.M., and pick is up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31. t. 38 S. R. 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany
Remarks: The land to be irrigated by flood irrigation in Sec. 31, T. 38. S. R. 20. E.W.M., as shown on the accompanying map. The method is be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T. 38. S. R. 19. E.W.M., and pick it up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t. 38. S. R. 20. E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19. WITNESS my hand this	Remarks: The land to be irrigated by flood irrigation in Sec. 31. T. 38 S. R. 20 E.W.M., as shown on the accompanying map. The method be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T. 38 S. R. 19 E.W.M., and pick i up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t. 38 S. R. 20 E.W.M., at the Northwest corner of said. Section 31. STATE OF OREGON, Ss. County of Marion, Sss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany
T. 38 S. R. 20 E.W.M., as shown on the accompanying map. The method is be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T. 38 S. R. 19 E.W.M., and pick is up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t. 38 S. R. 20 E.W.M., at the Northwest corner of said. Section 31. This is to certify that I have examined the foregoing application, together with the accompanyimaps and data, and return the same for	T 38 S, R 20 E.W.M., as shown on the accompanying map. The method be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T 38 S, R 19 E.W.M., and pick i up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31. t 38 S, R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, County of Marion, Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompany
be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T. 38. S. R. 19. E.W.M., and pick if up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t. 38. S. R. 20. E.W.M., at the Northwest corner of said. Section 31. STATE OF OREGON, County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19 WITNESS my hand this	be used is to pump the water from the pond reservoir previously mentioned onto the land in Sec. 25, T 38 S, R 19 E.W.M., and pick i up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t 38 S, R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, County of Marion, Sss. This is to certify that I have examined the foregoing application, together with the accompany
mentioned onto the land in Sec. 25. T 38 S. R 19 E.W.M and pick in up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31. t 38 S. R 20 E.W.M at the Northwest corner of said Section 31. STATE OF OREGON, Sec. County of Marion. Sec. This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for	mentioned onto the land in Sec. 25, T 38 S, R 19 E.W.M., and pick is up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31. t 38 S, R 20 E.W.M., at the Northwest corner of said. Section 31. Section 31. This is to certify that I have examined the foregoing application, together with the accompany.
mentioned onto the land in Sec. 25. T. 38. S. R. 19. E.W.M and pick in up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31. t. 38. S. R. 20. E.W.M at the Northwest corner of said. Section 31. STATE OF OREGON, Sec. County of Marion. This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for	mentioned onto the land in Sec. 25, T 38 S, R 19 E.W.M., and pick i up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t 38 S, R 20 E.W.M., at the Northwest corner of said Section 31. Section 31. State of OREGON, County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompany
up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31. t 38 S. R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompanying application and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corne ions on or before 19. WITNESS my hand this day of 19.	up again in the Slough from Juanta Ditch. The water will then be rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t 38 S, R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompany
rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t 38 S, R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, Ss. County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19. WITNESS my hand this day of 19.	rediverted from the Slough from Juanta Ditch onto the land in Sec. 31, t 38 S, R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompany
Section 31. Section 31. STATE OF OREGON, Sss. County of Marion, Sss. This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for	Sec. 31. t 38 S. R 20 E.W.M., at the Northwest corner of said Section 31. STATE OF OREGON, Ss. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompany
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyi naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before WITNESS my hand this day of , 19	STATE OF OREGON, Sss. County of Marion, Sss. This is to certify that I have examined the foregoing application, together with the accompany
STATE OF OREGON, ss. County of Marion, Ss. This is to certify that I have examined the foregoing application, together with the accompanying and data, and return the same for	STATE OF OREGON, $\left. \begin{array}{c} ss. \\ County of Marion, \end{array} \right.$ This is to certify that I have examined the foregoing application, together with the accompany
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompany
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompany
County of Marion, This is to certify that I have examined the foregoing application, together with the accompanyinaps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	County of Marion, ss. This is to certify that I have examined the foregoing application, together with the accompany
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	· · · · · · · · · · · · · · · · · · ·
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	nans and data, and return the same for
In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before	
WITNESS my hand this day of, 19, 19, 19	
WITNESS my hand this day of, 19, 19	
	nons on or before
	WITNESS my hand this day of, 19,

By

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	e right herein granted is limited to the amount of water which can be applied to beneficial use
and shall	not exceed3.30 cubic feet per second measured at the point of diversion from the
stream, o	r its equivalent in case of rotation with other water users, from slough and reservoir
	onstructed under application No. R-42679, permit No. R-4763
The	e use to which this water is to be applied is <u>irrigation</u>
second or	or irrigation, this appropriation shall be limited to
irrigat	ion season of each year from direct flow and storage from reservoir to be
constr	ucted under permit No. R-4763

and shall	be subject to such reasonable rotation system as may be ordered by the proper state officer.
The	e priority date of this permit is
Act	ual construction work shall begin on or beforeQctober 25, 1967 and shall
thereafter	be prosecuted with reasonable diligence and be completed on or before October 1, 19.68
Con	Extended to Oct. 1, 1969 mplete application of the water to the proposed use shall be made on or before October 1, 1969
wi	TNESS my hand this25th day ofOctober, 19.66
,,,_	el alla
	STATE ENGINEER

This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

Permit No. 513.23

Application No. 426 &

office of the State Engineer at Salem, Oregon,

on the 22 mil day of 12

1966, at 9 . 00 o'clock

Returned to applicant:

J Q

Drainage Basin No.

State Printing 98137

CHRIS L. WHEELER

October 25, 1966

Approved:

Recorded in book No.

Permits on page