

*APPLICATION FOR PERMIT CERTIFICATE NO. 40955 Supersel of the State of Oregon **APPLICATION FOR PERMIT CERTIFICATE NO. 40955 Supersel of the State of Oregon

I, Merton Taylor					
ofIsland City, Oregon					
(Mailing address)					
State ofOregon , do hereby make application for a permit to appropriate the					
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:					
If the applicant is a corporation, give date and place of incorporation					
1. The source of the proposed appropriation is Grande Ronde River Old Channel with any deficiency made up from the present (Name of stream) main channel of the Grande Ronde tribitary of Snake River					
2. The amount of water which the applicant intends to apply to beneficial use is					
cubic feet per second					
Impiration					
**3. The use to which the water is to be applied is					
A The point of diversion is located for and for the formation					
4. The point of diversion is located					
corner of See attached map and explanation thereon. Points A, B, C. & D. (Section or subdivision)					
are referenced to common section corner 33 34 T2S, Rge 39 E. W.M.					
From common corner to point A is S18°15'E., 8,300 feet; from common corner to point B is S29°15' E, 5,550 feet; from common corner to point C is \$40°45' E., 8,030 feet; from common corner to point D is \$38°45'E., 4,					
Continued on attached sheet.					
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)					
being within the					
R. W. M., in the county of Union					
5. The proposed ditch to be approximately 2900 feet (Main ditch, canal or pipe line) (Miles or feet)					
in length, terminating in the NWLSEL of Sec. 10, Tp. 3 South (Smallest legal subdivision) (No. or S.)					
R. 39 East W. M., the proposed location being shown throughout on the accompanying map.					
DESCRIPTION OF WORKS					
Diversion Works—					
6. (a) Height of dam feet, length on top feet, length at bottom					
feet; material to be used and character of construction					
rock and brush, timber crib, etc., wasteway over or around dam)					
(b) Description of headgate					
(c) If water is to be pumped give general description No. 282I1, dated October 22, 1962. Portable pumps will be used between points A to B; points B to C; points B to D in conjunction with portable pipe. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)					

(i) The nature of the mines to be served

Item 8.

TOWNSHIP	RANGE	SECTION	FORTY-ACRE TRACT	NO. OF ACRES TO BE IRRIGATED
3 S.	39 E.	3	NE_{4}^{1} SE_{4}^{1}	37.2
			NW_3^1 SE_4^1	30.0
			$SE_4^{\frac{1}{4}} SE_4^{\frac{1}{4}}$	38.4
			SW4 SE4	35.6
		4	NE¼ SE¼	37.8
			$NW_{\frac{1}{4}}^{\frac{1}{4}}$ SE $_{\frac{1}{4}}^{\frac{1}{4}}$	36.5 -
			$SE^{\frac{1}{4}}$ $SE^{\frac{1}{4}}$	41.8
			$SW_{\frac{1}{4}}^{\frac{1}{4}}$ $SE_{\frac{1}{4}}^{\frac{1}{4}}$	42.0
			SE_{4}^{1} SW_{4}^{1}	41.6
		10	$NE_{\frac{1}{4}}^{\frac{1}{4}}$ $NE_{\frac{1}{4}}^{\frac{1}{4}}$	14.2
			$NE\frac{1}{4} NW\frac{1}{4}$	40.0 ***
			$NW\frac{1}{4} NW\frac{1}{4}$	40.0
			$NW_{4}^{\frac{1}{4}}$ $SE_{4}^{\frac{1}{4}}$	40.0
			$NE_{\frac{1}{4}}$ SW $\frac{1}{4}$	40.5
			$NW_{\frac{1}{4}}$ $SW_{\frac{1}{4}}$	41.0
			$SW_{\frac{1}{4}}$ $SE_{\frac{1}{4}}$	40.3
			$SE_{\frac{1}{4}}^{\frac{1}{4}}SW_{\frac{1}{4}}^{\frac{1}{4}}$	40.2
			$SW_{\frac{1}{4}}$ $SW_{\frac{1}{4}}$	39.8
		9 '	$NE_{4}^{\frac{1}{4}} NE_{4}^{\frac{1}{4}}$	41.8
			$NW_{4}^{1} NE_{4}^{1}$	40.2 -
			NE¼ NW¾	41.2.4
			$SE_{4}^{1} NE_{4}^{1}$	40.3~
			$SW_{\frac{1}{4}}^{\frac{1}{4}}NE_{\frac{1}{4}}^{\frac{1}{4}}$	40.4
			$SE_{4}^{1} NW_{4}^{1}$	41.1
			$NE_{4}^{1} SE_{4}^{1}$	41.2
			NW_{4}^{1} SE_{4}^{1}	41.1
			$NE_{\frac{1}{4}}^{\frac{1}{4}} SW_{\frac{1}{4}}^{\frac{1}{4}}$	41.2
				1045.4 acres

Present channel Grande Ronde River diversion point - S. 28° 30' W. 5360' being within the $SW_{4}^{1}NE_{4}^{1}$ of Sec. 32, T. 2 S., R. 39 E., W.M.

Old Main channel - S. 29° 15' E. 5550' from the NW corner of Sec. 3, T. 3 S., R. 39 E., W.M.; and portable pumping from a point located S. 38° 45' E. 4190' to a point located S. 40° 45' E. 8030', both from the NW corner of Sec. 3, T. 3 S., R. 39 E., W.M., being within the NW $_4^{\circ}$ SE $_4^{\circ}$, SW $_4^{\circ}$ SE $_4^{\circ}$, and the SE $_4^{\circ}$ Of Sec. 3 and the NE $_4^{\circ}$ NE $_4^{\circ}$ of Sec 10.

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed26.14........... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Old Channel Grande Ronde River with any deficiency in the available supply from the Old Channel Grande Ronda River to be made up by appropriation from the Present Channel Grande Ronda River provided that the total quantity diverted from both sources shall not exceed 26.14 c The use to which this water is to be applied is __irrigation_____ second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is ______November 12, 1965 thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.68... Complete application of the water to the proposed use shall be made on or before October 1, 19..69.. WITNESS my hand this7th day of November STATE ENGINEER

This instrument was first received in the office of the State Engineer at Salem, Oregon APPROPRIATE THE PUBLIC November 7, 1966× WATERS OF THE STATE OF OREGON o'clock Recorded in book No. Returned to applicant: Permit No. 00.

0 at. 3

Application No. 41602

State Printing 98137

STATE ENGINEER

L. WHEELER

CHRIS

Permits on page

Drainage Basin No.