To Appropriate the Public Waters of the State of Oregon

Paris 11/1	Cart. No. <u>68260</u>
I, Perty Wells	of amiliant
f Bt L Box 78 Lu (Mailing address)	dependence
(Mailing address)	<u> </u>
State of Oregan 9735/, do here	by make application for a permit to appropriate the
ollowing described public waters of the State of Ore	gon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and p	place of incorporation
1. The source of the proposed appropriation is	Willamette River
, a tributa	(Name of stream)
, a trioud	rry of
2. The amount of water which the applicant inte	·
ubic feet per second. (If water is to be used	
the O PTI	This a time
The use to which the water is to be applied is	[LVI g ation] (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 865 ft orner of UNO. W. Griffiths DLC	S and 3605 ft. E from the N4
(If preferable, give distance and	i bearing to section corner)
(If there is more than one point of diversion, each mus	st be described. Use separate sheet if necessary)
eing within the NE 19 of the NE 14 (Give smallest legal subdivision)	of Sec. 23 , Tp. 95
\mathcal{L} . \mathcal{L} , \mathcal{W} .	
5. The	to be
n length, terminating in the(Smallest legal subdivisio	of Sec
(Smallest legal subdivision). W. M., the proposed location bein	
(=: 0.1 11.7)	
DESCRIPTION Diversion Works—	OF WORKS
6. (a) Height of dam feet, le	ngth on top feet, length at bottor
feet; material to be used and characte	er of construction(Loose rock, concrete, masons
ock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	Fimber, concrete, etc., number and size of openings)
	Timber, concrete, etc., number and size of openings)
	iption (Size and type of pump)
(Size and type of engine or motor to be use	d. total head water is to be lifted ato \
Give and Abe or subme or moon, to be use	The second states of the second section to the second second

	Â
31368 stating miles from	
; width on bottom	
feet fall per one	
feet;	
. ,	٠.
t ft.	
elevation between	
Estimated capacity,	er.
Acres To Be Irrigated	
· · ·	
retical horsepower.	
-	
••••••••••••••••••••••••	
?C	

eadgate. At hea	dgate: width fon	top (at water	line)	feet; width on bottor
 iousand feet.	feet; depth of u	oater	feet; grade	feet fall per on
	•••••	miles from h	eadgate: width on top (at wate	r line)
	feet; width on b	ottom	feet; depth of u	oater fee
rade	feet fali	per one thou	isand feet.	
(c) Length	h of pipe,	ft.;	; size at intake,	. in.; size at f
rom intake	in.;	size at place	of use in.; dif	ference in elevation betwee
			Is grade uniform?	
				• .
		rrigated, or p	lace of use	
Township North or South	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
95	4w	14	SW/4 of the SW/4	3.4
95	9 W	14	SELA of the SW/4	5.6
95	4 h	14	54/4 of the SE/4	0.6
95	4w	23	ruly of the Nuly	24.6
95	44	23	NE /4 of the NW/4	26.8
95	4 h	23	NW/4 of the NE/4	3.8
95	4 W	23	su'f of the NW/4	0.9
				65.7
		-1:		
(-) C			e required, attach separate sheet)	
(b) Ki Power or Minin		d	raning - Country Cu	of 5
		ower to be de	veloped	theoretical horsepowe
			· power se	
			(Head)	
			(Hoad) ins of which the power is to be	idanalanad
(4) 1.	ve nature of the	works by med		
(a) Sa	uch anorke to ha l	ocated in		of Sao
			(Legal subdivision)	
•	S.) (No.			
			(Yes or No)	·
(g) If	so, name strean	n and locate p	point of return	

(i) The nature of the mines to be served

10. (a) To supply the city of	313
d an estimated population of in 19 in 19	
(b) If for domestic use state number of families to be su	upplied
(Answer questions 11, 12, 13, and 14 in all cases)	
11. Estimated cost of proposed works, \$	
12. Construction work will begin on or before May	1966
13. Construction work will be completed on or before	
14. The water will be completely applied to the proposed use o	n or before <u>C.C.</u>
Jes -	m Delle
	(Signature of applicant)
	······································
Remarks:	······································

······································	***************************************
,	
TATE OF OREGON,	
County of Marion,	
This is to certify that I have examined the foregoing applic	ation, together with the accompany
naps and data, and return the same for	
supe und dava, and revarious one sume jor	`
	2
In order to retain its priority, this application must be retur	ned to the State Engineer, with corr
ions on or before	
WITNESS my hand this day of	10
17 11 17 255 They had the day 0]	, <i>1</i> 3
	STATE ENGINE

By

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed
stream, or its equivalent in case of rotation with other water users, fromWillamette.River
The use to which this water is to be applied is <u>irrigation</u>
If for irrigation, this appropriation shall be limited to1/80th of one cubic foot per
econd or its equivalent for each acre irrigated and shall be further limited to a diversion of
not to exceed 23 acre feet per acre for each acre irrigated during the irrigation
season of each year,
A CONTRACTOR OF THE CONTRACTOR
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.
The priority date of this permit isFebruary 21, 1966
Actual construction work shall begin on or beforeDecember 16, 1967 and shall
hereafter be prosecuted with reasonable diligence and be completed on or before October 1, 19.68
Complete application of the water to the proposed use shall be made on or before October 1, 19.69
WITNESS my hand this16th day ofDecember, 19.66
STATE ENGINEER

This instrument was first received in the

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

PERMIT

office of the State Engineer at Salem, Oregon,

1966, at 3/37 o'clock

on the L

Returned to applicant:

Application No. A. 8.

Permit No.

CHRIS L. WHEELER

Drainage Basin No.

December 16, 1966

Approved:

Recorded in book No.

Permits on page