

RECEIVED
APR 1 1966
STATE ENGINEER
SALEM OREGON

CERTIFICATE NO. 40532

Permit No. 31476

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, William, E. Wilson, Jr.

(Name of applicant)

of 13532 N. E. Brazee Ct. Portland, Oregon 97230

(Mailing address)

State of Oregon

, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is unnamed creek

(Name of stream)

, a tributary of Brightwood creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.01

cubic feet per second.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is domestic

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 210 ft. East and 35 ft. South from the NW

(N. or S.)

(E. or W.)

corner of SE $\frac{1}{4}$ of SE $\frac{1}{4}$, Section 24, T2S, R6E, Clackamas County

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{4}$ - SE $\frac{1}{4}$ Tr. 4-22-64 of Sec. 24, Tp. 2S,

(Give smallest legal subdivision)

(N. or S.)

R. 6E, W. M., in the county of Clackamas

(E. or W.)

5. The pipe line to be 268 feet

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 24, Tp. 2S,

(Smallest legal subdivision)

(N. or S.)

R. 6E, W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

..... feet; material to be used and character of construction

(Loose rock, concrete, masonry,

A wooden barrel, 55 gallon capacity, fed by trough from small pool

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description

(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

*A different form of application is provided where storage works are contemplated.

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

31476

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied Two

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 50

12. Construction work will begin on or before None

13. Construction work will be completed on or before in use since July, 1927

14. The water will be completely applied to the proposed use on or before
in use since 1927

William E. Wilson Jr
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

By ASSISTANT

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed0.01..... cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, froman unnamed stream.....

The use to which this water is to be applied isdomestic use of two families.....

If for irrigation, this appropriation shall be limited to of one cubic foot per second or its equivalent for each acre irrigated

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit isApril 1, 1966.....

Actual construction work shall begin on or beforeJanuary 18, 1968..... and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1968..

Complete application of the water to the proposed use shall be made on or before October 1, 1969..

WITNESS my hand this18th..... day ofJanuary....., 1967.....

Chris L. Wheeler
STATE ENGINEER

Application No. 42052
Permit No. 31476

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of April, 1966, at 8:00 o'clock A. M.

Returned to applicant:

Approved:
.....
January 18, 1967..... of
Recorded in book No. 31476
Permits on page

CHRIS L. WHEELER
STATE ENGINEER
Drainage Basin No. 3 page 12E
Fees \$20

PC